



THIXO-CARB® 500, THIXO-CARB® 525

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 09/11/2012

Revision date: 03/18/2015

Supersedes: 09/11/2012

Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : THIXO-CARB® 500, THIXO-CARB® 525

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Mineral Additive

1.3. Details of the supplier of the safety data sheet

Specialty Minerals Inc.,
260 Columbia Street,
Adams,
MA 01220
U.S.A

Tel. 1-877-684-7627

1.4. Emergency telephone number

Emergency number : +1 760-476-3962
3E Global Emergency Response Services. Access code: 333336 (if you mention SDS name and company name-you don't need the access code)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Precipitated Calcium Carbonate	(CAS No) 471-34-1	95-99	Not classified
Proprietary*		1-5	Eye Irrit. 2A, H319

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. If symptoms develop obtain medical attention.

First-aid measures after skin contact : Remove contaminated clothing immediately and wash affected skin with plenty of water or soap and water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

THIXO-CARB® 500, THIXO-CARB® 525

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after ingestion : Do NOT induce vomiting. Wash out mouth with water and give 100-200 ml of water to drink. If symptoms develop, obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.
Symptoms/injuries after eye contact : May cause irritation to the eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Not applicable.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Not combustible. Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Reactivity : Reacts violently with acids.

5.3. Advice for firefighters

Protection during firefighting : Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and eye or face protection.
Emergency procedures : Ventilate area. Avoid dust formation. Do not breathe dust.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect using vacuum cleaner fitted with HEPA filter. Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. Do not dry sweep dust. Store away from other materials.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid dust formation. Do not breathe dust. Provide appropriate exhaust ventilation at places where dust is formed. Avoid contact with skin, eyes and clothing. Keep/Store away from Incompatible materials.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Incompatible materials. Keep container closed when not in use.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Provide adequate ventilation, including appropriate local extraction, to ensure that occupational exposure limits are not exceeded.
Personal protective equipment : Avoid all unnecessary exposure.
Hand protection : In case of repeated or prolonged contact wear gloves.

THIXO-CARB® 500, THIXO-CARB® 525

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye protection	: Wear safety glasses with side shields.
Skin and body protection	: Not required for normal conditions of use.
Respiratory protection	: In case of insufficient ventilation and possible dust formation, wear suitable respiratory equipment.
Thermal hazard protection	: Not required for normal conditions of use.
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Dry powder.
Color	: White.
Odor	: odorless
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: Not applicable
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: > 450 °C
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 2.71
Solubility	: Water: Partially soluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not applicable.
Oxidizing properties	: Not oxidizing.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with acids.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Can react violently with acids.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Carbon dioxide.

THIXO-CARB® 500, THIXO-CARB® 525

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Precipitated Calcium Carbonate (471-34-1)	
LD50 oral rat	> 2000 mg/kg (OECD Guideline 420)
LD50 dermal rat	> 2000 mg/kg (OECD Guideline 402)
LC50 inhalation rat (mg/l)	> 3 mg/l/4h (OECD Guideline 403) for solid substance

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Based on available data, the classification criteria are not met
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure) : Not classified.

Precipitated Calcium Carbonate (471-34-1)	
NOAEL (oral,rat)	1000 mg/kg body weight (OECD Guideline 422)

Specific target organ toxicity (repeated exposure) : Not classified
Based on available data, the classification criteria are not met
Aspiration hazard : Not classified
Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.
Symptoms/injuries after eye contact : May cause irritation to the eyes.

SECTION 12: Ecological information

12.1. Toxicity

Precipitated Calcium Carbonate (471-34-1)	
LC50 fish	> 100 mg/l Oncorhynchus mykiss-OECD 203
EC50 Daphnia	> 100 mg/l OECD 202
EC50 other aquatic organisms 2	> 1000 mg/l 3h - Activated sewage sludge - OECD 209
ErC50 (algae)	> 14 mg/l Desmodesmus subspicatus-OECD 201
NOEC (acute)	14 mg/l Desmodesmus subspicatus - OECD 201

12.2. Persistence and degradability

Precipitated Calcium Carbonate (471-34-1)	
Persistence and degradability	Not relevant for inorganic substances.

12.3. Bioaccumulative potential

Precipitated Calcium Carbonate (471-34-1)	
Log Kow	Not relevant for inorganic substances
Bioaccumulative potential	Bioaccumulation unlikely.

12.4. Mobility in soil

Precipitated Calcium Carbonate (471-34-1)	
Ecology - soil	Not applicable.

12.5. Other adverse effects

Effect on ozone layer : No additional information available

THIXO-CARB® 500, THIXO-CARB® 525

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with DOT

Not regulated for transport

Other information : No supplementary information available.

Transport by sea

Proper Shipping Name (IMDG) : Not applicable

Air transport

Proper Shipping Name (IATA) : Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

THIXO-CARB® 500, THIXO-CARB® 525

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
----------------------	---

15.2.2. National regulations

THIXO-CARB® 500, THIXO-CARB® 525

Generally, our Coated Limestone products use proprietary coatings which are approved under FDA food additive regulations at 21 CFR 172.860 as materials "which may be safely used in food and in the manufacture of food components"

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Revision date : 03/18/2015

THIXO-CARB® 500, THIXO-CARB® 525

Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Abbreviations and acronyms : CAS (Chemical Abstracts Service) number. IARC (International Agency for Research on Cancer). LC50 (Lethal Concentration 50%). LD50 (Lethal Dose 50%). EC50 (Effective Concentration 50%). PBT (Persistent, bioaccumulative and toxic). vPvB (very persistent and very bioaccumulative). REACH (Registration, Evaluation and Authorisation of CHemicals). CLP (Classification, Labeling and Packaging). DNEL (Derived No effect Limit). OECD (Organisation for Economic Co-operation and Development). PNEC (predicted no effect concentration). UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods). ADR (Accord européen relatif au transport international des marchandises Dangereuses par Route). ATE (Acute Toxicity Estimate). EC (European Community). EN (European Norm). IATA (International Air Transport Association). IBC (Intermediate Bulk Container). IMDG (International Maritime Dangerous Goods Code). IMO (International Maritime Organisation). MAC (Maximal Allowed Concentration). O/W (Oil-in-Water (chemistry)). PMcc (Pensky-Martens Closed Cup test). RID (Règlement concernant le transport international ferroviaire de marchandises). STEL (Short Term Exposure Limit). TWA (Time Weighted Average). DMEL (Derived minimum effect level). BCF (Bioconcentration factor). ES (Exposure scenario). EPISUITE (Estimation Program Interface (EPI) Suite). EWC (European Waste Catalogue). IOELV (Indicative Occupational Exposure Limit). Koc (Soil adsorption coefficient). LLNA (The Mouse Local Lymph Node Assay). LOAEC (Lowest observed adverse effect concentration). NOAEC (No observed adverse effect concentration). NOAEL (No observed adverse effect level). OEL (Occupational exposure limit). Repr (Toxicity for reproduction). SCL (Specific Concentration Limit). SCOEL (Scientific Committee on Occupational Exposure Limits). STOT RE (Specific target organ toxicity (repeated exposure)). STOT SE (Specific target organ toxicity (single exposure)).
- Other information : None.

Full text of H-phrases: see section 16:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
H319	Causes serious eye irritation

- NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
- NFPA fire hazard : 0 - Materials that will not burn.
- NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

- Health : 0 Minimal Hazard - No significant risk to health
- Flammability : 0 Minimal Hazard
- Physical : 0 Minimal Hazard
- Personal Protection : E

NCEC SDS US (GHS HazCom 2012) V14_1

Neither Minerals Technologies Inc., nor any of its affiliates ("MTI") shall be responsible for the use of information, product, method, or apparatus herein presented ("Information"), and you must make your own determination as to its suitability and completeness for your own use, for the protection of the environment, and for health and safety purposes. You assume the entire risk of relying on this information. In no event shall MTI be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information. By providing this information, MTI neither can nor intends to control the method or manner by which you use, handle, store, or transport MTI products. Nothing herein shall be construed as a recommendation or license to use any Information that conflicts with any patent, trademark or copyright. Material Safety Data Sheets providing safety precautions that should be observed in handling and storing MTI products are available upon request. You should obtain and review the available material safety information before handling any of these products.

MTI MAKES NO PRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE REGARDING THIS INFORMATION, AND NOTHING HEREIN WAIVES ANY CONDITIONS OF SALE. This information could include technical inaccuracies or typographical errors. Changes are periodically added to the information herein; these changes will be incorporated in revisions of the information. MTI may make improvements and/or changes in the product(s) described in this information at any given time.