

SAFETY DATA SHEET

1. Identification

Product identifier	SEAL-X® XP
Other means of identification	
Product code	SEAL-X XP
Recommended use	construction Coating.
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.
Manufacturer/Importer/Supplier/ Manufacturer	Distributor information
Company name Address	CETCO, an MTI Company 2870 Forbs Avenue Hoffman Estates, IL 60192 United States
Telephone	General Information 800 527-9948
Website E-mail	http://www.cetco.com/ safetydata@mineralstech.com
Emergency phone number	Emergency 1.866.519.4752/1 760 476 3962
Supplier	Not available.
2. Hazard identification	
Physical hazards	Not classified.
Health hazards	Carcinogenicity Category 1A
	Specific target organ toxicity, repeated Category 1 exposure
Environmental hazards	Not classified.
Label elements	
Signal word	Danger
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	None known.
Supplemental information	88.8% of the mixture consists of component(s) of unknown acute oral toxicity. 88.8% of the mixture consists of component(s) of unknown acute dermal toxicity. 88.8% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 88.8% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

J: -: . : ... /:...**f** . . . ~

Mixtures					
Chemical name	Common name and synonyms	CAS number	%		
BENTONITE		1302-78-9	41.8		
Other components below repo	rtable levels		58.2		
Constituents					
Chemical name	Common name and synonyms	CAS number	%		
QUARTZ (SIO2)		14808-60-7	<= 2.4		
CRISTOBALITE		14464-46-1	<= 0.8		
All concentrations are in percent	by weight unless ingredient is a gas. Gas conce	ntrations are in percent by vol	ume.		
Composition comments	Occupational Exposure Limits for constituent	s are listed in Section 8.			
4. First-aid measures					
nhalation	Move to fresh air. Call a physician if symptoms develop or persist.				
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.				
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.				
Ingestion	Rinse mouth. Get medical attention if symptoms occur.				
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effects.				
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.				
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.				
5. Fire-fighting measures					
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Cark	oon dioxide (CO2).			
Unsuitable extinguishing	Do not use water jet as an extinguisher, as this will spread the fire.				

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Constituents	Туре	Value	Form
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (O Constituents	ccupational Health & Safety Code, Sc Type	hedule 1, Table 2) Value	Form
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable.
		0.025 mg/m3	Respirable particles.
Canada. British Columbia Safety Regulation 296/97,	OELs. (Occupational Exposure Limi as amended)	ts for Chemical Substances, Oo	ccupational Health and
Constituents	Туре	Value	Form
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety	And Health Act)	
Constituents	Туре	Value	Form
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Ontario OELs. (C Constituents	control of Exposure to Biological or C Type	hemical Agents) Value	Form
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.
Canada. Quebec OELs. (M Constituents	/linistry of Labor - Regulation respect Type	ing occupational health and sa Value	fety) Form
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
Canada. Saskatchewan C Constituents	ELs (Occupational Health and Safety Type	Regulations, 1996, Table 21) Value	Form
QUARTZ (SIO2) (CAS 14808-60-7)	8 hour	0.05 mg/m3	Respirable fraction.
CRISTOBALITE (CAS 14464-46-1)	15 minute	10 mg/m3	Inhalable fraction.
	8 hour	0.05 mg/m3	Respirable fraction.
ogical limit values	No biological exposure limits noted	for the ingredient(s).	
osure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. Occupational Exposure Limits are not relevant to the current physical form of the product.		
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		

Individual protection measures, such as personal protective equipment

Eye/face protection	Applicable for industrial settings only.
Skin protection	
Hand protection	Applicable for industrial settings only. Wear appropriate chemical resistant gloves. Rubber gloves are recommended.
Other	Applicable for industrial settings only. Use of an impervious apron is recommended.
Respiratory protection	Applicable for industrial settings only. Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Paste.
Physical state	Solid.
Form	Solid. Paste.
Color	Blue.
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	215.0 °F (101.7 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00003 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.30 g/cm ³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC	33 g/l Content, ASTM D2369
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
	· · · · · · · · · · · · · · · · · · ·

Chemical stability

The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions.

Material name: SEAL-X® XP

Possibility of hazardous reactions	No dangerous reaction know	n under conditions of normal use.
Conditions to avoid	Keep away from heat, hot su incompatible materials.	rfaces, sparks, open flames and other ignition sources. Contact with
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	No hazardous decompositio	n products are known.
11. Toxicological information	tion	
Information on likely routes of e	exposure	
Inhalation	No adverse effects due to in	halation are expected.
Skin contact	No adverse effects due to sl	in contact are expected.
Eye contact	Direct contact with eyes may	
Ingestion	Expected to be a low ingesti	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may	
Information on toxicological eff	ects	
Acute toxicity	Not known.	
Toxicological data		
Constituents	Species	Test Results
CRISTOBALITE (CAS 14464-46-1	1)	
<u>Acute</u> Oral		
LD50	Rat	> 22500 mg/kg
Skin corrosion/irritation	Prolonged skin contact may	cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may	
Respiratory or skin sensitization	n	
Canada - Alberta OELs: Irrit	tant	
CRISTOBALITE (CAS 14	1464-46-1)	Irritant
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected	to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate mutagenic or genotoxic.	product or any components present at greater than 0.1% are
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica and controlled.	
ACGIH Carcinogens		
CRISTOBALITE (CAS 14		A2 Suspected human carcinogen.
QUARTZ (SIO2) (CAS 14	-	A2 Suspected human carcinogen.
Canada - Alberta OELs: Car		Quanastad human assainagen
CRISTOBALITE (CAS 14 QUARTZ (SIO2) (CAS 14		Suspected human carcinogen. Suspected human carcinogen.

Canada - Manitoba OELs: ca	rcinogenicity	
CRISTOBALITE (CAS 144	464-46-1)	Suspected human carcinogen.
QUARTZ (SIO2) (CAS 14	808-60-7)	Suspected human carcinogen.
Canada - Quebec OELs: Car	cinogen category	
CRISTOBALITE (CAS 144	464-46-1)	Detected carcinogenic effect in animals.
QUARTZ (SIO2) (CAS 14	808-60-7)	Suspected carcinogenic effect in humans.
IARC Monographs. Overall E	valuation of Carcinogenicity	
CRISTOBALITE (CAS 144	464-46-1)	1 Carcinogenic to humans.
QUARTZ (SIO2) (CAS 14	808-60-7)	1 Carcinogenic to humans.
US. National Toxicology Prog	gram (NTP) Report on Carcino	ogens
CRISTOBALITE (CAS 144	464-46-1)	Known To Be Human Carcinogen.
		Reasonably Anticipated to be a Human Carcinogen.
QUARTZ (SIO2) (CAS 14	808-60-7)	Known To Be Human Carcinogen.
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Causes damage to organs thro	ough prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Causes damage to organs thro cause chronic effects.	ough prolonged or repeated exposure. Prolonged exposure may

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Components		Species	Test Results
BENTONITE (CAS 1302-78-	9)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	19000 mg/l, 96 hours
Persistence and degradability	No data is av	ailable on the degradability of any ingre	dients in the mixture.
Bioaccumulative potential	No data avail	able.	
Mobility in soil	No data avail	able.	
Other adverse effects	The product of potential.	contains volatile organic compounds wh	ich have a photochemical ozone creation
10 Dismosol consideratio			

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations	This product has been classified in accordance with the hazard crite contains all the information required by the HPR.	eria of the HPR and the SDS
Controlled Drugs and Subs		
Not regulated.		
Export Control List (CEPA 1	999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
Precursor Control Regulation Not regulated.	JIIS	
•		
nternational regulations		
Stockholm Convention Not applicable.		
Rotterdam Convention		
Not applicable.		
Kyoto protocol		
Not applicable.		
Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
nternational Inventories		
Country(s) or region Australia	Inventory name Australian Inventory of Chemical Substances (AICS)	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No No
Canada	Non-Domestic Substances List (NDSL)	No
Canada China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical	No
Luiope	Substances (EINECS)	INO
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	06-May-2020
Revision date	06-May-2020
Version #	21

Disclaimer	CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Alternate Trade Names Composition / Information on Ingredients: Ingredients Composition/information on ingredients: Composition comments Exposure controls/personal protection: Hand protection Stability and reactivity: Incompatible materials Ecological information: Other adverse effects GHS: Classification