

# SAFETY DATA SHEET

# 1. Identification

Product identifier A-3000 WB ADHESIVE

Other means of identification None.

Recommended use Not available.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name
Address
CETCO, an MTI Company
2870 Forbs Avenue
Hoffman Estates, IL 60192

**United States** 

**Telephone** General Information 800 527-9948

Website http://www.cetco.com/

E-mail safetydata@mineralstech.com

**Emergency phone number** Emergency 1.866.519.4752/1 760 476 3962

**Americas** 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** 49% of the mixture consists of component(s) of unknown acute oral toxicity. 49% of the mixture

consists of component(s) of unknown acute dermal toxicity.

# 3. Composition/information on ingredients

## Mixtures

Chemical name	Common name and synonyms	CAS number	%
RUBBER		9006-04-6	49
Ammonium hydroxide		1336-21-6	0.3
Other components below r	reportable levels		50.7

<sup>#:</sup> This substance has been assigned Community workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

4975 Version #: 06 Revision date: 21-January-2019 Issue date: 21-January-2019

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Call a physician if symptoms develop or

persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops or persists.

Immediately flush eves with plenty of water for at least 20 minutes. Get medical attention if **Eve contact** 

irritation develops or persists.

Ingestion If material is ingested, immediately contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special

treatment needed General information Treat symptomatically.

If you feel unwell, seek medical advice (show the label where possible).

## 5. Fire-fighting measures

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant foam. Water may be an ineffective extinguishing

medium.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Fire fighting

equipment/instructions

Move containers from fire area if you can do it without risk. Cool containers with flooding quantities

of water until well after fire is out.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Not a fire hazard. No unusual fire or explosion hazards noted. General fire hazards

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Clean contaminated surface thoroughly.

Large Spills: Dike the spilled material, where this is possible. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece).

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

### 7. Handling and storage

Use this product with adequate ventilation. Do not get this material in contact with skin or eyes. Precautions for safe handling

Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep this material away from food, drink and animal feed. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
RUBBER (CAS 9006-04-6)	TWA	0.0001 mg/m3	Inhalable fraction.

SDS US

Biological limit values No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

US ACGIH Threshold Limit Values: Skin designation

RUBBER (CAS 9006-04-6)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Good general ventilation should be sufficient to control airborne levels.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles). Wear

safety glasses; chemical goggles (if splashing is possible).

Skin protection

**Hand protection** Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant gloves. Use of

protective coveralls and long sleeves is recommended.

**Respiratory protection** Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory

equipment. A NIOSH- approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to

exceed exposure limits.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food, drink and animal feeding stuffs. Use good industrial hygiene practices in

handling this material.

# 9. Physical and chemical properties

Appearance Liquid.
Physical state Liquid.
Form Liquid.
Color Grey.

Odor Ammoniacal.
Odor threshold Not available.
pH Not available.

Melting point/freezing point 86 °F (30 °C) estimated

Initial boiling point and boiling 212 °F

range

212 °F (100 °C)

Flash point

Evaporation rate

Not available.

Not available.

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.02 atm

Vapor density 0.62

Relative density Not available.

Solubility(ies)

Solubility (water) 100 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Density** 0.91 g/cm3 estimated

Explosive properties

Oxidizing properties

Not explosive.

Not oxidizing.

Percent volatile

50 % v/v

Specific gravity

0.98

VOC

CARB

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

**Conditions to avoid** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. None known.

Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contactNot available.Eye contactNot available.IngestionNot available.

Symptoms related to the physical, chemical and

Direct contact with eyes may cause temporary irritation.

toxicological characteristics
Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

Ammonium hydroxide (CAS 1336-21-6)

Acute Oral

Orai

LD50 Rat 350 mg/kg

Skin corrosion/irritation Not available.
Serious eye damage/eye Not available.

irritation

Respiratory or skin sensitization

**ACGIH** sensitization

NATURAL RUBBER LATEX, AS INHALABLE Dermal sensitization

ALLERGENIC PROTEINS (CAS 9006-04-6)

Respiratory sensitization

Respiratory sensitization Not available.

Skin sensitization Not available.

Germ cell mutagenicity Not available.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

Material name: A-3000 WB ADHESIVE

, regium (iiii ) nopon on ouromogene

Reproductive toxicity

Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Not available.

**Aspiration hazard** 

Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity**No data is available on the product itself. This product is not expected to produce significant

ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Components Species Test Results

Ammonium hydroxide (CAS 1336-21-6)

Aquatic

 Crustacea
 EC50
 Daphnia
 0.66 mg/L, 48 Hours

 Fish
 LC50
 Fish
 8.2 mg/L, 96 Hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Mobility in soil

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

### 15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly

Hazardous Process Safety Standard, 29 CFR 1910.119.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed

SARA 304 Emergency release notification

Not regulated.

Material name: A-3000 WB ADHESIVE 4975 Version #: 06 Revision date: 21-January-2019 Issue date: 21-January-2019

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

Inventory name

(SDWA)

**US state regulations** This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region

an Inventory of Chemical Substances (AICS)	Yes
ic Substances List (DSL)	Yes
mestic Substances List (NDSL)	No
y of Existing Chemical Substances in China (IECSC)	Yes
•	Yes
an List of Notified Chemical Substances (ELINCS)	No
y of Existing and New Chemical Substances (ENCS)	No
Chemicals List (ECL)	Yes
aland Inventory	Yes
,	Yes
Chemical Substance Inventory (TCSI)	Yes
ubstances Control Act (TSCA) Inventory	Yes
i	an Inventory of Chemical Substances (AICS) ic Substances List (DSL) mestic Substances List (NDSL) ry of Existing Chemical Substances in China (IECSC) an Inventory of Existing Commercial Chemical nces (EINECS) an List of Notified Chemical Substances (ELINCS) ry of Existing and New Chemical Substances (ENCS) Chemicals List (ECL) aland Inventory ne Inventory of Chemicals and Chemical Substances Chemical Substance Inventory (TCSI) ubstances Control Act (TSCA) Inventory

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

21-January-2019 Issue date 21-January-2019 **Revision date** 

Version #

**Further information** This safety datasheet only contains information relating to safety and does not replace any product

information or product specification.

Health: 0 **HMIS®** ratings

Flammability: 0 Physical hazard: 0

Health: 0

NFPA ratings

Flammability: 0 Instability: 0

Material name: A-3000 WB ADHESIVE

SDS US

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Disclaimer**

CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision information** 

Product and Company Identification: Alternate Trade Names

GHS: Classification