## SAFETY DATA SHEET



#### 1. Identification

**Product identifier ULTRASEAL® XP** 

Other means of identification None.

Recommended use Not available. Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CETCO, an MTI Company **Address** 2870 Forbs Avenue Hoffman Estates, IL 60192

**United States** 

General Information **Telephone** 800 527-9948

Website http://www.cetco.com/

E-mail safetydata@mineralstech.com

**Emergency phone number** Emergency 1.866.519.4752/1 760 476 3962

**Americas** 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Category 1A Carcinogenicity

> Specific target organ toxicity, repeated Category 1

exposure

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word

**Hazard statement** May cause cancer. Causes damage to organs through prolonged or repeated exposure.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

If exposed or concerned: Get medical advice/attention. Response

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 70% of the mixture consists of component(s) of unknown acute oral toxicity. 70% of the mixture

consists of component(s) of unknown acute dermal toxicity. 70% of the mixture consists of component(s) of unknown acute inhalation toxicity. 70% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 70% of the mixture consists of

component(s) of unknown long-term hazards to the aquatic environment.

#### 3. Composition/information on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	< 0.1
Other components below reportable levels			90 - 100

#### Constituents

Chemical name	Common name and synonyms	CAS number	%
QUARTZ (SIO2)		14808-60-7	<= 1.8
CRISTOBALITE		14464-46-1	<= 0.6

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** 

Occupational Exposure Limits for constituents are listed in Section 8. Occupational Exposure Limits for impurities are listed in Section 8.

#### 4. First-aid measures

Inhalation Move to fresh air. If symptoms are experienced, remove source of contamination or move victim to

fresh air. Call a physician if symptoms develop or persist.

Skin contact Get medical attention if irritation develops or persists. Wash affected area with mild soap and

water.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion For larger amounts, do not induce vomiting, but give one or two glasses of water to drink and get

medical attention.

Most important

symptoms/effects, acute and

delayed

Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure may cause chronic

effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice General information

(show the label where possible).

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Fire fighting equipment/instructions As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool unopened containers.

Material can be slippery when wet...

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Not a fire hazard. No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Material can be slippery when wet. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop leak if you can do so without risk. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Sweep up or gather material and place in appropriate container for disposal.

Large Spills: Wet down with water and dike for later disposal. After removal flush contaminated area thoroughly with water. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Wash hands after handling and before eating. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Keep containers tightly closed in a cool, well-ventilated place. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Constituents	ir Contaminants (29 CFR 1910.1 Type	Value	Form
QUARTZ (SIO2) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
CRISTOBALITE (CAS 14464-46-1)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFR 191	0.1000)		
Constituents	Туре	Value	Form
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable.
		1.2 mppcf	Respirable.
Impurities	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		• •	
		15 mppcf	Respirable fraction
US. ACGIH Threshold Limit Valu	es	• •	Respirable fraction
US. ACGIH Threshold Limit Valu Components	es Type	• •	Respirable fraction
		15 mppcf	Respirable fraction
Components	Туре	15 mppcf  Value	Respirable fraction
Components	<b>Type</b> STEL	15 mppcf  Value  15 ppm	Respirable fraction  Form
Components TRADE SECRET	Type STEL TWA	Value  15 ppm 10 ppm	Form
Components TRADE SECRET  Constituents QUARTZ (SIO2) (CAS	Type STEL TWA Type	Value  15 ppm 10 ppm Value	Form  Respirable fraction  Respirable fraction
Components TRADE SECRET  Constituents QUARTZ (SIO2) (CAS 14808-60-7) CRISTOBALITE (CAS 14464-46-1) US. NIOSH: Pocket Guide to Che	Type STEL TWA Type TWA TWA	15 mppcf  Value  15 ppm 10 ppm  Value  0.025 mg/m3  0.025 mg/m3	Form Respirable fraction
Components TRADE SECRET  Constituents QUARTZ (SIO2) (CAS 14808-60-7) CRISTOBALITE (CAS 14464-46-1)	Type STEL TWA Type TWA TWA	Value  15 ppm 10 ppm Value  0.025 mg/m3	Form Respirable fraction
Components TRADE SECRET  Constituents QUARTZ (SIO2) (CAS 14808-60-7) CRISTOBALITE (CAS 14464-46-1) US. NIOSH: Pocket Guide to Che	Type STEL TWA Type TWA TWA TWA	15 mppcf  Value  15 ppm 10 ppm  Value  0.025 mg/m3  0.025 mg/m3	Form Respirable fraction
Components TRADE SECRET  Constituents QUARTZ (SIO2) (CAS 14808-60-7) CRISTOBALITE (CAS 14464-46-1) US. NIOSH: Pocket Guide to Che Components	Type  STEL  TWA  Type  TWA  TWA  TWA  TWA  TWA  TWA	15 mppcf  Value  15 ppm 10 ppm  Value  0.025 mg/m3  0.025 mg/m3	Form Respirable fraction
Components TRADE SECRET  Constituents QUARTZ (SIO2) (CAS 14808-60-7) CRISTOBALITE (CAS 14464-46-1) US. NIOSH: Pocket Guide to Che Components	Type  STEL  TWA  Type  TWA  TWA  TWA  TWA  TWA  TWA	15 mppcf  Value  15 ppm 10 ppm Value  0.025 mg/m3  0.025 mg/m3  Value  15 mg/m3	Form Respirable fraction
Components TRADE SECRET  Constituents  QUARTZ (SIO2) (CAS 14808-60-7) CRISTOBALITE (CAS 14464-46-1)  US. NIOSH: Pocket Guide to Che Components  TRADE SECRET	Type  STEL  TWA  Type  TWA  TWA  TWA  Proceeding  Ceiling	15 mppcf  Value  15 ppm 10 ppm Value  0.025 mg/m3  0.025 mg/m3  Value  15 mg/m3 4 ppm	Form  Respirable fraction  Respirable fraction

#### **Biological limit values**

# Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

#### Individual protection measures, such as personal protective equipment

Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter. Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Wear appropriate chemical resistant gloves. Use of an impervious apron is recommended. Normal Other

work clothing (long sleeved shirts and long pants) is recommended.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

> exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter. If airborne concentrations are above the applicable exposure limits, use NIOSH

approved respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this material.

## 9. Physical and chemical properties

**Appearance** Fabric/Mat Solid. Physical state

Powder. Roll. **Form** Color White.

None. Odor

Odor threshold Not available. Not available. Hq Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Not available. Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 0.93 g/cm3 estimated

**Explosive properties** Not explosive. Oxidizing properties Not oxidizing. Percent volatile 0 % estimated 0.93 estimated Specific gravity

VOC **CARB** 

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable at normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid None known. Contact with incompatible materials.

Incompatible materials None known.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. Dust may

irritate respiratory system.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Dusts may irritate the respiratory tract, skin and eyes.

#### Information on toxicological effects

Not known. **Acute toxicity** 

Components **Species Test Results** 

TRADE SECRET

**Acute** 

**Dermal** 

LD50 Rabbit 2320 mg/kg

Inhalation

LC50 Rat 11.4 mg/l/4h

Oral LD50

Rat 2920 mg/kg

**Test Results** Constituents **Species** 

CRISTOBALITE (CAS 14464-46-1)

**Acute** Oral

LD50 Rat

> 22500 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization No skin irritation

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Possible cancer hazard - may cause cancer based on animal data.

IARC Monographs. Overall Evaluation of Carcinogenicity

CRISTOBALITE (CAS 14464-46-1) 1 Carcinogenic to humans. QUARTZ (SIO2) (CAS 14808-60-7) 1 Carcinogenic to humans.

TRADE SECRET (CAS Proprietary) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

CRISTOBALITE (CAS 14464-46-1) Cancer QUARTZ (SIO2) (CAS 14808-60-7) Cancer US. National Toxicology Program (NTP) Report on Carcinogens

CRISTOBALITE (CAS 14464-46-1) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

QUARTZ (SIO2) (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Overexposure to dusts may result in pneumoconiosis, a lung disease due to permanent

deposition of substantial amounts of particulate matter in the lungs.

12. Ecological information

Components of this product are hazardous to aquatic life. **Ecotoxicity** 

Components **Species Test Results** TRADE SECRET Aquatic LC50 Fish 15.04 - 21.54 mg/l, 96 hours Bluegill (Lepomis macrochirus) Fish 31 mg/L, 96 Hours

Persistence and degradability

Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

TRADE SECRET 0.73

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

#### 15. Regulatory information

US federal regulations

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119.

All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

TRADE SECRET (CAS Proprietary) Listed.

### SARA 304 Emergency release notification TRADE SECRET (CAS Proprietary)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) CRISTOBALITE (CAS 14464-46-1) Cancer QUARTZ (SIO2) (CAS 14808-60-7) Cancer CRISTOBALITE (CAS 14464-46-1) lung effects QUARTZ (SIO2) (CAS 14808-60-7) lung effects

CRISTOBALITE (CAS 14464-46-1) immune system effects QUARTZ (SIO2) (CAS 14808-60-7) immune system effects

CRISTOBALITE (CAS 14464-46-1) kidney effects QUARTZ (SIO2) (CAS 14808-60-7) kidney effects

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SARA 302 Extremely hazardous substance

Chemical name CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
--------------------------	------------------------------	--------------------------------------	---	---

5000 LBS

TRADE SECRET Proprietary 5000 1000

Classified hazard categories

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
TRADE SECRET	Proprietary	< 0.1	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

TRADE SECRET (CAS Proprietary)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

TRADE SECRET (CAS Proprietary)

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US state regulations**

WARNING: This product contains a chemical known to the State of California to cause cancer. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## California Proposition 65



WARNING: This product can expose you to QUARTZ (SIO2), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (SIO2) (CAS 14808-60-7) Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

CRISTOBALITE (CAS 14464-46-1) QUARTZ (SIO2) (CAS 14808-60-7) TRADE SECRET (CAS Proprietary)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

04-August-2014 Issue date **Revision date** 31-August-2018

Version # 80

This safety datasheet only contains information relating to safety and does not replace any product **Further information** 

information or product specification. HMIS® is a registered trade and service mark of the NPCA.

Health: 3\* HMIS® ratings

Flammability: 0 Physical hazard: 0

Health: 2 NFPA ratings

Flammability: 0 Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge. information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and

completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Product and Company Identification: Alternate Trade Names **Revision information** 

Material name: ULTRASEAL® XP