# SAFETY DATA SHEET



# 1. Identification

**Product identifier GEOTHERMAL GROUT™** 

Other means of identification None

Recommended use Not available.

Recommended restrictions Workers (and your customers or users in the case of resale) should be informed of the potential

presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

#### Manufacturer/Importer/Supplier/Distributor information

Manufacturer

CETCO, an MTI Company Company name **Address** 2870 Forbs Avenue

Hoffman Estates, IL 60192

**United States** 

Telephone **General Information** 800 527-9948

Website http://www.cetco.com/

E-mail safetydata@mineralstech.com

1.866.519.4752/1 760 476 3962 **Emergency phone number** Emergency

Supplier Not available.

# 2. Hazard identification

Physical hazards Not classified.

**Health hazards** Serious eye damage/eye irritation Category 2B

> Sensitization, skin Category 1 Carcinogenicity Category 1A Specific target organ toxicity, repeated Category 1

exposure

Not classified. **Environmental hazards** 

Label elements



Signal word

**Hazard statement** May cause an allergic skin reaction. Causes eye irritation. May cause cancer. Causes damage to

organs through prolonged or repeated exposure.

**Precautionary statement** 

Prevention Keep out of reach of children. Read label before use. Do not handle until all safety precautions

have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work

clothing should not be allowed out of the workplace. Wear protective gloves/protective

clothing/eve protection/face protection.

If medical advice is needed, have product container or label at hand. IF ON SKIN: Wash with Response

plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Store in a dry area. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal** 

Supplemental information None.

Other hazards None known.

Material name: GEOTHERMAL GROUT™ SDS CANADA

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name

Chemical name	Common name and Synonyms	CAS Hulliber	70
BENTONITE		1302-78-9	98
TRADE SECRET		Proprietary	1
TRADE SECRET		Proprietary	1
Constituents			
Chemical name	Common name and synonyms	CAS number	%
QUARTZ (SIO2)		14808-60-7	<= 6
CRISTOBALITE		14464-46-1	<= 2

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Common name and synonyme

**Composition comments** Bentonite contains naturally occurring crystalline silica (not listed in Annex I of Directive

67/548/EEC) in quantities less than 6%. Occupational Exposure Limits for constituents are listed in

CAS number

0/

Section 8.

# 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders. Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice **General information** (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Material can be slippery when wet.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

2/8

# Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Shovel up and place in a container for salvage or disposal. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers.

For waste disposal, see section 13 of the SDS. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container.

## **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

# Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# Occupational exposure limits

Components	Туре	Value	Form
TRADE SECRET	TWA	1 mg/m3	Respirable fraction.
Constituents	Туре	Value	Form
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

# Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended Components Type Value

TRADE SECRET	TWA <b>Type</b>	10 mg/m3	
Constituents		Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Total
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable.
		0.025 mg/m3	Respirable particles.
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.

# Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances Workers Compensation Board, as amended

Туре	Value	Form
TWA	1 mg/m3	Respirable.
Туре	Value	Form
TWA	0.025 mg/m3	Respirable fraction.
	Туре	Type Value

# Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended Components Type Value Form TRADE SECRET TWA 1 mg/m3 Respirable fraction.

Material name: GEOTHERMAL GROUT™
5977 Version #: 10 Revision date: 13-March-2024 Issue date: 23-July-2018

Constituents	Туре	Value	Form
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. New Brunswick C Publication (New Brunswi	DELs: Threshold Limit Values (TLVs) Back Regulation 91-191)	ased on the 1991 and 1997 A	CGIH TLVs and BEIs
Components	Туре	Value	Form
TRADE SECRET	TWA	1 mg/m3	Respirable fraction.
Constituents	Туре	Value	Form
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Ontario OELs (Re Components	gulation 833, Control of Exposure to B Type	Biological or Chemical Agents Value	s), as amended Form
TRADE SECRET	TWA	1 mg/m3	Respirable fraction.
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
Canada. Quebec OELs (Re Components	egulation respecting occupational heal Type	ith and safety, v. S-2.1, r.13), a Value	as amended Form
TRADE SECRET	TWA	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	10 mg/m3	Total dust.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
Canada. Saskatchewan Ol Components	ELs (Occupational Health and Safety R Type	egulations, 1996; Table 21), a Value	s amended
TRADE SECRET	15 minute	20 mg/m3	
ogical limit values	No biological exposure limits noted fo	r the ingredient(s).	
osure guidelines	Occupational exposure to nuisance deshould be monitored and controlled.	ust (total and respirable) and re	espirable crystalline silica
ropriate engineering rols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.		
ridual protection measures Eye/face protection	s, such as personal protective equipme Applicable for industrial settings only.		shields (or goggles).
•			
Skin protection  Hand protection	Applicable for industrial settings only.	Wear appropriate chemical res	sistant gloves.

**Respiratory protection** Applicable for industrial settings only. Use a particulate filter respirator for particulate

concentrations exceeding the Occupational Exposure Limit.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Solid.

ColorNot available.OdorNot available.Odor thresholdNot available.pH $\geq 7 - \leq 9$ 

Melting point/freezing point 842 °F (450 °C) estimated

Initial boiling point and boiling

range

Not available.

Not available.

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Non-explosive

Not available.

Not available.

Relative density Solubility(ies)

Solubility (water) Negligible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

# 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

**Incompatible materials** Powerful oxidizers. Chlorine.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

**Eye contact** Causes eye irritation.

Material name: GEOTHERMAL GROUT™
5977 Version #: 10 Revision date: 13-March-2024 Issue date: 23-July-2018

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May

cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Not known. Acute toxicity

Components **Test Results Species** 

TRADE SECRET

Acute

Inhalation

LC50 Rat 0.5801 mg/l/4h

Oral

LD50 Rat 1800 mg/kg

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation. Causes eye irritation.

Serious eye damage/eye irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> Irritant INERT OR NUISANCE DUSTS (CAS SEQ250)

Respiratory sensitization

Not a respiratory sensitizer.

May cause an allergic skin reaction. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica

inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker

protection against silicosis can be consistently assured by respecting the existing regulatory

occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.

**ACGIH Carcinogens** 

CRISTOBALITE (CAS 14464-46-1) A2 Suspected human carcinogen. QUARTZ (SIO2) (CAS 14808-60-7) A2 Suspected human carcinogen.

TRADE SECRET (CAS Proprietary) A4 Not classifiable as a human carcinogen.

Canada - Alberta OELs: Carcinogen category

CRISTOBALITE (CAS 14464-46-1) Suspected human carcinogen. QUARTZ (SIO2) (CAS 14808-60-7) Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

CRISTOBALITE (CAS 14464-46-1) Suspected human carcinogen. QUARTZ (SIO2) (CAS 14808-60-7) Suspected human carcinogen.

TRADE SECRET (CAS Proprietary) Not classifiable as a human carcinogen.

Canada - Quebec OELs: Carcinogen category

QUARTZ (SIO2) (CAS 14808-60-7) Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

CRISTOBALITE (CAS 14464-46-1) 1 Carcinogenic to humans. QUARTZ (SIO2) (CAS 14808-60-7) 1 Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

CRISTOBALITE (CAS 14464-46-1) Known To Be Human Carcinogen. QUARTZ (SIO2) (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Material name: GEOTHERMAL GROUT™ 5977 Version #: 10 Revision date: 13-March-2024 Issue date: 23-July-2018 Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated

exposure. Prolonged exposure may cause chronic effects.

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Species **Test Results** Components

**BENTONITE (CAS 1302-78-9)** 

**Aquatic** Acute

Fish LC50 Rainbow trout, donaldson trout 19000 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions** 

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

#### **TDG**

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable.

the IBC Code

# 15. Regulatory information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS Canadian regulations

contains all the information required by the HPR.

#### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

5977 Version #: 10 Revision date: 13-March-2024 Issue date: 23-July-2018

Not listed.

#### **Greenhouse Gases**

Not listed.

## **Precursor Control Regulations**

Not regulated.

# International regulations

Material name: GEOTHERMAL GROUT™

SDS CANADA

#### Stockholm Convention

Not applicable.

# **Rotterdam Convention**

Not applicable.

# **Kyoto protocol**

Not applicable.

# **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS) No Yes Japan Inventory of Existing and New Chemical Substances (ENCS) Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** No

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes

# 16. Other information

Issue date 23-July-2018 13-March-2024 **Revision date** 

Version #

Disclaimer CETCO, an MTI Company cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

Material name: GEOTHERMAL GROUT™

8/8

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).