

SAFETY DATA SHEET

1. Identification

Product identifier	HYDRO-PAC®		
Other means of identification	None.		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier Manufacturer	/Distributor information		
Company name Address	CETCO, an MTI Company 2870 Forbs Avenue Hoffman Estates, IL 60192 United States		
Telephone Website E-mail	General Information http://www.cetco.com/ safetydata@mineralstech.co	800 527-9948 om	
Emergency phone number	Emergency	1.866.519.4752/	1 760 476 3962
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation		Category 2
	Serious eye damage/eye irr	itation	Category 2
Environmental hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	Warning		
Hazard statement	May form combustible dust concentrations in air.		
Precautionary statement			
Prevention	Keep out of reach of children. Read label before use. Prevent dust accumulation to minimize explosion hazard. Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.		
Response	If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with local authority requirements.		
Other hazards	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

The components are not hazardous or are below required disclosure limits.

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

#: This substance has been assigned Community workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

Not applicable to consumer products. Occupational Exposure Limits for constituents are listed in Section 8.

4. First-aid measures

Inhalation	If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop. Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Get medical attention if irritation develops or persists. Get medical attention if irritation develops and persists. Wash affected area with mild soap and water.
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 20 minutes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	No special measures required
Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	If you feel unwell, seek medical advice (show the label where possible).
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Apply extinguishing media carefully to avoid creating airborne dust.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire. Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Structural firefighters protective clothing will only provide limited protection. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do it without risk. ALWAYS stay away from tanks engulfed in flame. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Material can be slippery when wet
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	May form combustible dust concentrations in air. No unusual fire or explosion hazards noted. This product is combustible at high temperatures.
6. Accidental release meas	sures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Use only non-sparking tools. Keep out of low areas. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust from the spilled material. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed

contained. Material can be slippery when wet.

spaces before entering them. Local authorities should be advised if significant spillages cannot be

Methods and materials for containment and cleaning up	 Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop leak if you can do so without risk. Sweep up or gather material and place in appropriate container for disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water. Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Never return spills to original containers for re-use.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Do not flush into surface water or sanitary sewer system.
7. Handling and storage	
Precautions for safe handling	Prevent dust accumulation to minimize explosion hazard. Keep formation of airborne dusts to a minimum. Minimize dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Take measures to prevent the build up of electrostatic charge. Explosion-proof general and local exhaust ventilation. Provide appropriate exhaust ventilation at places where dust is formed. All equipment used when handling the product must be grounded. Wear appropriate personal protective equipment. Handle and open container with care. Observe good industrial hygiene practices. Practice good housekeeping. Material can be slippery when wet. Refer to NFPA Pamphlet No. 654, "Prevention of Fire and Dust Explosions in the Chemical, Dye, Pharmaceutical, and Plastics Industries."
Conditions for safe storage, including any incompatibilities	The pressure in sealed containers can increase under the influence of heat. Keep away from heat and sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Keep containers tightly closed in a dry, cool and well-ventilated place. Guard against dust accumulation of this material. Keep out of the reach of children. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	3 mg/m3	Respirable particles
		10 mg/m3	Total particulate.
Canada. British Columbia Safety Regulation 296/97	a OELs. (Occupational Exposure Limits , as amended)	s for Chemical Substances, C	Occupational Health and
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
		ro mg/mo	Total dust.
Canada Ontario OELs <i>((</i>	Control of Exposure to Biological or Ch	Ū.	Total dust.
•	Control of Exposure to Biological or Cl Type	Ū.	Form
Constituents		nemical Agents)	
Constituents	Туре	nemical Agents) Value	Form
Constituents INERT OR NUISANCE DUSTS	Туре	nemical Agents) Value 3 mg/m3 10 mg/m3	Form Respirable fraction. Inhalable fraction.
Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (I	Type TWA	nemical Agents) Value 3 mg/m3 10 mg/m3	Form Respirable fraction. Inhalable fraction.
Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (I Constituents INERT OR NUISANCE	Type TWA Ministry of Labor - Regulation respecti	nemical Agents) Value 3 mg/m3 10 mg/m3 ng occupational health and s	Form Respirable fraction. Inhalable fraction.
Constituents INERT OR NUISANCE DUSTS	Type TWA Ministry of Labor - Regulation respecti Type	nemical Agents) Value 3 mg/m3 10 mg/m3 ng occupational health and s Value 10 mg/m3	Form Respirable fraction. Inhalable fraction. safety) Form

Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. Not normally needed.
Other	Wear suitable protective clothing. Normal work clothing (long sleeved shirts and long pants) is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using, do not eat, drink or smoke. When using do not smoke. Wash hands before breaks and immediately after handling the product. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this material.

9. Physical and chemical properties

Appearance	Powder.
Physical state	Solid.
Form	Powder.
Color	Off-white.
Odor	Flour-like
Odor threshold	Not available.
рН	5.5 - 8.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 199.4 °F (> 93.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available. Flammable solid.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.

Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Flammability class	Combustible IIIA estimated
Flash point class	Combustible IIIA
Oxidizing properties	Not oxidizing.
Percent volatile	0 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Keep away from heat, sparks and open flame. Heat, flames and sparks. Avoid temperatures exceeding the flash point. Minimize dust generation and accumulation. Contact with incompatible materials. Dust cloud ignition temperature 590°C.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	May cause discomfort if swallowed. Expected to be a low ingestion hazard. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms related to the physical, chemical and	Dusts may irritate the respiratory tract, skin and eyes. Exposure may cause temporary irritation, redness, or discomfort.

toxicological characteristics

Information on toxicological effects

Acute toxicity Product Species HYDRO-PAC®

IYDRO-	PAC®		
	Acute		
	Dermal		
	LD50	Rat	100000 mg/kg
	Inhalation		
	LC50	Rat	100000 mg/l/4h

Test Results

* Estimates for product may be based on additional component data not shown.

Material names LIVDDO DACO	
Reproductive toxicity	Not classified. This product is not expected to cause reproductive or developmental effects. Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible. Not listed by ACGIH, IARC, NIOSH, NTP OR OSHA.
Germ cell mutagenicity	No data available for this product. Due to partial or complete lack of data the classification is not possible.
Skin sensitization	None known. This product is not expected to cause skin sensitization. Due to partial or complete lack of data the classification is not possible.
Respiratory sensitization	Not a respiratory sensitizer. Due to partial or complete lack of data the classification is not possible.
Respiratory or skin sensitization	n
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation. Due to partial or complete lack of data the classification is not possible. None known.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation. Due to partial or complete lack of data the classification is not possible.

Material name: HYDRO-PAC®

Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible. Not classified.
Specific target organ toxicity - repeated exposure	Not classified. Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Not an aspiration hazard. Due to partial or complete lack of data the classification is not possible.
Chronic effects	Not expected to be hazardous by WHMIS criteria.
Further information	This product has no known adverse effect on human health.
12. Ecological information	1

Ecotoxicity	No data is available on the product itself. This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed. Precursor Control Regulations Not regulated.

International regulations

Stockholm Convention Not applicable. The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product does not need to be labelled in accordance with EC directives or respective national laws. Regulation (EU) No 453/2010 amending Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

not applicable.		
Rotterdam Convention		
Not applicable.		
Kyoto protocol		
Not applicable.		
Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	13-August-2018
Revision date	13-August-2018
Version #	13
Further information	This safety datasheet only contains information relating to safety and does not replace any product information or product specification. HMIS® is a registered trade and service mark of the NPCA.

ACGIH

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices EPA: AQUIRE database HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents Korea. Accidental Release Prevention Substances (Presidential Decree of Toxic Chemical Control Law, Executive Order No. 19203) Korea. Dangerous Substances Threshold Quantity (Presidential Decree of Dangerous Substances Safety Management Act No. 18406, Schedule 1) Korea. Harmful Substances Prohibited from Manufacturing (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 29) Korea. Harmful Substances Requiring Permission for Manufacture or Use (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 30) Korea. Non-Toxic Chemicals List (National Institute of Environment Research (NIER) Public Notice No. 1997-10, as amended) Korea. Observational Chemicals (Ministerial Decree of TCCL Article 6) Korea. OELs. Regulation for Permitted Concentration of Hazardous Substances (Ministry of Labor (MOL) Public Notice No. 1986-45, as amended) Korea. Prohibited Chemical Substances (TCCL Article 11) Korea. Regulated volatile organic compounds (VOCs) (MOE Notice No. 2001-36, March 8, 2001. as amended) Korea. Restricted Chemical Substances (TCCL Article 11) Korea. Toxic Chemical Control Law (TCCL), Existing Chemicals Inventory (KECI) Korea. Toxic Chemical Control Law (TCCL), pre-1997 List Korea. Toxic Chemicals (TCCL Article 10) Korea. Toxic Release Inventory (TRI) Chemicals (TCCL Article 14) Taiwan. Dangerous Materials (Rules on Hazard Communication of Dangerous Materials and Toxic Materials) Taiwan. Industrial Precursor Chemicals (Categories and Regulations Governing Inspection and Declaration of Industrial Precursor Chemicals, MOEA Decree No. 87, as amended) Taiwan. OELs. (Standards on Workplace Atmosphere of Dangerous and Hazardous Materials) Taiwan. Toxic Chemical Substances (TCS) (List of Toxic Chemical Substances announced by the Environmental Protection Administration) Taiwan. Toxic Materials (Rules on Hazard Communication of Dangerous Materials and Toxic Materials) Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits Japan Chemical Industry Association (JCIA) GHS Guideline, June 2012 JIS Z 7252:2014 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" JIS Z 7253:2012 Hazard communication of chemicals based on GHS – Labelling and Safety Data Sheet (SDS) GOST 30333-2007 Chemical production safety passport. General requirements. GOST 31340-2013 Labeling of chemicals. General requirements. GOST 32419-2013 Classification of chemical products. General requirements. GOST 32424-2013 Classification of chemicals for environmental hazards. General principles. GOST 12.1.007-76 Occupational safety standard system. Noxious substances. Classification and general safety requirements. GOST 12.1.044-89. Occupational safety standards system. Fire and explosion hazard of substances and materials. Nomenclature of substances and materials. Nomenclature of indices and methods of their determination. GOST 19433-88. Dangerous goods. Classification and marking. GOST 12.1.004-91. Occupational safety standards system. Fire safety. General requirements. GOST 32425-2013 Mixtures classification of hazard for environmental. GOST 32423-2013 Mixtures classification of hazard for health.

Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.
	Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety data sheet was prepared in accordance with JIS Z 7253:2012. Additional information is given in the Material Safety Data Sheet. CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Product and Company Identification: Alternate Trade Names Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties GHS: Classification