# SAFETY DATA SHEET



### 1. Identification

Product identifier QUAD POWER™ POWER-SAND™

Other means of identification None.

Recommended use Not available.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name
Address
CETCO, an MTI Company
2870 Forbs Avenue
Hoffman Estates, IL 60192

**United States** 

**Telephone** General Information 800 527-9948

Website http://www.cetco.com/

E-mail safetydata@mineralstech.com

**Emergency phone number** Emergency 1.866.519.4752/1 760 476 3962

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

Prevention Keep out of reach of children. Read label before use. Wash thoroughly after handling.

Response If medical advice is needed, have product container or label at hand. IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store in accordance with local/regional/national regulations.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

**Supplemental information** 17.31% of the mixture consists of component(s) of unknown acute oral toxicity. 74.19% of the

mixture consists of component(s) of unknown acute dermal toxicity. 74.19% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 74.19% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

## 3. Composition/information on ingredients

#### **Mixtures**

The components are not hazardous or are below required disclosure limits.

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

#: This substance has been assigned Community workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. \*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** The full text for all R- and H-phrases is displayed in section 16.

Material name: QUAD POWER™ POWER-SAND™

16114 Version #: 04 Revision date: 08-October-2019 Issue date: 25-September-2019

### 4. First-aid measures

Inhalation If gas/fume/vapor/dust/mist from the material is inhaled, remove the affected person immediately

to fresh air.

Skin contact Immediately flush skin with running water for at least 20 minutes. Launder contaminated clothing

before reuse.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head

low so that stomach content doesn't get into the lungs. No need for first aid is anticipated if

material is swallowed. Product is not considered toxic in small amounts.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Foam. Dry chemical, CO2, water spray or regular foam. Dry chemicals. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Material can be slippery when wet

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Will burn if involved in a fire. No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Material can be slippery when wet. Forms smooth, slippery surfaces on floors, posing an accident risk.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not flush into surface water or sanitary sewer system.

# 7. Handling and storage

Precautions for safe handling

Do not get this material in your eyes, on your skin, or on your clothing. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Avoid release to the environment. Forms smooth, slippery surfaces on floors, posing an accident risk.

Conditions for safe storage, including any incompatibilities Keep at temperatures between 0 and 30°C. Keep away from heat and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS). Do not freeze.

## 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Provide eyewash station. Ventilation should effectively remove and prevent buildup of any vapor/mist/fume/dust generated from the handling of this product.

Material name: QUAD POWER™ POWER-SAND™

## Individual protection measures, such as personal protective equipment

**Eve/face protection** Applicable for industrial settings only. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Applicable for industrial settings only. For prolonged or repeated skin contact use suitable

protective gloves.

Other Applicable for industrial settings only. Wear oil-impervious garments if contact is unavoidable.

Respiratory protection Applicable for industrial settings only. If mist is generated (heating, spraying) and engineering

controls are not sufficient, wear approved organic vapor respirator suitable for oil mist.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene Use good industrial hygiene practices in handling this material. Eye wash fountain and emergency

**considerations** showers are recommended.

# 9. Physical and chemical properties

Appearance Viscous.
Physical state Liquid.
Form Liquid.
Color Tan.
Odor Aliphatic.
Odor threshold Not available.

**pH** 6-8

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point > 212.0 °F (> 100.0 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.01 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature > 392 °F (> 200 °C)

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Flash point class

Oxidizing properties

Not oxidizing.

Specific gravity

1.15 estimated

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

**Conditions to avoid**Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

**Skin contact** Knowledge about health hazard is incomplete.

**Eye contact** Causes serious eye irritation.

Ingestion Knowledge about health hazard is incomplete. May cause discomfort if swallowed. However,

ingestion is not likely to be a primary route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Exposure may cause temporary irritation, redness, or discomfort.

# Information on toxicological effects

Acute toxicity Not known.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

**Respiratory sensitization** Due to partial or complete lack of data the classification is not possible.

**Skin sensitization** Due to partial or complete lack of data the classification is not possible. Repeated or prolonged

exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

**Germ cell mutagenicity**Due to partial or complete lack of data the classification is not possible.

Carcinogenicity This product contains trace levels (<0.1%) of a potential carcinogen. Knowledge about

carcinogenicity is incomplete.

**Reproductive toxicity**Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Knowledge about health hazard is incomplete.

Specific target organ toxicity -

repeated exposure

Knowledge about health hazard is incomplete.

**Aspiration hazard**Due to partial or complete lack of data the classification is not possible.

## 12. Ecological information

**Ecotoxicity**Contains a substance which causes risk of hazardous effects to the environment. Not readily

biodegradable (40 % after 28 days).

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

## Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

#### **TDG**

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

# 15. Regulatory information

### Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

## **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

#### International regulations

### **Stockholm Convention**

Not applicable.

### **Rotterdam Convention**

Not applicable.

## **Kyoto protocol**

Not applicable.

## **Montreal Protocol**

Not applicable.

# **Basel Convention**

Not applicable.

# International Inventories

| Country(s) or region | Inventory name                                                         | On inventory (yes/no)* |
|----------------------|------------------------------------------------------------------------|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada               | Domestic Substances List (DSL)                                         | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe               | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                | Existing Chemicals List (ECL)                                          | Yes                    |
| New Zealand          | New Zealand Inventory                                                  | No                     |
| Philippines          | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| Taiwan               | Taiwan Chemical Substance Inventory (TCSI)                             | No                     |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

Material name: QUAD POWER™ POWER-SAND™

United States & Puerto Rico

SDS CANADA

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information

25-September-2019 Issue date 08-October-2019 **Revision date** 

Version #

**Further information** This safety datasheet only contains information relating to safety and does not replace any product

information or product specification. HMIS® is a registered trade and service mark of the NPCA.

References **ACGIH** 

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

suitability and completeness of such information for each particular use.

CETCO, an MTI Company cannot anticipate all conditions under which this information and its Disclaimer

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or quarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision information** Physical & Chemical Properties: Multiple Properties

Material name: QUAD POWER™ POWER-SAND™

SDS CANADA

16114 Version #: 04 Revision date: 08-October-2019 Issue date: 25-September-2019