SAFETY DATA SHEET



1. Identification

Product identifier REL-PAC® XTRA-LOW

Other means of identification None.

Recommended use Not available.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name
Address
CETCO, an MTI Company
2870 Forbs Avenue
Hoffman Estates, IL 60192

United States

Telephone General Information 800 527-9948

Website http://www.cetco.com/

E-mail safetydata@mineralstech.com

Emergency phone number Emergency 1.866.519.4752/1 760 476 3962

Supplier Not available.

2. Hazard identification

Physical hazardsNot classified.Health hazardsNot classified.Environmental hazardsNot classified.

Label elements

Hazard symbol None.

Signal word Warning

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Keep out of reach of children. Read label before use. Wash thoroughly after handling. **Response** If medical advice is needed, have product container or label at hand. Call a POISON

CENTER/doctor// if you feel unwell. Specific treatment (see on this label).

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards May form combustible dust concentrations in air.

Supplemental information 100% of the mixture consists of component(s) of unknown acute oral toxicity. 100% of the mixture

consists of component(s) of unknown acute dermal toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

The components are not hazardous or are below required disclosure limits.

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

#: This substance has been assigned Community workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. *Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments Occupational Exposure Limits for constituents are listed in Section 8. The full text for all R- and

H-phrases is displayed in section 16. This product is not considered to be a carcinogen by IARC,

ACGIH, NTP, or OSHA.

Material name: REL-PAC® XTRA-LOW SDS CANADA

4. First-aid measures

Inhalation Remove to fresh air. Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops or persists. Get medical Skin contact

advice/attention if you feel unwell. Wash contaminated clothing before reuse.

Get medical attention if irritation develops or persists. Get medical attention if irritation develops Eve contact

and persists.

Ingestion Have victim rinse mouth thoroughly with water. If ingestion of a large amount does occur, seek

Direct contact with eyes may cause temporary irritation.

medical attention. Get medical advice/attention if you feel unwell. Give several glasses of water.

Most important symptoms/effects, acute and

delayed

General information

Indication of immediate medical attention and special Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

treatment needed

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

equipment/instructions

Specific methods

Fire fighting

General fire hazards

Dry chemical, CO2, water spray or regular foam.

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Wear self contained breathing apparatus for fire fighting if necessary.

Vapors are heavier than air and may travel along the floor and in the bottom of containers. Vapors may be ignited by a spark, a hot surface or an ember.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Ventilate closed spaces before entering. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Material can be slippery when wet

Methods and materials for containment and cleaning up Stop leak if you can do so without risk. Sweep up or gather material and place in appropriate container for disposal.

Large Spills: Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Use this product with adequate ventilation. Keep formation of airborne dusts to a minimum. Use spark-proof tools and explosion-proof equipment. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store at room temperature in the original container. Keep the container dry. Store in tightly closed container. Keep out of the reach of children. Use care in handling/storage. Store away from incompatible materials (see Section 10 of the SDS).

Material name: REL-PAC® XTRA-LOW

SDS CANADA

8. Exposure controls/personal protection

Occupational exposure limits

Constituents	cupational Health & Safety Code, Sched Type	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Total particulate.
Canada. British Columbia Safety Regulation 296/97,	OELs. (Occupational Exposure Limits for a samended)	or Chemical Substances, Oc	cupational Health and
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
	ontrol of Exposure to Biological or Cher	mical Agents)	
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Canada. Quebec OELs. (M Constituents	inistry of Labor - Regulation respecting Type	occupational health and sa Value	fety) Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	10 mg/m3	Total dust.
Canada. Saskatchewan OE Constituents	ELs (Occupational Health and Safety Re Type	gulations, 1996, Table 21) Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	15 minute	6 mg/m3	Respirable fraction.
		20 mg/m3	Inhalable fraction.
	8 hour	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
logical limit values	No biological exposure limits noted for	the ingredient(s).	
osure guidelines	Contains no substances with occupational exposure limit values.		
oropriate engineering atrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use local exhaust ventilation.		
	s, such as personal protective equipme		
Eye/face protection	Not normally needed. Face shield is re goggles). Applicable for industrial settir		sses with side shields (or
Skin protection Hand protection	Wear appropriate chemical resistant gl	oves. Applicable for industrial	settings only.
Other	Not normally needed. Wear appropriate chemical resistant clothing. Use of an impervious apron recommended. Applicable for industrial settings only.		
Respiratory protection	Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit. Applicable for industrial settings only.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene siderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this material.		

9. Physical and chemical properties

Appearance Free flowing wettable powder.

Material name: REL-PAC® XTRA-LOW SDS CANADA

Physical state Solid.
Form Powder.
Color Off-white.
Odor None.

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 10 - 12 mPas (1% solution, 25 C Brookfield LV; 30 rpm) 10 - 12 mPas (1% solution, 25 C Brookfield LV; 30 rpm)

Other information

Bulk density 300 - 900 g/cm3 300 - 900 g/cm3

Explosive properties Not explosive.

Molecular formula C2H4O3.xNa.xUnspecified

Oxidizing properties Not oxidizing.

Percent volatile 0 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials. Risk of dust explosion.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

None known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Not available.

Skin contact May be harmful in contact with skin.

Material name: REL-PAC® XTRA-LOW

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. Expected to be a low ingestion hazard. However, ingestion is

not likely to be a primary route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation,

redness, or discomfort.

Information on toxicological effects

Acute toxicity May be harmful in contact with skin.

Product Species Test Results

REL-PAC® XTRA-LOW

<u>Acute</u>

Dermal

LD50 Rat 2286 mg/kg

Inhalation

LC50 Rat 6824 mg/l/4h

Oral

LD50 Rat 15000 - 27000 mg/kg

Skin corrosion/irritation
Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Not mutagenic in AMES Test.

Carcinogenicity Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Further information This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity Inherently biodegradable.

Product Species Test Results

REL-PAC® XTRA-LOW

Aquatic Chronic

Crustacea LC50 Opossum shrimp (Americamysis bahia) 1000000 ppm, 96 h

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsDispose in accordance with all applicable regulations. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: REL-PAC® XTRA-LOW

SDS CANADA

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

The product does not need to be labelled in accordance with EC directives or respective national

laws.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 26-September-2018 **Revision date** 14-December-2021

Version #

Further information This safety datasheet only contains information relating to safety and does not replace any product

information or product specification.

References

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

The manufacturer expressly does not make any representations, warranties, or quarantees as to **Disclaimer**

its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information Disposal considerations: Disposal instructions

Material name: REL-PAC® XTRA-LOW SDS CANADA