SAFETY DATA SHEET



1. Identification

Product identifier CETCO® TABLETS - 1/2

Other means of identification

CAS number 1302-78-9

SMECTITE * BENTONITE * MONTMORILLONITE **Synonyms**

Recommended use Bentonite has a variety of uses. It can be used as a rheology modifier, binding agent, adsorbent,

hydraulic-barrier, and filler.

Workers (and your customers or users in the case of resale) should be informed of the potential Recommended restrictions

> presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CETCO, an MTI Company

2870 Forbs Avenue **Address**

Hoffman Estates, IL 60192

United States

Telephone General Information 800 527-9948

Website http://www.cetco.com/

E-mail safetydata@mineralstech.com

Emergency phone number Emergency 1.866.519.4752/1 760 476 3962

Americas 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1A

Specific target organ toxicity, repeated

exposure

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

May cause cancer. Causes damage to organs through prolonged or repeated exposure. **Hazard statement**

Precautionary statement

Obtain special instructions before use. Do not handle until all safety precautions have been read Prevention

and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

Category 1

If exposed or concerned: Get medical advice/attention. Response

Store locked up. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Bentonite	SMECTITE BENTONITE MONTMORILLONITE	1302-78-9	100

Constituents

Chemical name	Common name and synonyms	CAS number	%
QUARTZ (SIO2)		14808-60-7	<= 8
CRISTOBALITE		14464-46-1	<= 2

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

Occupational Exposure Limits for constituents are listed in Section 8. Bentonite is composed mainly of smectite group minerals but the composition is varied, as expected for a UVCB substance, and other mineral constituents will be present in small and varying amounts. These minor constituents are not relevant for classification and labelling. The purity of the product is 100% w/w. Impurities are not applicable for a UVCB substance.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. No specific first aid measures

noted.

Skin contact Get medical attention if irritation develops and persists. No specific first aid measures noted. No specific first aid measures noted. Do not rub eyes. Rinse with water. Get medical attention if Eye contact

irritation develops and persists.

No specific first aid measures noted. Ingestion

Most important

symptoms/effects, acute and

delayed

Dust in the eyes will cause irritation. Dusts may irritate the respiratory tract, skin and eyes.

Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. No hazards which require special first aid measures. Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Use any media suitable for the surrounding fires.

Not applicable, non-combustible.

Specific hazards arising from

the chemical Special protective equipment

None known. The product itself does not burn.

and precautions for firefighters

Material can be slippery when wet.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted. This material will not burn.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. No special precautions are necessary beyond normal good hygiene practices. See Section 8 for additional personal protection advice when handling this product.

Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. No special restrictions on storage with other products. Store in a dry area. Keep the container dry. Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Туре	Value	Form
PEL	0.05 mg/m3	Respirable dust.
PEL	0.05 mg/m3	Respirable dust.
10.1000)		
Туре	Value	Form
TWA	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
	50 mppcf	Total dust.
	15 mppcf	Respirable fraction.
TWA	0.05 mg/m3	Respirable.
	1.2 mppcf	Respirable.
TWA	0.1 mg/m3	Respirable.
	2.4 mppcf	Respirable.
ies		
Туре	Value	Form
TWA	0.025 mg/m3	Respirable fraction.
TWA	0.025 mg/m3	Respirable fraction.
emical Hazards		
Туре	Value	Form
TWA	0.05 mg/m3	Respirable dust.
TWA	0.05 mg/m3	Respirable dust.
	PEL PEL 10.1000) Type TWA TWA TWA TWA TWA TWA TWA TWA	PEL 0.05 mg/m3 PEL 0.05 mg/m3 10.1000) Type Value TWA 5 mg/m3 50 mppcf 15 mppcf 15 mppcf 0.05 mg/m3 1.2 mppcf TWA 0.1 mg/m3 2.4 mppcf TWA 0.025 mg/m3 TWA 0.025 mg/m3 PEL 0.05 mg/m3 TWA 0.025 mg/m3 PEL 0.05 mg/m3 TWA 0.025 mg/m3 PERIOD ON TOP O

Appropriate engineering controls

If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter. Applicable for industrial settings only. Wear dust-resistant safety goggles where there is danger of eye contact.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Applicable for industrial settings only. No protection is

ordinarily required under normal conditions of use.

Other Use of an impervious apron is recommended. Normal work clothing (long sleeved shirts and long

pants) is recommended. Applicable for industrial settings only.

Respiratory protectionUse a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece,

dust and mist filter. Applicable for industrial settings only.

Thermal hazards Not applicable.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this material.

9. Physical and chemical properties

Appearance Tablet. Pellets.

Physical state Solid.

Form Solid. Tablet.
Color Various.
Odor None.

Odor threshold Not applicable.

pH 8.5 - 11

Melting point/freezing point $> 842 \, ^{\circ}\text{F} \, (> 450 \, ^{\circ}\text{C}) \, / \, \text{Not applicable}.$

Initial boiling point and boiling

range

Not applicable.

Flash point Not applicable.

Evaporation rate Not available.

Flammability (solid, gas) This product is not flammable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

(%)

Flammability limit - upper Not app

(%)

Not applicable.

2.6 g/cm3

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable.

Vapor density Not applicable.

Solubility(ies)

Relative density

Solubility (water) < 0.9 mg/l

Partition coefficient (n-octanol/water) Not applicable.

Auto-ignition temperature Not applicable.

Decomposition temperature > 932 °F (> 500 °C)

Not applicable. **Viscosity** Not applicable. Viscosity temperature

Other information

0.9 - 1.4 g/cm3 **Bulk density Explosive limit** Not applicable.

Explosive properties Not explosive. Not explosive

Explosivity Not applicable. Flame extension Not applicable. **Flammability** Not applicable. Flammability (flash back) Not applicable. Flammability (Heat of

combustion)

Not applicable.

Flammability (Train fire) Not applicable. Not applicable. Flammability class Flash point class Not flammable Molecular formula **UVCB** Substance Not applicable. Molecular weight **Oxidizing properties** Not oxidizing. None.

0 % Percent volatile pH in aqueous solution 8.5 - 11

Specific gravity Not applicable.

VOC CARB 0%

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Stable at normal conditions. Chemical stability

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Moisture.

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials None known.

Hazardous decomposition

products

None.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Skin contact Dust or powder may irritate the skin. Dust in the eyes will cause irritation. Eye contact

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics Dusts may irritate the respiratory tract, skin and eyes. None known.

Information on toxicological effects

Acute toxicity Not classified. Not known.

Product Species Test Results

Bentonite (CAS 1302-78-9)

Acute Inhalation Dust

LC50 Rat

> 5.27 mg/l, 4 hr OECD 436

Product Species Test Results

Oral Dust

> LD50 Rat > 2000 mg/kg OECD 425

Constituents **Species Test Results**

CRISTOBALITE (CAS 14464-46-1)

Acute Oral

LD50 Rat > 22500 mg/kg

Not classified. Skin corrosion/irritation

Serious eve damage/eve

irritation

Not classified. Mild irritant to eyes (according to the modified Kay & Calandra criteria)

Respiratory or skin sensitization

Not classified. Respiratory sensitization Not classified. Skin sensitization Germ cell mutagenicity Not classified.

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded Carcinogenicity

that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing

regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. This product contains <10% total crystalline silica. The respirable crystalline silica as determined by the SWeRF method

is <1% w/w.

IARC Monographs. Overall Evaluation of Carcinogenicity

CRISTOBALITE (CAS 14464-46-1) 1 Carcinogenic to humans. QUARTZ (SIO2) (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

CRISTOBALITE (CAS 14464-46-1) Cancer QUARTZ (SIO2) (CAS 14808-60-7) Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Known To Be Human Carcinogen. CRISTOBALITE (CAS 14464-46-1)

Reasonably Anticipated to be a Human Carcinogen.

Known To Be Human Carcinogen. QUARTZ (SIO2) (CAS 14808-60-7)

Not classified. Reproductive toxicity Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results	
Bentonite (CAS 1302-	78-9)			
Aquatic				
Algae	EC50	Freshwater algae	> 100 mg/l, 72 hours	
Crustacea	EC50	Coon stripe shrimp (Pandalus danae)	24.8 mg/l, 96 hours	
		Daphnia	> 100 mg/l, 48 hours	
		Dungeness or edible crab (Cancer magister)	81.6 mg/l, 96 hours	

 Product
 Species
 Test Results

 Fish
 LC50
 Freshwater fish
 16000 mg/l, 96 hours

Marine water fish 2800 - 3200 mg/l, 24 hours

Persistence and degradability Not relevant for inorganic substances

Bioaccumulative potential Will not bio-accumulate.

Mobility in soil Bentonite is almost insoluble and thus presents a low mobility in most soils.

Mobility in general The product has poor water-solubility.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Store containers and offer for recycling of material when in accordance with the local

regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

CRISTOBALITE (CAS 14464-46-1) Cancer
QUARTZ (SIO2) (CAS 14808-60-7) Cancer
CRISTOBALITE (CAS 14464-46-1) lung effects
QUARTZ (SIO2) (CAS 14808-60-7) lung effects

CRISTOBALITE (CAS 14464-46-1) immune system effects QUARTZ (SIO2) (CAS 14808-60-7) immune system effects

CRISTOBALITE (CAS 14464-46-1) kidney effects QUARTZ (SIO2) (CAS 14808-60-7) kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Administration (FDA)

Total food additive
Direct food additive
GRAS food additive

US state regulations

California Proposition 65



WARNING: This product can expose you to QUARTZ (SIO2), which is known to the State of California to cause

cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (SIO2) (CAS 14808-60-7) Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

CRISTOBALITE (CAS 14464-46-1) QUARTZ (SIO2) (CAS 14808-60-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)NoKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

TaiwanTaiwan Chemical Substance Inventory (TCSI)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

16. Other information, including date of preparation or last revision

Issue date19-November-2015Revision date26-September-2018

Version # 20

Further information UVCB = a substance of Unknown or Variable composition, Complex reaction products or

Biological materials SWERF = Size Weighted Respirable Fraction methodology is a scientific method developed to quantify the content of respirable particles within a bulk product. All details

about the SWERF method are available at www.crystallinesilica.eu.

HMIS® ratings Health: 3*

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 0 Instability: 0

Material name: CETCO® TABLETS - 1/2

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

List of abbreviations

SWERF = Size-Weighted Relevant Fine Fraction methodology is a scientific method developed to quantify the content of respirable particles within a bulk product. All details about the SWERF method are available at www.crystallinesilica.eu.

UVCB = a substance of Unknown or Variable composition, Complex reaction products or Biological materials

References

For any information on literature references or toxicity/ecotoxicity studies, please contact the supplier.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Material name: CETCO® TABLETS - 1/2

9/9

5267 Version #: 20 Revision date: 26-September-2018 Issue date: 19-November-2015