

SAFETY DATA SHEET

1. Identification

Label elements

| Product identifier | BENTOMAT® ST | |
|---------------------------------|---|--|
| Other means of identification | None. | |
| Recommended use | Not available. | |
| Recommended restrictions | Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations. | |
| Manufacturer/Importer/Supplier/ | Distributor information | |
| Manufacturer | | |
| Company name Address | CETCO, an MTI Company 2870 Forbs Avenue | |
| AUUESS | Hoffman Estates, IL 60192 United States | |
| Telephone | General Information 800 527-9948 | |
| Website | http://www.cetco.com/LT/ | |
| E-mail | safetydata@mineralstech.com | |
| Emergency phone number | 1.866.519.4752 (US, CA, 1 760 476 3962 MX) | |
| Americas | 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 | |
| 2. Hazard(s) identification | | |
| Physical hazards | Not classified. | |

| Not classified. | |
|---|--|
| Carcinogenicity | Category 1A |
| Specific target organ toxicity, repeated exposure | Category 1 |
| Not classified. | |
| Not classified. | |
| | Carcinogenicity Specific target organ toxicity, repeated exposure Not classified. |



| | ▼ |
|--|---|
| Signal word | Danger |
| Hazard statement | May cause cancer. Causes damage to organs through prolonged or repeated exposure. |
| Precautionary statement | |
| Prevention | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. |
| Response | If exposed or concerned: Get medical advice/attention. |
| Storage | Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | 6.8% of the mixture consists of component(s) of unknown acute oral toxicity. 6.8% of the mixture consists of component(s) of unknown acute dermal toxicity. 6.8% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 6.8% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--|--|--|--|
| QUARTZ (SIO2) | | 14808-60-7 | 5 - < 10 |
| CRISTOBALITE | | 14464-46-1 | 1 - < 3 |
| Other components below report | able levels | | 90 - 100 |
| Designates that a specific chemic | al identity and/or percentage of composition ha | s been withheld as a trade se | ecret. |
| Composition comments | Occupational Exposure Limits for constituents naturally occurring crystalline silica (not listed than 6%. | | |
| 4. First-aid measures | | | |
| Inhalation | If symptoms are experienced, remove source physician if symptoms develop or persist. | of contamination or move vic | tim to fresh air. Call a |
| Skin contact | Wash off with soap and water. Get medical at | tention if irritation develops a | nd persists. |
| Eye contact | Flush eyes immediately with large amounts of | f water. | |
| Ingestion | Rinse mouth. Get medical attention if sympton | ms occur. | |
| Most important symptoms/effects, acute and delayed | Prolonged exposure may cause chronic effect | ts. | |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treasymptoms may be delayed. | at symptomatically. Keep vict | im under observation. |
| General information | IF exposed or concerned: Get medical advice (show the label where possible). | /attention. If you feel unwell, | seek medical advice |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Dry chemical, CO2, water spray or regular foa | am. Use any media suitable fo | or the surrounding fire |
| Unsuitable extinguishing media | None known. | | |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be | e formed. | |
| Special protective equipment and precautions for firefighters | As in any fire, wear self-contained breathing a (approved or equivalent) and full protective get | | MSHA/NIOSH |
| Fire fighting equipment/instructions | Use water spray to cool unopened containers | | |
| Specific methods | Use standard firefighting procedures and con- | sider the hazards of other inv | olved materials. |
| General fire hazards | Not a fire hazard. No unusual fire or explosior | n hazards noted. | |
| 6. Accidental release meas | sures | | |
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing generated above exposure limits. Ensure ade if significant spillages cannot be contained. For | during clean-up. Wear a due quate ventilation. Local author | st mask if dust is prities should be advis |
| Methods and materials for containment and cleaning up | Avoid the generation of dusts during clean-up particulates using a vacuum cleaner with a HI risk. Following product recovery, flush area wi containers. For waste disposal, see section 13 and prevent scattering by moistening with wat | EPA filter. Stop the flow of ma ith water. Put material in suita 3 of the SDS. None necessar | terial, if this is without ble, covered, labeled |
| Environmental precautions | Avoid discharge into drains, water courses or | onto the ground. | |
| 7. Handling and storage | | | |
| Precautions for safe handling | Obtain special instructions before use. Do not and understood. Keep formation of airborne d ventilation at places where dust is formed. Do using, do not eat, drink or smoke. Should be h insufficient ventilation, wear suitable respirato equipment. Wash hands thoroughly after hand | lusts to a minimum. Provide a not breathe dust. Avoid prolo nandled in closed systems, if ry equipment. Wear appropri | ppropriate exhaust onged exposure. Whe possible. In case of ate personal protective |

Store locked up. No special restrictions on storage with other products. Store in original tightly closed container. No special storage conditions required. Guard against dust accumulation of this material. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components | Туре | Value | Form |
|---------------------------------------|---|------------------------|----------------------|
| CRISTOBALITE (CAS 14464-46-1) | PEL | 0.05 mg/m3 | Respirable dust. |
| QUARTZ (SIO2) (CAS 14808-60-7) | PEL | 0.05 mg/m3 | Respirable dust. |
| US. OSHA Table Z-3 (29 0 | - | | |
| Components | Туре | Value | Form |
| CRISTOBALITE (CAS 14464-46-1) | TWA | 0.05 mg/m3 | Respirable. |
| | | 1.2 mppcf | Respirable. |
| QUARTZ (SIO2) (CAS 14808-60-7) | TWA | 0.1 mg/m3 | Respirable. |
| | | 2.4 mppcf | Respirable. |
| Constituents | Туре | Value | Form |
| TRADE SECRET | TWA | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| | | 50 mppcf | Total dust. |
| | | 15 mppcf | Respirable fraction. |
| US. ACGIH Threshold Lin Components | nit Values Type | Value | Form |
| CRISTOBALITE (CAS 14464-46-1) | TWA | 0.025 mg/m3 | Respirable fraction. |
| QUARTZ (SIO2) (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide | e to Chemical Hazards | | |
| Components | Туре | Value | Form |
| CRISTOBALITE (CAS 14464-46-1) | TWA | 0.05 mg/m3 | Respirable dust. |
| QUARTZ (SIO2) (CAS 14808-60-7) | TWA | 0.05 mg/m3 | Respirable dust. |
| ogical limit values | No biological exposure limits noted | for the ingredient(s). | |
| osure guidelines | Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. | | |
| propriate engineering trols | If engineering measures are not sufficient to maintain concentrations of dust particulates below OEL, suitable respiratory protection must be worn. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used ir any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. | | |
| - | es, such as personal protective equipr | nent | |
| Eye/face protection | Wear dust goggles. | | |
| | | | |
| Skin protection Hand protection | Wear appropriate chemical resistan | t gloves. | |

Material name: BENTOMAT® ST

| Respiratory protection | Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit. | |
|-----------------------------------|---|--|
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. | |
| General hygiene considerations | Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Eye wash fountain is recommended. Use good industrial hygiene practices in handling this material. | |

9. Physical and chemical properties

| or ringerear and enemiear p | |
|--|---|
| Appearance | The product consists of bentonite granules between geotextile layers |
| Physical state | Solid. |
| Form | Solid. Mat or Fabric |
| Color | Various. |
| Odor | None. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | Not flammable |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or expl | losive limits |
| Flammability limit - lower (%) | Not explosive |
| Flammability limit - upper (%) | Not explosive |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | 0.00001 hPa estimated |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Negligible |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |
| Percent volatile | 0 % estimated |
| VOC | CARB |
| 10. Stability and reactivity | |
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Stable at normal conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Powerful oxidizers. Chlorine. None known. |
| | |

11. Toxicological information

Information on likely routes of exposure

| Inhalation | Prolonged inhalation may be harmful. |
|--|--|
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Expected to be a low ingestion hazard. |
| Symptoms related to the physical, chemical and toxicological characteristics | Direct contact with eyes may cause temporary irritation. |

Information on toxicological effects

| Acute toxicity | Not known. | | |
|---|---|---|--|
| Components | Species | Test Results | |
| CRISTOBALITE (CAS 14464-46-1 |) | | |
| <u>Acute</u> | | | |
| Oral | | | |
| LD50 | Rat | > 22500 mg/kg | |
| Skin corrosion/irritation | Prolonged skin contact may | cause temporary irritation. | |
| Serious eye damage/eye irritation | Mild irritant to eyes (accordin | ng to the modified Kay & Calandra criteria) | |
| Respiratory or skin sensitizatior | ı | | |
| Respiratory sensitization | Not a respiratory sensitizer. | | |
| Skin sensitization | According to the classification being a skin irritant. | on criteria of the European Union, the product is not considered as | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | |
| Carcinogenicity | In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica and controlled. | | |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | | |
| CRISTOBALITE (CAS 14464-46-1) 1 Carcinogenic to humans. QUARTZ (SIO2) (CAS 14808-60-7) 1 Carcinogenic to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) | | | |
| CRISTOBALITE (CAS 14464-46-1) Cancer QUARTZ (SIO2) (CAS 14808-60-7) Cancer | | | |
| US. National Toxicology Pro | • • • • | nogens | |
| CRISTOBALITE (CAS 14 | | Known To Be Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen. | |
| QUARTZ (SIO2) (CAS 14 | , | Known To Be Human Carcinogen. | |
| Reproductive toxicity | | to cause reproductive or developmental effects. | |
| Specific target organ toxicity - single exposure | Not classified. | | |

Specific target organ toxicity - repeated exposure

Aspiration hazard

Chronic effects

Causes damage to organs through prolonged or repeated exposure.

Not an aspiration hazard.

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)

According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. Some of the components of this product are hazardous in the respirable form. However, because of the physical nature of this product, dust generation is not expected.

12. Ecological information

| Ecotoxicity | The product is not expected to be hazardous to the environment. This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems. |
|-------------------------------|---|
| Persistence and degradability | No data is available on the degradability of this product. |
| Bioaccumulative potential | No data available. |
| Mobility in soil | No data available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

13. Disposal considerations

| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Material should be recycled if possible. |
|--|---|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly **US** federal regulations Hazardous Process Safety Standard, 29 CFR 1910.119. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

| CRISTOBALITE (CAS 14464-46-1) | Cancer |
|--------------------------------|-----------------------|
| QUARTZ (SIO2) (CAS 14808-60-7) | Cancer |
| CRISTOBALITE (CAS 14464-46-1) | lung effects |
| QUARTZ (SIO2) (CAS 14808-60-7) | lung effects |
| CRISTOBALITE (CAS 14464-46-1) | immune system effects |
| QUARTZ (SIO2) (CAS 14808-60-7) | immune system effects |
| CRISTOBALITE (CAS 14464-46-1) | kidney effects |
| CRISTOBALITE (CAS 14464-46-1) | kidney effects |
| QUARTZ (SIO2) (CAS 14808-60-7) | kidney effects |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

No (Exempt) SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act.

| (SDW | A) | |
|------|-----|------|
| Food | and | Drug |

Total food additive Indirect food additive Administration (FDA) GRAS food additive

WARNING: This product contains a chemical known to the State of California to cause cancer.

California Proposition 65



US state regulations

WARNING: This product can expose you to QUARTZ (SIO2), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (SIO2) (CAS 14808-60-7) Listed: October 1, 1988 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

CRISTOBALITE (CAS 14464-46-1) QUARTZ (SIO2) (CAS 14808-60-7)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | No |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| | | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 19-September-2014 |
|----------------------|---|
| Revision date | 09-July-2018 |
| Version # | 24 |
| Further information | This safety datasheet only contains information relating to safety and does not replace any product information or product specification. |
| HMIS® ratings | Health: 3* Flammability: 0 Physical hazard: 0 |
| NFPA ratings | Health: 2 Flammability: 0 Instability: 0 |
| Disclaimer | The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. |
| Revision information | This document has undergone significant changes and should be reviewed in its entirety. |