



1. Identification

1. Identification	
Product identifier	PREMIUM GEL® NT
Other means of identification	
CAS number	1302-78-9
Synonyms	SMECTITE CLAY
Recommended use	Not available.
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name Address	American Colloid Company 2870 Forbs Avenue Hoffman Estates, IL 60192 United States
Telephone	General Information 800 426 5564
Website	www.colloid.com
E-mail	safetydata@mineralstech.com
Emergency phone number	+18665194752(US,Ca,Mex) +1 760 476 3962 Access 333562
Supplier	Not available.
2. Hazard identification	
Physical hazards	Not classified.
Health hazards	Carcinogenicity Category 1A
	Specific target organ toxicity following Category 1 repeated exposure
Environmental hazards	Not classified.
Label elements	
Signal word	Danger
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Keep out of reach of children. Read label before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	Material can be slippery when wet
Supplemental information	100% of the substance consists of component(s) of unknown acute oral toxicity. 100% of the
	substance consists of component(s) of unknown acute dermal toxicity. 100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment.

3. Composition/information on ingredients

Substances

Constituents

Chemical name	Common name and synonyms	CAS number	%
Quartz	Crystalline silica, quartz SILICA (QUARTZ)	14808-60-7	<= 6
Cristobalite		14464-46-1	<= 2
A: M-factor PBT: persistent, bioaccumulative a PvB: very persistent and very bioa All concentrations are in percent by			ne. *Designates tha
Composition comments	Bentonite contains naturally occurring crystalli 67/548/EEC) in quantities less than 6%. Not a Exposure Limits for constituents are listed in S displayed in section 16.	ine silica (not listed in Annex I pplicable to consumer product	s. Occupational
I. First-aid measures			
nhalation	Move to fresh air. Oxygen or artificial respirativictim inhaled the substance. Induce artificial with a one-way valve or other proper respirate Call a physician if symptoms develop or persisted of the substance.	respiration with the aid of a poor ory medical device. Get medica	cket mask equipped
Skin contact	Remove contaminated clothing. Remove and Immediately flush skin with plenty of water. W soap and water. Rinse skin with water/shower attention if irritation develops and persists. If s For minor skin contact, avoid spreading mater before reuse. Wash clothing separately before	ash with plenty of soap and wa c. Get medical attention immed skin irritation occurs: Get medic rial on unaffected skin. Wash c	ater. Wash off with iately. Get medical advice/attention.
Eye contact	Do not rub eyes. Immediately flush eyes with lens is present, DO NOT delay irrigation or att medical attention immediately.		
ngestion	Rinse mouth. Rinse mouth thoroughly. If ingest control centre immediately. Do not induce von vomiting occurs, keep head low so that stoma mouth-to-mouth method if victim ingested the a pocket mask equipped with a one-way valve medical attention if symptoms occur.	niting without advice from poise ich content doesn't get into the substance. Induce artificial res	on control center. If lungs. Do not use piration with the aid
Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin ar Prolonged exposure may cause chronic effect		use redness and pa
ndication of immediate nedical attention and special reatment needed	Provide general supportive measures and treat victim under observation. Symptoms may be o		tomatically. Keep
General information	IF exposed or concerned: Get medical advice. (show the label where possible). Ensure that r involved, and take precautions to protect them attendance.	medical personnel are aware o	f the material(s)
5. Fire-fighting measures			
Suitable extinguishing media	Use any media suitable for the surrounding fir	es.	
Insuitable extinguishing nedia	Not applicable, non-combustible.		
Specific hazards arising from he chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Material can be slippery when wet. Firefighter	s should wear full protective ge	ear.
Fire fighting	Move containers from fire area if you can do s	o without risk. Use water sprag	to cool unopened
equipment/instructions	containers.		

General fire hazards This material will not burn. Material can be slippery when wet No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Wear a dust mask if dust is generated above exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Handle and open container with care. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Use care in handling/storage. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Value Constituents	Туре	Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupatio	onal Health & Safety Code, Sch	nedule 1, Table 2)	
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable particles
		10 mg/m3	Total particulate.
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable particles
		0.025 mg/m3	Respirable.
			Respirable particles

Constituents	туре	value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.

Safety Regulation 296/97, a Constituents	Туре	Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Manitoba OELs (R Constituents	eg. 217/2006, The Workplace Safety A Type	nd Health Act) Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Ontario OELs. (Co Constituents	ontrol of Exposure to Biological or Che Type	mical Agents) Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
Canada. Quebec OELs. (Mi Constituents	inistry of Labor - Regulation respecting Type	g occupational health and sa Value	fety) Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	10 mg/m3	Total dust.
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.
Canada. Saskatchewan OE Constituents	ELs (Occupational Health and Safety Ro Type	egulations, 1996, Table 21) Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	15 minute	6 mg/m3	Respirable fraction.
		20 mg/m3	Inhalable fraction.
	8 hour	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Cristobalite (CAS 14464-46-1)	15 minute	10 mg/m3	Inhalable fraction.
	8 hour	0.05 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	8 hour	0.05 mg/m3	Respirable fraction.
logical limit values	No biological exposure limits noted for	the ingredient(s).	·
logical limit values propriate engineering trols	No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis engineering measures are not sufficie OEL (occupational exposure limit), su ground, cut, or used in any operation v ventilation to keep exposures below th emergency shower must be available	r the ingredient(s). air changes per hour) should be plicable, use process enclosur- ain airborne levels below recom shed, maintain airborne levels to nt to maintain concentrations o itable respiratory protection mu which may generate dusts, use he recommended exposure limi when handling this product.	e used. Ventilation rates es, local exhaust ventilati mended exposure limits. o an acceptable level. If f dust particulates below st be worn. If material is appropriate local exhaus
logical limit values propriate engineering trols	No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis engineering measures are not sufficien OEL (occupational exposure limit), suf ground, cut, or used in any operation of ventilation to keep exposures below th	r the ingredient(s). air changes per hour) should be plicable, use process enclosur- ain airborne levels below recom- shed, maintain airborne levels to nt to maintain concentrations of itable respiratory protection mu which may generate dusts, use he recommended exposure limi when handling this product.	e used. Ventilation rates es, local exhaust ventilati mended exposure limits. o an acceptable level. If f dust particulates below st be worn. If material is appropriate local exhaus ts. Eye wash facilities and
logical limit values propriate engineering itrols	No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis engineering measures are not sufficier OEL (occupational exposure limit), sui ground, cut, or used in any operation v ventilation to keep exposures below th emergency shower must be available s, such as personal protective equipme Applicable for industrial settings only.	r the ingredient(s). air changes per hour) should be plicable, use process enclosur- ain airborne levels below recom- shed, maintain airborne levels to nt to maintain concentrations of itable respiratory protection mu which may generate dusts, use he recommended exposure limi when handling this product.	e used. Ventilation rates es, local exhaust ventilati mended exposure limits. o an acceptable level. If f dust particulates below st be worn. If material is appropriate local exhaus ts. Eye wash facilities and

Other	Applicable for industrial settings only. Wear chemical protective equipment that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Use of protective coveralls and long sleeves is recommended.
Respiratory protection	Applicable for industrial settings only. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. In case of inadequate ventilation, use respiratory protection.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

o. i nyoloar ana ononioar p	
Appearance	Lump, granular or fine powder.
Physical state	Solid.
Form	Powder. Various.
Colour	Various.
Odour	None.
Odour threshold	Not applicable.
рН	8.5 - 11
Melting point/freezing point	> 450 °C (> 842 °F) / Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	This product is not flammable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not applicable.
Flammability limit - lower(%) temperature	Not applicable.
Flammability limit - upper (%)	Not applicable.
Flammability limit - upper (%) temperature	Not applicable.
Explosive limit - lower (%)	Not applicable.
Explosive limit - lower (%) temperature	Not applicable.
Explosive limit – upper (%)	Not applicable.
Explosive limit - upper (%) temperature	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	2.6 g/cm ³
Solubility(ies)	-
Solubility (water)	< 0.9 mg/l
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	> 500 °C (> 932 °F)
Viscosity	Not applicable.
Viscosity temperature	Not applicable.
Other information	
Bulk density	0.9 - 1.4 g/cm³

Explosive limit	Not applicable.
Explosive properties	Not explosive. Not explosive
Explosivity	Not applicable.
Fire point	Not applicable.
Flame extension	Not applicable.
Flame projection	Not applicable.
Flammability	Not applicable.
Flammability (flash back)	Not applicable.
Flammability (Heat of combustion)	Not applicable.
Flammability (Train fire)	Not applicable.
Flammability class	Not applicable.
Flash point class	Not flammable
Molecular formula	UVCB Substance
Molecular weight	Not applicable.
Oxidising properties	Not oxidising. None.
Percent volatile	0 %
pH in aqueous solution	8.5 - 11
Specific gravity	Not applicable.
VOC	0 %
0 Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation		ans through prolonged or repeated exposure by inhalation. Dust may Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. Dus	t or powder may irritate the skin.
Eye contact	Direct contact with eyes m	ay cause temporary irritation.
Ingestion	•	vallowed. Expected to be a low ingestion hazard. However, ingestion is oute of occupational exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Dusts may irritate the resp	iratory tract, skin and eyes. Skin irritation. May cause redness and pain.
Information on toxicological eff	fects	
Acute toxicity	Not known.	
Toxicological data		
Constituents	Species	Test Results
Cristobalite (CAS 14464-46-1)		
Acute		
Oral		
LD50	Rat	> 22500 mg/kg

Constituents	Species	Test Results
Quartz (CAS 14808-60-7)		
Acute		
Oral	D. (522
LD50	Rat	500 mg/kg
* Estimates for product may be	e based on additional compon	ent data not shown.
Skin corrosion/irritation	Prolonged skin contact may complete lack of data the cla	cause temporary irritation. Causes skin irritation. Due to partial or assification is not possible.
Serious eye damage/eye irritation	Direct contact with eyes may	y cause temporary irritation.
Respiratory or skin sensitisation	1	
Canada - Alberta OELs: Irrita	ant	
Calcium carbonate (CAS 4 Cristobalite (CAS 14464-4		Irritant Irritant
Respiratory sensitisation	Not a respiratory sensitizer. possible.	Due to partial or complete lack of data the classification is not
Skin sensitisation	None known. This product is lack of data the classification	s not expected to cause skin sensitisation. Due to partial or complete n is not possible.
Germ cell mutagenicity		Job 18-0024189, French and German were reviewed under r 17-0023485 Due to partial or complete lack of data the classification
Carcinogenicity	that the main effect in human "There is sufficient information persons with silicosis (and, a quarries and in the ceramic is	EU Scientific Committee on Occupational Exposure Limits) concluded ns of the inhalation of respirable crystalline silica dust is silicosis. on to conclude that the relative risk of lung cancer is increased in apparently, not in employees without silicosis exposed to silica dust i industry). Therefore, preventing the onset of silicosis will also reduce
	worker protection against sil regulatory occupational expo dust and respirable crystallir	SUM Doc 94-final, June 2003) According to the current state of the al icosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable ne silica should be monitored and controlled. Due to partial or
ACGIH Carcinogens	worker protection against sil regulatory occupational expo	SUM Doc 94-final, June 2003) According to the current state of the an icosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable ne silica should be monitored and controlled. Due to partial or
ACGIH Carcinogens Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7)	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1)	SUM Doc 94-final, June 2003) According to the current state of the ar icosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable ne silica should be monitored and controlled. Due to partial or
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Caro	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category	SUM Doc 94-final, June 2003) According to the current state of the an icosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable he silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7)	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1)	SUM Doc 94-final, June 2003) According to the current state of the ar icosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable he silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: ca	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) arcinogenicity	 SUM Doc 94-final, June 2003) According to the current state of the articosis can be consistently assured by respecting the existing posure limits. May cause cancer. Occupational exposure to respirable be silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7)	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) ircinogenicity 46-1)	SUM Doc 94-final, June 2003) According to the current state of the ar icosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable he silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: ca Cristobalite (CAS 14464-4	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) ircinogenicity 46-1)	 SUM Doc 94-final, June 2003) According to the current state of the ar icosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable he silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: car Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Quebec OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7)	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) cinogen category 46-1)	 SUM Doc 94-final, June 2003) According to the current state of the articosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable he silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Detected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected carcinogenic effect in animals. Suspected carcinogenic effect in humans.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: ca Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Quebec OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) IARC Monographs. Overall E	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) cinogen category 46-1) cinogen category 46-1)	 SUM Doc 94-final, June 2003) According to the current state of the all icosis can be consistently assured by respecting the existing posure limits. May cause cancer. Occupational exposure to respirable be silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected carcinogen. Suspected human carcinogen.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: car Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Quebec OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7)	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) frcinogenicity 46-1) cinogen category 46-1) cinogen category 46-1) cinogen category 46-1)	 SUM Doc 94-final, June 2003) According to the current state of the an icosis can be consistently assured by respecting the existing posure limits. May cause cancer. Occupational exposure to respirable be silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected carcinogenic effect in animals. Suspected carcinogenic effect in humans. Y 1 Carcinogenic to humans.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: car Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Quebec OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) IARC Monographs. Overall E Cristobalite (CAS 14464-4	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) rcinogen category 46-1) cinogen category 46-1) cinogen category 46-1)	 SUM Doc 94-final, June 2003) According to the current state of the arrivable icosis can be consistently assured by respecting the existing posure limits. May cause cancer. Occupational exposure to respirable be silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected carcinogenic effect in animals. Suspected carcinogenic effect in humans. Y 1 Carcinogenic to humans. 1 Carcinogenic to humans.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: car Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Quebec OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) IARC Monographs. Overall E Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7)	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) fricinogenicity 46-1) cinogen category 46-1) cinogen category 46-1) gram (NTP) Report on Carci	 SUM Doc 94-final, June 2003) According to the current state of the an icosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable he silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected carcinogenic effect in animals. Suspected carcinogenic effect in humans. Y 1 Carcinogenic to humans. 1 Carcinogenic to humans. inogens Known To Be Human Carcinogen.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: car Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Quebec OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) IARC Monographs. Overall E Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) US. National Toxicology Pro Cristobalite (CAS 14464-4	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) fricinogenicity 46-1) cinogen category 46-1) cinogen category 46-1) gram (NTP) Report on Carci 46-1)	 SUM Doc 94-final, June 2003) According to the current state of the articosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable be silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected carcinogenic effect in animals. Suspected carcinogenic effect in humans. P 1 Carcinogenic to humans. 1 Carcinogenic to humans. Suspected human carcinogen. Mathematical content of the substant of the substant
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: car Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Quebec OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) IARC Monographs. Overall E Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) US. National Toxicology Pro-	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) 46-1) 46-1) 46-1) cinogen category 46-1) cinogen category 46-1)	 SUM Doc 94-final, June 2003) According to the current state of the articosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable be silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected human carcinogen. Suspected carcinogenic effect in animals. Suspected carcinogenic effect in humans. Y 1 Carcinogenic to humans. 1 Carcinogenic to humans. inogens Known To Be Human Carcinogen.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: car Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Quebec OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) IARC Monographs. Overall E Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) US. National Toxicology Pro- Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) US. National Toxicology Pro- Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Reproductive toxicity	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) fricinogenicity 46-1) cinogen category 46-1) cinogen category 46-1) gram (NTP) Report on Carci 46-1) by Report on Carci 46-1) by Report on Carci	 SUM Doc 94-final, June 2003) According to the current state of the aritosis can be consistently assured by respecting the existing posure limits. May cause cancer. Occupational exposure to respirable the silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Detected carcinogenic effect in animals. Suspected carcinogenic effect in humans. 1 Carcinogenic to humans. 1 Carcinogenic to humans. inogens Known To Be Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen. Known To Be Human Carcinogen.
Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Manitoba OELs: car Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) Canada - Quebec OELs: Carc Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) IARC Monographs. Overall E Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7) US. National Toxicology Pro Cristobalite (CAS 14464-4 Quartz (CAS 14808-60-7)	worker protection against sil regulatory occupational expo dust and respirable crystallir complete lack of data the cla 46-1) cinogen category 46-1) fricinogenicity 46-1) cinogen category 46-1) formation of Carcinogenicit 46-1) formation of Carcinogenicit 46-1)	 SUM Doc 94-final, June 2003) According to the current state of the a icosis can be consistently assured by respecting the existing osure limits. May cause cancer. Occupational exposure to respirable he silica should be monitored and controlled. Due to partial or assification is not possible. A2 Suspected human carcinogen. A2 Suspected human carcinogen. Suspected human carcinogen. Detected carcinogenic effect in animals. Suspected carcinogenic effect in humans. 1 Carcinogenic to humans. 1 Carcinogenic to humans. 1 Carcinogenic to humans. I Carcinogenic to humans. inogens Known To Be Human Carcinogen. Known To Be Human Carcinogen. is not expected to cause reproductive or developmental effects. Due at the classification is not possible.

Chronic effects	Not expected to be hazardous by WHMIS criteria. Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.			
Further information	This product	This product has no known adverse effect on human health.		
12. Ecological information	า			
Ecotoxicity	Contains a substance which causes risk of hazardous effects to the environment. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Product		Species	Test Results	
ACCOFLOC® SDG (CAS 13	02-78-9)			
Aquatic				
Acute				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	19000 mg/l, 96 hours	
* Estimates for product may b	be based on add	ditional component data not shown.		
Persistence and degradability	No data is av	vailable on the degradability of this produc	ot.	
Bioaccumulative potential	No data available.			
Mobility in soil	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal consideratio	ns			
Disposal instructions	Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of contents/container (in accordance with related regulations). When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.			
Local disposal regulations	Dispose in a	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Not applicable.			
Contaminated packaging		ed containers may retain product residue, t pty containers should be taken to an appr	follow label warnings even after container is oved waste handling site for recycling or	

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases Not listed. Precursor Control Regulations Not regulated. International regulations

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product is classified and labelled in accordance with EC directives or respective national laws. The product does not need to be labelled in accordance with EC directives or respective national laws. Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Regulation (EU) No 453/2010 amending Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

Stockholm Convention Not applicable. Rotterdam Convention Not applicable.

Kyoto Protocol Not applicable. Montreal Protocol Not applicable. Basel Convention Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	15-March-2021
Revision date	15-March-2021
Version No.	19
Further information	HMIS® is a registered trade and service mark of the NPCA.

GOST 19433-88. Dangerous goods. Classification and marking. GOST 12.1.004-91. Occupational safety standards system. Fire safety. General requirements. GOST 12.1.044-89. Occupational safety standards system. Fire and explosion hazard of substances and materials. Nomenclature of substances and materials. Nomenclature of indices and methods of their determination. GOST 31340-2013 Labeling of chemicals. General requirements. GOST 32419-2013 Classification of chemical products. General requirements. GOST 30333-2007 Chemical production safety passport. General requirements. GOST 32424-2013 Classification of chemicals for environmental hazards. General principles. GOST 12.1.007-76 Occupational safety standard system. Noxious substances. Classification and general safety requirements. ACGIH ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices EPA: AQUIRE database HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents Korea. Accidental Release Prevention Substances (Presidential Decree of Toxic Chemical Control Law, Executive Order No. 19203) Korea. Dangerous Substances Threshold Quantity (Presidential Decree of Dangerous Substances Safety Management Act No. 18406, Schedule 1) Korea. Harmful Substances Prohibited from Manufacturing (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 29) Korea. Harmful Substances Requiring Permission for Manufacture or Use (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 30) Korea. OELs. Regulation for Permitted Concentration of Hazardous Substances (Ministry of Labor (MOL) Public Notice No. 1986-45, as amended) Korea. Prohibited Chemical Substances (TCCL Article 11) Korea. Regulated volatile organic compounds (VOCs) (MOE Notice No. 2001-36, March 8, 2001, as amended) Korea. Restricted Chemical Substances (TCCL Article 11) Korea. Toxic Chemical Control Law (TCCL), Existing Chemicals Inventory (KECI) Korea. Toxic Chemical Control Law (TCCL), pre-1997 List Korea. Toxic Chemicals (TCCL Article 10) Korea. Toxic Release Inventory (TRI) Chemicals (TCCL Article 14) JIS Z 7253:2012 Hazard communication of chemicals based on GHS – Labelling and Safety Data Sheet (SDS) Taiwan. Dangerous Materials (Rules on Hazard Communication of Dangerous Materials and Toxic Materials) Taiwan. Industrial Precursor Chemicals (Categories and Regulations Governing Inspection and Declaration of Industrial Precursor Chemicals, MOEA Decree No. 87, as amended) Taiwan, OELs, (Standards on Workplace Atmosphere of Dangerous and Hazardous Materials) Taiwan. Toxic Chemical Substances (TCS) (List of Toxic Chemical Substances announced by the Environmental Protection Administration) Taiwan. Toxic Materials (Rules on Hazard Communication of Dangerous Materials and Toxic Materials) Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits Japan Chemical Industry Association (JCIA) GHS Guideline, June 2012 JIS Z 7252:2014 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

Disclaimer	American Colloid Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Additional information is given in the Material Safety Data Sheet. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.
	The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, The information relates only to the specific material designated and may not be valid in combination with any other materials or in any process, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, This safety data sheet was prepared in accordance with JIS Z 7253:2012.
Revision information	Product and Company Identification: Product and Company Identification Section 1: Hazardous ingredients Toxicological Information: Toxicological Data : Ecotoxicity effects GHS: Classification