MINERALS TECHNOLOGIES AMERICAN COLLOID COMPANY

SAFETY DATA SHEET

1. Identification

Product identifier SUPER GEL®

Other means of identification

CAS number 1302-78-9

Synonyms SMECTITE CLAY

Recommended use Not available.

Recommended restrictionsWorkers (and your customers or users in the case of resale) should be informed of the potential

presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name American Colloid Company

Address 2870 Forbs Avenue

Hoffman Estates, IL 60192

United States

Telephone General Information 800 426 5564

Website www.colloid.com

E-mail safetydata@mineralstech.com

Emergency phone number +18665194752(US,Ca,Mex) +1 760 476 3962 Access 333562

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1A

Specific target organ toxicity following Category 1

repeated exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Keep out of reach of children. Read label before use. Do not handle until all safety precautions

have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If medical advice is needed, have product container or label at hand. IF exposed or concerned:

Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards Material can be slippery when wet

Supplemental information 100% of the substance consists of component(s) of unknown acute oral toxicity. 100% of the

substance consists of component(s) of unknown acute dermal toxicity. 100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of

component(s) of unknown acute hazards to the aquatic environment.

3. Composition/information on ingredients

Substances

Constituents

Chemical name	Common name and synonyms	CAS number	%
Quartz	Crystalline silica, quartz SILICA (QUARTZ)	14808-60-7	<= 6
Cristobalite		14464-46-1	<= 2

DSD: Directive 67/548/EEC. CLP: Regulation No. 1272/2008.

#: This substance has been assigned Community workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. *Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

Bentonite contains naturally occurring crystalline silica (not listed in Annex I of Directive 67/548/EEC) in quantities less than 6%. Not applicable to consumer products. Occupational Exposure Limits for constituents are listed in Section 8. The full text for all R- and H-phrases is displayed in section 16.

4. First-aid measures

Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if Inhalation

victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention, if needed.

Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Remove and isolate contaminated clothing and shoes.

Immediately flush skin with plenty of water. Wash with plenty of soap and water. Wash off with soap and water. Rinse skin with water/shower. Get medical attention immediately. Get medical attention if irritation develops and persists. If skin irritation occurs: Get medical advice/attention. For minor skin contact, avoid spreading material on unaffected skin. Wash contaminated clothing

before reuse. Wash clothing separately before reuse.

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. If a contact Eve contact

lens is present, DO NOT delay irrigation or attempt to remove the lens. Continue rinsing. Get

medical attention immediately.

Rinse mouth, Rinse mouth thoroughly, If ingestion of a large amount does occur, call a poison Ingestion

> control centre immediately. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get

medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain.

Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Not applicable, non-combustible.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Use any media suitable for the surrounding fires.

Special protective equipment and precautions for firefighters

Material can be slippery when wet. Firefighters should wear full protective gear.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

This material will not burn. Material can be slippery when wet No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Wear a dust mask if dust is generated above exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water, Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Handle and open container with care. Observe good industrial hygiene

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Use care in handling/storage. Store away from incompatible materials (see Section 10 of the

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH	Threshold	Limit \	∕alues
Constituon	te		

Constituents	Type	Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupation	onal Health & Safety Code, Scl	hedule 1, Table 2)	
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Total particulate.
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable particles.
		0.025 mg/m3	Respirable.
		0.0_0g	

Safety Regulation 296/97, as amended)

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Safety Regulation 296/97, a Constituents	Туре	Value	Form	
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
Canada. Manitoba OELs (R Constituents	eg. 217/2006, The Workplace Safety Ar Type	nd Health Act) Value	Form	
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
	ontrol of Exposure to Biological or Che		_	
Constituents	Туре	Value	Form	
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable fraction.	
		10 mg/m3	Inhalable fraction.	
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.	
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.	
	nistry of Labor - Regulation respecting	5	- -	
Constituents	Туре	Value	Form	
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	10 mg/m3	Total dust.	
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.	
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.	
	Ls (Occupational Health and Safety Re	- ·		
Constituents	Туре	Value	Form	
INERT OR NUISANCE DUSTS (CAS SEQ250)	15 minute	6 mg/m3	Respirable fraction.	
		20 mg/m3	Inhalable fraction.	
	8 hour	3 mg/m3	Respirable fraction.	
		10 mg/m3	Inhalable fraction.	
Cristobalite (CAS 14464-46-1)	15 minute	10 mg/m3	Inhalable fraction.	
	8 hour	0.05 mg/m3	Respirable fraction.	
Quartz (CAS 14808-60-7)	8 hour	0.05 mg/m3	Respirable fraction.	
logical limit values	No biological exposure limits noted for	the ingredient(s).		
oropriate engineering atrols	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis engineering measures are not sufficier OEL (occupational exposure limit), sui ground, cut, or used in any operation ventilation to keep exposures below the	eral ventilation (typically 10 air changes per hour) should be used. Ventilation rates matched to conditions. If applicable, use process enclosures, local exhaust ventilation, agineering controls to maintain airborne levels below recommended exposure limits. If imits have not been established, maintain airborne levels to an acceptable level. If g measures are not sufficient to maintain concentrations of dust particulates below the pational exposure limit), suitable respiratory protection must be worn. If material is t, or used in any operation which may generate dusts, use appropriate local exhaust to keep exposures below the recommended exposure limits. Eye wash facilities and y shower must be available when handling this product.		

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles). Eye

wash fountain is recommended.

Skin protection

Hand protection Not normally needed. Applicable for industrial settings only. Suitable gloves can be recommended

by the glove supplier.

Other Applicable for industrial settings only. Wear chemical protective equipment that is specifically

recommended by the manufacturer. It may provide little or no thermal protection. Use of protective

coveralls and long sleeves is recommended.

Respiratory protection Applicable for industrial settings only. In the case of respirable dust and/or fumes, use

self-contained breathing apparatus. In case of inadequate ventilation, use respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Lump, granular or fine powder.

Solid. Physical state

Powder, Various. **Form**

Various. Colour Odour None.

Odour threshold Not applicable.

рΗ 8.5 - 11

> 450 °C (> 842 °F) / Not applicable. Melting point/freezing point

Initial boiling point and boiling Not applicable.

range

Flash point Not applicable. **Evaporation rate** Not applicable.

Flammability (solid, gas) This product is not flammable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

(%)

Flammability limit - lower (

Not applicable.

%) temperature

Flammability limit - upper

(%)

Not applicable.

Flammability limit - upper (

%) temperature

Not applicable.

Explosive limit - lower (%) Not applicable. Not applicable. Explosive limit - lower (%)

temperature

Explosive limit - upper

Not applicable.

(%)

Explosive limit - upper (%)

Not applicable.

temperature

Vapour pressure Not applicable. Vapour density Not applicable. Relative density 2.6 g/cm3

Solubility(ies)

< 0.9 mg/l Solubility (water)

Partition coefficient

Not applicable.

(n-octanol/water)

Auto-ignition temperature Not applicable. > 500 °C (> 932 °F) **Decomposition temperature** Not applicable. Viscosity Viscosity temperature Not applicable.

Other information

Bulk density 0.9 - 1.4 g/cm³

Material name: SUPER GEL® 4870 Version #: 20 Revision date: 16-March-2021 Issue date: 16-March-2021 **Explosive limit** Not applicable.

Explosive properties Not explosive. Not explosive

Explosivity
Not applicable.
Fire point
Not applicable.
Flame extension
Not applicable.
Flame projection
Not applicable.
Flammability
Not applicable.
Flammability (flash back)
Not applicable.
Flammability (Heat of
Not applicable.

combustion)

Flammability (Train fire)

Flammability class

Flash point class

Molecular formula

Molecular weight

Oxidising properties

Not applicable.

Not applicable.

Not applicable.

Not oxidising. None.

Percent volatile 0 % pH in aqueous solution 8.5 - 11

Specific gravity Not applicable.

VOC 0 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the decomposition temperature. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. Dust may

irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact

Causes skin irritation. Dust or powder may irritate the skin.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. Expected to be a low ingestion hazard. However, ingestion is

not likely to be a primary route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Toxicological data

Constituents Species Test Results

Cristobalite (CAS 14464-46-1)

Acute Oral

LD50 Rat > 22500 mg/kg

Constituents Species Test Results

Quartz (CAS 14808-60-7)

Acute Oral

LD50 Rat 500 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Causes skin irritation. Due to partial or

complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitisation

Canada - Alberta OELs: Irritant

Calcium carbonate (CAS 471-34-1) Irritant
Cristobalite (CAS 14464-46-1) Irritant

Respiratory sensitisation Not a respiratory sensitizer. Due to partial or complete lack of data the classification is not

possible.

Skin sensitisation None known. This product is not expected to cause skin sensitisation. Due to partial or complete

lack of data the classification is not possible.

Germ cell mutagenicity Chilean Spanish went out in Job 18-0024189, French and German were reviewed under

17-0023466 and Hindi under 17-0023485 Due to partial or complete lack of data the classification

is not possible.

Carcinogenicity In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded

that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing

regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Due to partial or

complete lack of data the classification is not possible.

ACGIH Carcinogens

Cristobalite (CAS 14464-46-1)

Quartz (CAS 14808-60-7)

A2 Suspected human carcinogen.

A2 Suspected human carcinogen.

Canada - Alberta OELs: Carcinogen category

Cristobalite (CAS 14464-46-1)

Quartz (CAS 14808-60-7)

Suspected human carcinogen.

Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Cristobalite (CAS 14464-46-1)

Quartz (CAS 14808-60-7)

Suspected human carcinogen.

Suspected human carcinogen.

Canada - Quebec OELs: Carcinogen category

Cristobalite (CAS 14464-46-1)

Quartz (CAS 14808-60-7)

Detected carcinogenic effect in animals.

Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cristobalite (CAS 14464-46-1) 1 Carcinogenic to humans. Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Cristobalite (CAS 14464-46-1) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicityNot classified. This product is not expected to cause reproductive or developmental effects. Due to

partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure

Due to partial or complete lack of data the classification is not possible. Not classified.

Specific target organ toxicity - repeated exposure

Not classified. Causes damage to organs through prolonged or repeated exposure. Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Not an aspiration hazard. Due to partial or complete lack of data the classification is not possible.

^{*} Estimates for product may be based on additional component data not shown.

Chronic effects Not expected to be hazardous by WHMIS criteria. Causes damage to organs through prolonged

or repeated exposure. Prolonged inhalation may be harmful.

Further information This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity

Contains a substance which causes risk of hazardous effects to the environment. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

ACCOFLOC® SDG (CAS 1302-78-9)

Aquatic Acute

Fish LC50 Rainbow trout, donaldson trout 19000 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not allow this

material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of contents/container (in accordance with related regulations). When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for

industrial waste.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Not applicable.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

^{*} Estimates for product may be based on additional component data not shown.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product is classified and labelled in accordance with EC directives or respective national laws. The product does not need to be labelled in accordance with EC directives or respective national laws. Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Regulation (EU) No 453/2010 amending Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

Inventory name

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

16. Other information

Issue date 16-March-2021
Revision date 16-March-2021

Version No. 20

Further information HMIS® is a registered trade and service mark of the NPCA.

Material name: SUPER GEL® SDS CANADA

4870 Version #: 20 Revision date: 16-March-2021 Issue date: 16-March-2021

On inventory (yes/no)*

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

References

GOST 19433-88. Dangerous goods. Classification and marking.

GOST 12.1.004-91. Occupational safety standards system. Fire safety. General requirements.

GOST 12.1.044-89. Occupational safety standards system. Fire and explosion hazard of substances and materials. Nomenclature of substances and materials. Nomenclature of indices and methods of their determination.

GOST 31340-2013 Labeling of chemicals. General requirements.

GOST 32419-2013 Classification of chemical products. General requirements.

GOST 30333-2007 Chemical production safety passport. General requirements.

GOST 32424-2013 Classification of chemicals for environmental hazards. General principles.

GOST 12.1.007-76 Occupational safety standard system. Noxious substances. Classification and general safety requirements.

ACGIH

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

EPA: AQUIRE database

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

National Toxicology Program (NTP) Report on Carcinogens

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Korea. Accidental Release Prevention Substances (Presidential Decree of Toxic Chemical Control Law, Executive Order No. 19203)

Korea. Dangerous Substances Threshold Quantity (Presidential Decree of Dangerous Substances Safety Management Act No. 18406, Schedule 1)

Korea. Harmful Substances Prohibited from Manufacturing (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 29)

Korea. Harmful Substances Requiring Permission for Manufacture or Use (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 30)

Korea. OELs. Regulation for Permitted Concentration of Hazardous Substances (Ministry of Labor (MOL) Public Notice No. 1986-45, as amended)

Korea. Prohibited Chemical Substances (TCCL Article 11)

Korea. Regulated volatile organic compounds (VOCs) (MOE Notice No. 2001-36, March 8, 2001, as amended)

Korea. Restricted Chemical Substances (TCCL Article 11)

Korea. Toxic Chemical Control Law (TCCL), Existing Chemicals Inventory (KECI)

Korea. Toxic Chemical Control Law (TCCL), pre-1997 List

Korea. Toxic Chemicals (TCCL Article 10)

Korea. Toxic Release Inventory (TRI) Chemicals (TCCL Article 14)

JIS Z 7253:2012 Hazard communication of chemicals based on GHS – Labelling and Safety Data Sheet (SDS)

Taiwan. Dangerous Materials (Rules on Hazard Communication of Dangerous Materials and Toxic Materials)

Taiwan. Industrial Precursor Chemicals (Categories and Regulations Governing Inspection and Declaration of Industrial Precursor Chemicals, MOEA Decree No. 87, as amended)

Taiwan. OELs. (Standards on Workplace Atmosphere of Dangerous and Hazardous Materials) Taiwan. Toxic Chemical Substances (TCS) (List of Toxic Chemical Substances announced by the Environmental Protection Administration)

Taiwan. Toxic Materials (Rules on Hazard Communication of Dangerous Materials and Toxic Materials)

Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits Japan Chemical Industry Association (JCIA) GHS Guideline, June 2012

JIS Z 7252:2014 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

Disclaimer

American Colloid Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Additional information is given in the Material Safety Data Sheet. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, This safety data sheet was prepared in accordance with JIS Z 7253:2012.

Revision information

Product and Company Identification: Alternate Trade Names

Toxicological Information: Toxicological Data