

# SAFETY DATA SHEET

# 1. Identification

1. Identification			
Product identifier	HYDROBAR® TUBES		
Other means of identification	None.		
Recommended use	Not available.		
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	CETCO, an MTI Company 2870 Forbs Avenue Hoffman Estates, IL 60192 United States		
Telephone	General Information 800 527-9948		
Website	http://www.cetco.com/		
E-mail	safetydata@mineralstech.com Emergency 1.866.519.4752/1 760 476 3962		
Emergency phone number Supplier	Emergency 1.866.519.4752/1 760 476 3962 Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Carcinogenicity Category 1A		
	Specific target organ toxicity, repeated Category 1 exposure		
Environmental hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.		
Precautionary statement			
Prevention	Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention.		
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		
Supplemental information	5.94% of the mixture consists of component(s) of unknown acute oral toxicity. 8.92% of the mixture consists of component(s) of unknown acute dermal toxicity. 8.92% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 8.92% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.		

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SILICA, CRYSTALLINE, QUAR	TZ	14808-60-7	5 - < 10
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	1 - < 3
Other components below report	able levels		90 - 100
All concentrations are in percent by	y weight unless ingredient is a gas. Gas concer	ntrations are in percent by vol	ume.
Composition comments	Occupational Exposure Limits for impurities a	re listed in Section 8.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist.	
Skin contact	Wash off with soap and water. Get medical at	tention if irritation develops a	nd persists.
Eye contact	Rinse with water. Get medical attention if irrita	ation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if sympton	ms occur.	
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effect	ts.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and trea Symptoms may be delayed.	at symptomatically. Keep victi	m under observation.
General information	IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect then	medical personnel are aware	
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as thi	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pr	rotective clothing must be wo	n in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do s	so without risk.	
Specific methods	Use standard firefighting procedures and cons	sider the hazards of other inve	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing authorities should be advised if significant spi see section 8 of the SDS.	during clean-up. Ensure ade	quate ventilation. Loca
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Put material in suitable, covered, labeled cont SDS.		
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Obtain special instructions before use. Do not and understood. Keep formation of airborne d ventilation at places where dust is formed. Do using, do not eat, drink or smoke. Should be h appropriate personal protective equipment. W industrial hygiene practices.	lusts to a minimum. Provide a not breathe dust. Avoid prolo nandled in closed systems, if	ppropriate exhaust onged exposure. When possible. Wear
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed away from incompatible materials (see Sectio		each of children. Store

# 8. Exposure controls/personal protection

## Occupational exposure limits

US. ACGIH Threshold Limit Values			_
Components	Туре	Value	Form
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupatior	al Health & Safety Code, Scl	hedule 1, Table 2)	
Components	Туре	Value	Form
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable.
		0.025 mg/m3	Respirable particles.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Impurities	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Total particulate.
Canada. British Columbia OELs. (C Safety Regulation 296/97, as amen		s for Chemical Substances, O	ccupational Health and
Components	Туре	Value	Form
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Impurities	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 217/	2006, The Workplace Safety	And Health Act)	
Components	Туре	Value	Form
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Ontario OELs. (Control of	Exposure to Biological or C	hemical Agents)	
Components	Туре	Value	Form
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
Impurities	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.

Components	nistry of Labor - Regulation respecting Type	Value	Form	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.	
Impurities	Туре	Value	Form	
INERT OR NUISANCE DUSTS	TWA	10 mg/m3	Total dust.	
Canada. Saskatchewan OEL Components	∟s (Occupational Health and Safety Re Type	gulations, 1996, Table 21) Value	Form	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	15 minute	10 mg/m3	Inhalable fraction.	
	8 hour	0.05 mg/m3	Respirable fraction.	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	8 hour	0.05 mg/m3	Respirable fraction.	
Impurities	Туре	Value	Form	
INERT OR NUISANCE DUSTS	15 minute	6 mg/m3	Respirable fraction.	
		20 mg/m3	Inhalable fraction.	
	8 hour	3 mg/m3	Respirable fraction.	
		10 mg/m3	Inhalable fraction.	
logical limit values	No biological exposure limits noted for	No biological exposure limits noted for the ingredient(s).		
oosure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.			
propriate engineering htrols	Good general ventilation (typically 10 a should be matched to conditions. If app or other engineering controls to mainta exposure limits have not been establis	plicable, use process enclosu in airborne levels below reco	res, local exhaust ventilatio mmended exposure limits. I	
ividual protection measures,	such as personal protective equipme			
Eye/face protection	If contact is likely, safety glasses with s	side shields are recommende	d.	
Skin protection Hand protection	Wear appropriate chemical resistant gl	loves.		
Other	Use of an impervious apron is recomm	ended.		
Respiratory protection	Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit.			
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
neral hygiene nsiderations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			
	Shoking. Houtinery wash work clothing	g and protootive equipment to		
Physical and chemical p			remove containinante.	

Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.

Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.19 g/cm3 estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	0 % estimated
Specific gravity	1.19 estimated

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Powerful oxidizers. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological ef	fects
	N1 1

### Acute toxicity

Components	Species	Test Results
SILICA, CRYSTALLINE, CRISTO	BALITE (CAS 14464-46-1)	
<u>Acute</u>		
Oral	_	
LD50	Rat	> 22500 mg/kg
Skin corrosion/irritation	Prolonged skin contact may	cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may	cause temporary irritation.
Respiratory or skin sensitizatio	n	
Canada - Alberta OELs: Irri	tant	
SILICA, CRYSTALLINE, (CAS 14464-46-1)	CRISTOBALITE	Irritant
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected	to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate mutagenic or genotoxic.	product or any components present at greater than 0.1% are
	overall evaluation, IARC note circumstances studied. Carc crystalline silica or on extern polymorphs." (IARC Monogr humans, Silica, silicates dus 2003, SCOEL (the EU Scien main effect in humans of the sufficient information to conc silicosis (and, apparently, no in the ceramic industry). The risk" (SCOEL SUM Doc 94 protection against silicosis ca occupational exposure limits	burces can cause lung cancer in humans. However in making the ed that "carcinogenicity was not detected in all industrial inogenicity may be dependent on inherent characteristics of the al factors affecting its biological activity or distribution of its raphs on the evaluation of the carcinogenic risks of chemicals to t and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June tific Committee on Occupational Exposure Limits) concluded that the inhalation of respirable crystalline silica dust is silicosis. "There is slude that the relative risk of lung cancer is increased in persons with t in employees without silicosis exposed to silica dust in quarries and erefore, preventing the onset of silicosis will also reduce the cancer -final, June 2003) According to the current state of the art, worker an be consistently assured by respecting the existing regulatory . May cause cancer. Occupational exposure to respirable dust and hould be monitored and controlled.
ACGIH Carcinogens		
SILICA, CRYSTALLINE, (CAS 14464-46-1)	CRISTOBALITE	A2 Suspected human carcinogen.
	QUARTZ (CAS 14808-60-7)	A2 Suspected human carcinogen.
SILICA, CRYSTALLINE, (CAS 14464-46-1)	• • •	Suspected human carcinogen.
	QUARTZ (CAS 14808-60-7)	Suspected human carcinogen.
Canada - Manitoba OELs: c		
SILICA, CRYSTALLINE,	CRISTOBALITE	Suspected human carcinogen.
(CAS 14464-46-1) SILICA, CRYSTALLINE.	QUARTZ (CAS 14808-60-7)	Suspected human carcinogen.
Canada - Quebec OELs: Ca		
SILICA, CRYSTALLINE, (CAS 14464-46-1)	CRISTOBALITE	Detected carcinogenic effect in animals.
	QUARTZ (CAS 14808-60-7)	Suspected carcinogenic effect in humans.
	Evaluation of Carcinogenicity	
SILICA, CRYSTALLINE, (CAS 14464-46-1)	CRISTOBALITE	1 Carcinogenic to humans.
	QUARTZ (CAS 14808-60-7)	1 Carcinogenic to humans.
	ogram (NTP) Report on Carci	
SILICA, CRYSTALLINE, (CAS 14464-46-1)	CRISTOBALITE	Known To Be Human Carcinogen.
		Reasonably Anticipated to be a Human Carcinogen.
	QUARTZ (CAS 14808-60-7)	Known To Be Human Carcinogen.
Reproductive toxicity		to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	

Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.
12. Ecological information	1
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Other adverse effects

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

### TDG

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

### Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed. Precursor Control Regulations Not regulated. International regulations Stockholm Convention Not applicable. Rotterdam Convention Not applicable. Kyoto protocol Not applicable.

# Montreal Protocol<br/>Not applicable.Not applicable.Basel Convention<br/>Not applicable.International InventoriesInternational InventoriesInventory nameAustraliaAustralian Inventory of Chemical Substances (AICS)CanadaDomestic Substances List (DSL)CanadaNon-Domestic Substances List (NDSL)ChinaInventory of Existing Chemical Substances in ChinaEuropeEuropean Inventory of Existing Commercial Chemical

Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information

Issue date Revision date Version #	06-May-2020 06-May-2020 07
Disclaimer	CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Product and Company Identification: Alternate Trade Names Hazard identification: Response

On inventory (yes/no)\*

No

No