

SAFETY DATA SHEET

1. Identification

1. Identification			
Product identifier	WATERSTOP-RX® 101T		
Other means of identification	None.		
Recommended use	Not available.		
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.		
Manufacturer/Importer/Supplier/	/Distributor information		
Manufacturer			
Company name Address	CETCO, an MTI Company 2870 Forbs Avenue Hoffman Estates, IL 60192 United States		
Telephone	General Information 800 527-9948		
Website	http://www.cetco.com/		
E-mail	safetydata@mineralstech.com		
Emergency phone number	Emergency 1.866.519.4752/1 760 476 3962		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Carcinogenicity Category 1A		
	Specific target organ toxicity, repeated Category 1 exposure		
Environmental hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.		
Precautionary statement			
Prevention	Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention.		
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		
Supplemental information	28.16% of the mixture consists of component(s) of unknown acute oral toxicity. 29.16% of the mixture consists of component(s) of unknown acute dermal toxicity. 29.16% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 29.16% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SILICA, CRYSTALLINE, QUAR	TZ	14808-60-7	3 - < 5
CARBON BLACK		1333-86-4	1 - < 3
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	1 - < 3
Other components below report	able levels		90 - 100
All concentrations are in percent by	y weight unless ingredient is a gas. Gas concen	trations are in percent by vol	ume.
Composition comments	Occupational Exposure Limits for constituents	are listed in Section 8.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms	s develop or persist.	
Skin contact	Wash off with soap and water. Get medical att	ention if irritation develops a	nd persists.
Eye contact	Rinse with water. Get medical attention if irrita	tion develops and persists.	
Ingestion	Rinse mouth. Get medical attention if sympton	ns occur.	
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effect	S.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and trea Symptoms may be delayed.	t symptomatically. Keep vict	m under observation.
General information	IF exposed or concerned: Get medical advice/ (show the label where possible). Ensure that n involved, and take precautions to protect them	nedical personnel are aware	
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this	s will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pre-	otective clothing must be wo	rn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.		
Specific methods	Use standard firefighting procedures and cons	ider the hazards of other inv	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep peo appropriate protective equipment and clothing authorities should be advised if significant spill see section 8 of the SDS.	during clean-up. Ensure ade	equate ventilation. Loca
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Put material in suitable, covered, labeled conta SDS.		
Environmental precautions	Avoid discharge into drains, water courses or o	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Obtain special instructions before use. Do not and understood. Keep formation of airborne du ventilation at places where dust is formed. Do using, do not eat, drink or smoke. Should be h appropriate personal protective equipment. We industrial hygiene practices.	usts to a minimum. Provide a not breathe dust. Avoid prolo andled in closed systems, if	ppropriate exhaust onged exposure. When possible. Wear
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed away from incompatible materials (see Section		each of children. Store

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values Components	с Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupatio	nal Health & Safety Code, Sc	hedule 1, Table 2)	
Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3.5 mg/m3	
SILICA, CRYSTALLINE,	TWA	0.025 mg/m3	Respirable.

CRISTÓBALITE (CAS 14464-46-1)		5	
		0.025 mg/m3	Respirable particles.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3.5 mg/m3	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.

Canada. Quebec OELs. (Min Components	istry of Labor - Regulation respecting occu Type	pational health and sa Value	ifety) Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.
Biological limit values	No biological exposure limits noted for the ing	gredient(s).	
Exposure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.		
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures,	such as personal protective equipment		
Eye/face protection	If contact is likely, safety glasses with side shields are recommended.		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Other	Use of an impervious apron is recommended		
Respiratory protection	Use a particulate filter respirator for particulat Exposure Limit.	e concentrations excee	eding the Occupational
Thermal hazards	Wear appropriate thermal protective clothing	, when necessary.	
General hygiene considerations	Observe any medical surveillance requirement measures, such as washing after handling th smoking. Routinely wash work clothing and p	e material and before e	ating, drinking, and/or

9. Physical and chemical properties

	•
Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.

	N	
Viscosity	Not available.	
Other information Density	1.80 g/cm3 estimated	
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
Percent volatile	0 % estimated estimated	
Specific gravity	1.8 estimated	
10. Stability and reactivi	tv	
Reactivity	•	d non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under r	
Possibility of hazardous reactions	No dangerous reaction k	nown under conditions of normal use.
Conditions to avoid	Contact with incompatibl	e materials.
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	No hazardous decompos	ition products are known.
11. Toxicological inform	ation	
Information on likely routes of	f exposure	
Inhalation	Prolonged inhalation ma	y be harmful.
Skin contact	No adverse effects due t	o skin contact are expected.
Eye contact	Direct contact with eyes	may cause temporary irritation.
Ingestion	Expected to be a low ing	estion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes	may cause temporary irritation.
Information on toxicological e	effects	
Acute toxicity	Not known.	
Components	Species	Test Results
CARBON BLACK (CAS 1333-80	6-4)	
Acute		
Oral		
LD50	Rat	> 8000 mg/kg

SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) Acute Oral

Oral	Det	. 22500 mallia	
LD50	Rat	> 22500 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may ca	ause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization	n		
Canada - Alberta OELs: Irrit	ant		
SILICA, CRYSTALLINE, 14464-46-1)	CRISTOBALITE (CAS	Irritant	
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to	o cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	roduct or any components present at greater than 0.1% are	

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation. IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in guarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.

ACGIH Carcinogens

Persistence and degradability Bioaccumulative potential	No data is available on the deal No data available.	gradability of any ingredients in the mixture.	
Ecotoxicity		s environmentally hazardous. However, this does not exclude the nt spills can have a harmful or damaging effect on the environment.	
12. Ecological information			
Chronic effects	Causes damage to organs thro harmful. Prolonged exposure r	ough prolonged or repeated exposure. Prolonged inhalation may be may cause chronic effects.	
Aspiration hazard	Not an aspiration hazard.		
Specific target organ toxicity - repeated exposure	Causes damage to organs three	ough prolonged or repeated exposure.	
Specific target organ toxicity - single exposure	Not classified.		
Reproductive toxicity	This product is not expected to	o cause reproductive or developmental effects.	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)		Reasonably Anticipated to be a Human Carcinogen. Known To Be Human Carcinogen.	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)		Known To Be Human Carcinogen.	
	gram (NTP) Report on Carcine	ogens	
SILICA, CRYSTALLINE, C	QUARTZ (CAS 14808-60-7)	1 Carcinogenic to humans.	
SILICA, CRYSTALLINE, C 14464-46-1)		1 Carcinogenic to humans.	
CARBON BLACK (CAS 1	• •	2B Possibly carcinogenic to humans.	
SILICA, CRYSTALLINE, C	QUARTZ (CAS 14808-60-7)	Suspected carcinogenic effect in humans.	
SILICA, CRYSTALLINE, (14464-46-1)		Detected carcinogenic effect in animals.	
Canada - Quebec OELs: Car		ouspected numan carcinogen.	
SILICA, CRYSTALLINE, (14464-46-1) SILICA, CRYSTALLINE, (CRISTOBALITE (CAS QUARTZ (CAS 14808-60-7)	Suspected human carcinogen. Suspected human carcinogen.	
CARBON BLACK (CAS 1333-86-4)		Confirmed animal carcinogen with unknown relevance to humans.	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada - Manitoba OELs: carcinogenicity		Suspected numan carcinogen.	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, CHARTZ (CAS 14808 60.7)		Suspected human carcinogen. Suspected human carcinogen.	
Canada - Alberta OELs: Caro			
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)		A2 Suspected human carcinogen.	
SILICA, CRYSTALLINE, C 14464-46-1)	CRISTOBALITE (CAS	humans. A2 Suspected human carcinogen.	
CARBON BLACK (CAS 1	333-86-4)	A3 Confirmed animal carcinogen with unknown relevance to	

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Sub	ostances Act	
Not regulated.		
Export Control List (CEPA	A 1999, Schedule 3)	
Not listed.	, ,	
Greenhouse Gases		
Not listed.		
Precursor Control Regula	tions	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Material name: WATERSTOP-RX®	0 101T	SDS CANADA

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
	nents of this product comply with the inventory requirements administered by the g components of the product are not listed or exempt from listing on the inventory a	

country(s).

16. Other information

Issue date	28-June-2018
Revision date	23-July-2018
Version #	11
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Hazard identification: Prevention