

SAFETY DATA SHEET

1. Identification

Product identifier	WATERSTOPPAGE		
Other means of identification			
CAS number	1302-78-9		
Synonyms	SMECTITE CLAY * BENTONITE		
Recommended use	Not available.		
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	CETCO, an MTI Company 2870 Forbs Avenue Hoffman Estates, IL 60192 United States		
Telephone	General Information 800 527-9948		
Website	http://www.cetco.com/		
E-mail	safetydata@mineralstech.com		
Emergency phone number	Emergency 1.866.519.4752/1 760 476 3962		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Carcinogenicity Category 1A		
	Specific target organ toxicity, repeated Category 1 exposure		
Environmental hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.		
Precautionary statement			
Prevention	Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention.		
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		
Supplemental information	8% of the mixture consists of component(s) of unknown acute dermal toxicity. 8% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SILICA, CRYSTALLINE, QUAR	TZ	14808-60-7	5 - < 10
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	1 - < 3
Other components below report	able levels		90 - 100
Constituents			
Chemical name	Common name and synonyms	CAS number	%
INERT OR NUISANCE DUSTS	PARTICLES NOT OTHERWISE REGULATED	SEQ250	
•	y weight unless ingredient is a gas. Gas conce		ime.
Composition comments	Occupational Exposure Limits for constituent	s are listed in Section 8.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom		
Skin contact	Wash off with soap and water. Get medical a		nd persists.
Eye contact	Rinse with water. Get medical attention if irrit		
Ingestion	Rinse mouth. Get medical attention if sympto		
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effect	cts.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre Symptoms may be delayed.	eat symptomatically. Keep victi	m under observation.
General information	IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect the	medical personnel are aware	
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Cark	oon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	nis will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	protective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
Specific methods	Use standard firefighting procedures and cor	nsider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep pe adequate ventilation. Local authorities should contained. For personal protection, see section	be advised if significant spilla	spill/leak. Ensure ges cannot be
Methods and materials for containment and cleaning up	Put material in suitable, covered, labeled con SDS.	ntainers. For waste disposal, se	e section 13 of the
Environmental precautions	Avoid discharge into drains, water courses or	r onto the ground.	
7. Handling and storage			
Precautions for safe handling	Obtain special instructions before use. Do no and understood. Keep formation of airborne of prolonged exposure. When using, do not eat systems, if possible. Provide adequate ventile equipment. Wash hands thoroughly after har	dusts to a minimum. Do not bro , drink or smoke. Should be ha ation. Wear appropriate persor ndling. Observe good industrial	eathe dust. Avoid ndled in closed nal protective hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly close away from incompatible materials (see Section		each of children. Store

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupationa Components	ll Health & Safety Code, Sche Type	dule 1, Table 2) Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	3 mg/m3	Respirable particles
		10 mg/m3	Total particulate.
Canada. British Columbia OELs. (Oo Safety Regulation 296/97, as amend		for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 217/2	006, The Workplace Safety A	nd Health Act)	
Components	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Ontario OELs. (Control of E Components	Exposure to Biological or Che Type	emical Agents) Value	Form
SILICA, CRYSTALLINE,			
	TWA	0.1 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7)			
QUARTZ (CAS 14808-60-7)	Туре	Value	Form
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS	Type TWA	Value 3 mg/m3	Form Respirable fraction.
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE			
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS	TWA	3 mg/m3 10 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Ministry of	TWA	3 mg/m3 10 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Ministry of Components SILICA, CRYSTALLINE,	TWA	3 mg/m3 10 mg/m3 g occupational health and sa	Respirable fraction. Inhalable fraction. fety)
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Ministry of Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA Labor - Regulation respecting Type	3 mg/m3 10 mg/m3 g occupational health and sa Value	Respirable fraction. Inhalable fraction. fety) Form
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE	TWA Labor - Regulation respecting Type TWA	3 mg/m3 10 mg/m3 g occupational health and sa Value 0.1 mg/m3	Respirable fraction. Inhalable fraction. fety) Form Respirable dust.
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Ministry of Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS	TWA Labor - Regulation respecting Type TWA Type TWA	3 mg/m3 10 mg/m3 g occupational health and sa Value 0.1 mg/m3 Value 10 mg/m3	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Ministry of Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE	TWA Labor - Regulation respecting Type TWA Type TWA	3 mg/m3 10 mg/m3 g occupational health and sa Value 0.1 mg/m3 Value 10 mg/m3	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Ministry of Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Saskatchewan OELs (Occu Components SILICA, CRYSTALLINE,	TWA Labor - Regulation respecting Type TWA Type TWA Type TWA TwA	3 mg/m3 10 mg/m3 g occupational health and sa Value 0.1 mg/m3 Value 10 mg/m3 egulations, 1996, Table 21)	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form Total dust.
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Ministry of Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Saskatchewan OELs (Occu	TWA TWA Labor - Regulation respecting Type TWA Type TWA TWA pational Health and Safety Re Type	3 mg/m3 10 mg/m3 g occupational health and sa Value 0.1 mg/m3 Value 10 mg/m3 egulations, 1996, Table 21) Value	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form Total dust. Form
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Ministry of Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Saskatchewan OELs (Occu Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE INERT OR NUISANCE	TWA Labor - Regulation respecting Type TWA Type TWA Type TWA A A A A A A A A A A A A A A A A A A	3 mg/m3 10 mg/m3 g occupational health and sa Value 0.1 mg/m3 Value 10 mg/m3 egulations, 1996, Table 21) Value 0.05 mg/m3	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form Total dust. Form Respirable fraction. Form
QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Ministry of Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS Canada. Saskatchewan OELs (Occu Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA TWA Labor - Regulation respecting Type TWA Type TWA spational Health and Safety R Type 8 hour Type	3 mg/m3 10 mg/m3 g occupational health and sa Value 0.1 mg/m3 Value 10 mg/m3 egulations, 1996, Table 21) Value 0.05 mg/m3 Value	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form Total dust. Form Respirable fraction.

Constituents	DELs (Occupational Health and Safety Regu Type	Value	Form		
		10 mg/m3	Inhalable fraction.		
iological limit values	No biological exposure limits noted for the	e ingredient(s).			
xposure guidelines	Occupational exposure to nuisance dust should be monitored and controlled.	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.			
ppropriate engineering ontrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.				
dividual protection measure	es, such as personal protective equipment				
Eye/face protection	If contact is likely, safety glasses with sid	e shields are recommend	ed.		
Skin protection					
Hand protection	Wear appropriate chemical resistant glov	es.			
Other	Use of an impervious apron is recommen	ded.			
Respiratory protection	Use a particulate filter respirator for partic Exposure Limit.	culate concentrations exce	eeding the Occupational		
Thermal hazards	Wear appropriate thermal protective cloth	ning, when necessary.			
eneral hygiene onsiderations	Observe any medical surveillance require	ements.			

9. Physical and chemical properties

Appearance		
Physical state	Solid.	
Form	Solid.	
Color	Not available.	
Odor	Not available.	
Odor threshold	Not applicable.	
рН	8.5 - 11	
Melting point/freezing point	> 842 °F (> 450 °C) / Not applicable.	
Initial boiling point and boiling range	Not applicable.	
Flash point	Not applicable.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not applicable.	
Flammability limit - upper (%)	Not applicable.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not applicable.	
Vapor density	Not applicable.	
Relative density	2.6 g/cm ³	
Solubility(ies)		
Solubility (water)	< 0.9 mg/l	
Partition coefficient (n-octanol/water)	Not applicable.	
Auto-ignition temperature	Not applicable.	
Decomposition temperature	> 932 °F (> 500 °C)	
Viscosity	Not applicable.	

Viscosity temperature	Not applicable.
Other information	
Bulk density	0.9 - 1.4 g/cm ³
Explosive limit	Not applicable.
Explosive properties	Not explosive.
Explosivity	Not applicable.
Flame extension	Not applicable.
Flammability	Not applicable.
Flammability (flash back)	Not applicable.
Flammability (Heat of combustion)	Not applicable.
Flammability (Train fire)	Not applicable.
Flammability class	Not applicable.
Flash point class	Not flammable
Molecular formula	UVCB Substance
Molecular weight	Not applicable.
Oxidizing properties	Not oxidizing.
Percent volatile	0 %
pH in aqueous solution	8.5 - 11
Specific gravity	Not applicable.
VOC	0 %
10. Stability and reactivity	,
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

Conditions to avoidAvoid temperatures exceeding the decomposition temperature. Contact with incompatible
materials.Incompatible materialsPowerful oxidizers. Chlorine.Hazardous decompositionNo hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity	Not known.	
Product	Species	Test Results
Bentonite (CAS 1302-78-	-9)	
Acute		
Inhalation		
Dust		
LC50	Rat	> 5.27 mg/l, 4 hr OECD 436

Product	Species	Test Results	
Oral			
Dust			
LD50	Rat	> 2000 mg/kg OECD 425	
Skin corrosion/irritation	Prolonged skin contact may	cause temporary irritation.	
Serious eye damage/eye rritation	Direct contact with eyes may	cause temporary irritation.	
Respiratory or skin sensitizatior			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected	to cause skin sensitization	
Germ cell mutagenicity		product or any components present at greater than 0.1% are	
Carcinogenicity	inhaled from occupational so overall evaluation, IARC note circumstances studied. Carci crystalline silica or on externa polymorphs." (IARC Monogr humans, Silica, silicates dust 2003, SCOEL (the EU Scient main effect in humans of the sufficient information to conc silicosis (and, apparently, not in the ceramic industry). The risk" (SCOEL SUM Doc 94 protection against silicosis ca occupational exposure limits.	nal Agency for Research on Cancer) concluded that crystalline silica urces can cause lung cancer in humans. However in making the ed that "carcinogenicity was not detected in all industrial nogenicity may be dependent on inherent characteristics of the al factors affecting its biological activity or distribution of its aphs on the evaluation of the carcinogenic risks of chemicals to a and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June iffic Committee on Occupational Exposure Limits) concluded that the inhalation of respirable crystalline silica dust is silicosis. "There is lude that the relative risk of lung cancer is increased in persons with t in employees without silicosis exposed to silica dust in quarries and perefore, preventing the onset of silicosis will also reduce the cancer final, June 2003) According to the current state of the art, worker an be consistently assured by respecting the existing regulatory May cause cancer. Occupational exposure to respirable dust and nould be monitored and controlled.	
	QUARTZ (CAS 14808-60-7)	A2 Suspected human carcinogen.	
Canada - Alberta OELs: Car		Currented human consistence	
Canada - Manitoba OELs: ca	QUARTZ (CAS 14808-60-7)	Suspected human carcinogen.	
	QUARTZ (CAS 14808-60-7)	Suspected human carcinogen.	
Canada - Quebec OELs: Car			
	QUARTZ (CAS 14808-60-7) Evaluation of Carcinogenicity	Suspected carcinogenic effect in humans.	
SILICA, CRYSTALLINE,	QUARTZ (CAS 14808-60-7) ogram (NTP) Report on Carcin	1 Carcinogenic to humans.	
SILICA, CRYSTALLINE,	QUARTZ (CAS 14808-60-7)	Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected	to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Causes damage to organs th	rough prolonged or repeated exposure.	
Aspiration hazard	Not an aspiration hazard.		
-	Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation ma harmful. Prolonged exposure may cause chronic effects.		
Chronic effects	narmful. Prolonged exposure		
	C 1		
Chronic effects 12. Ecological information Ecotoxicity	The product is not classified	as environmentally hazardous. However, this does not exclude the ent spills can have a harmful or damaging effect on the environment.	

Aquatic			
Algae	EC50	Freshwater algae	> 100 mg/l, 72 hours
Crustacea	EC50	Coon stripe shrimp (Pandalus danae)	24.8 mg/l, 96 hours

Product		Species	Test Results
		Daphnia	> 100 mg/l, 48 hours
		Dungeness or edible crab (Cancer magister)	81.6 mg/l, 96 hours
Fish	LC50	Freshwater fish	16000 mg/l, 96 hours
		Marine water fish	2800 - 3200 mg/l, 24 hours
Persistence and degradability	No data is ava	ailable on the degradability of any ingred	ients in the mixture.
Bioaccumulative potential	No data availa	able.	
Mobility in soil	No data availa	able.	
Other adverse effects		erse environmental effects (e.g. ozone de ocrine disruption, global warming potenti	• •
13. Disposal consideratio	ns		
Disposal instructions		eclaim or dispose in sealed containers at ainer in accordance with local/regional/n	licensed waste disposal site. Dispose of ational/international regulations.
Local disposal regulations	Dispose in ac	cordance with all applicable regulations.	
Hazardous waste code	The waste co disposal com		ween the user, the producer and the waste
Waste from residues / unused products		accordance with local regulations. Empty ues. This material and its container must	

Disposal instructions).

disposal.

Contaminated packaging

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed. Precursor Control Regulations Not regulated. International regulations Stockholm Convention Not applicable. Rotterdam Convention Not applicable. Kyoto protocol Not applicable. Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name On inventory (y	es/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
** ***		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date Revision date	05-May-2020 05-May-2020
Version #	11
Disclaimer	CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Product and Company Identification: Alternate Trade Names