

SAFETY DATA SHEET

1. Identification

Product identifier	AKWASEAL® LV	
Other means of identification	None.	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	CETCO, an MTI Company	
Address	2870 Forbs Avenue	
	Hoffman Estates, IL 60192	
	United States	
Telephone	General Information	800 527-9948
Website	http://www.cetco.com/	
E-mail	safetydata@mineralstech.com	
Emergency phone number	Emergency	1.866.519.4752/1 760 476 3962
Americas	1.866.519.4752 (US, Canac	la, Mexico) 1 760 476 3962

2. Hazard(s) identification

2. nazaru(s) identification	1	
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word Hazard statement	Danger Causes skin irritation. May cause an allergic s	kin reaction. Causes serious eve irritation. May
Signal word Hazard statement		kin reaction. Causes serious eye irritation. May
	cause allergy or asthma symptoms or breathir irritation. Suspected of causing cancer. May c repeated exposure.	
Precautionary statement		
Prevention	Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.	
Response	for breathing. If in eyes: Rinse cautiously with if present and easy to do. Continue rinsing. If	s: Get medical advice/attention. If eye irritation riencing respiratory symptoms: Call a poison
Material name: AKWASEAL® LV		SDS US

Storage	Store in accordance with local/regional/national regulations. Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	72.5% of the mixture consists of component(s) of unknown acute oral toxicity. 72.5% of the mixture consists of component(s) of unknown acute dermal toxicity. 7.5% of the mixture consists of component(s) of unknown acute inhalation toxicity. 72.5% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 72.5% of the mixture consists of consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Isocyanic acid, polymethylenepolyphenylene ester		9016-87-9	30 - < 60
4,4-Methylenediphenyl Diisocyanate		101-68-8	10 - < 30
Oxirane, methyl-, polymer with oxirane		9003-11-6	5 - < 10
Other components below reportable le	evels		20 - < 30

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a poison center or doctor/physician.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
General information 5. Fire-fighting measures	(show the label where possible). Ensure that medical personnel are aware of the material(s)
5. Fire-fighting measures	(show the label where possible). Ensure that medical personnel are aware of the material(s)
	(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures Suitable extinguishing media Unsuitable extinguishing	(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Powder. Carbon dioxide (CO2).
5. Fire-fighting measures Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from	(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.Powder. Carbon dioxide (CO2).Water. Do not use water jet as an extinguisher, as this will spread the fire.
5. Fire-fighting measures Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment	 (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Powder. Carbon dioxide (CO2). Water. Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed.
5. Fire-fighting measures Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire fighting	 (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Powder. Carbon dioxide (CO2). Water. Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
5. Fire-fighting measures Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire fighting equipment/instructions	 (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Powder. Carbon dioxide (CO2). Water. Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	its for Air Contaminants (29 CFR 1910.10 Type	Value
4,4-Methylenediphenyl Diisocyanate (CAS 101-68-8)	Ceiling	0.2 mg/m3
		0.02 ppm
US. ACGIH Threshold Lir		
Components	Туре	Value
4,4-Methylenediphenyl Diisocyanate (CAS 101-68-8)	TWA	0.005 ppm
US. NIOSH: Pocket Guide	e to Chemical Hazards	
Components	Туре	Value
4,4-Methylenediphenyl Diisocyanate (CAS 101-68-8)	Ceiling	0.2 mg/m3
		0.02 ppm
	TWA	0.05 mg/m3
		0.005 ppm
logical limit values	No biological exposure limits noted for the ingredient(s).	
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station and safety shower.	
vidual protection measur	es, such as personal protective equipm	ent
Eye/face protection	Chemical respirator with organic vapo	or cartridge and full facepiece.
Skin protection		

Wear appropriate chemical resistant gloves.

Hand protection

Material name: AKWASEAL® LV

Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

, ,	•
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Light brown. Brown.
Odor	Slightly. Musty.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	98.6 °F (37 °C) estimated
Initial boiling point and boiling range	Not available.
Flash point	> 199.9 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.0001 hPa estimated
Vapor density	Not available.
Relative density	1.131
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	235 - 335 mPa·s @ 77°F
Other information	
Density	1.20 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	1.2 estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous	No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

11. Toxicological information

Information on likely routes of exposure

	May cause irritation to the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Knowledge about health hazard is incomplete.
physical, chemical and	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
4,4-Methylenediphenyl Diisocyana	ate (CAS 101-68-8)	
Acute		
Inhalation		
LC50	Rat	0.369 mg/l, 4 Hours
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	n	
Respiratory sensitization	May cause allergy or asthma	symptoms or breathing difficulties if inhaled.
Skin sensitization	May cause an allergic skin re	action.
Germ cell mutagenicity	Due to partial or complete lac	k of data the classification is not possible.
Carcinogenicity	Suspected of causing cancer	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
	iisocyanate (CAS 101-68-8) ylenepolyphenylene ester	3 Not classifiable as to carcinogenicity to humans.3 Not classifiable as to carcinogenicity to humans.
OSHA Specifically Regulate	d Substances (29 CFR 1910.1	001-1053)
Not listed.		
	ogram (NTP) Report on Carcin	ogens
Not listed.	5	
Reproductive toxicity		k of data the classification is not possible.
Specific target organ toxicity - single exposure	May cause respiratory irritatic	n.
Specific target organ toxicity - repeated exposure	May cause damage to organs	through prolonged or repeated exposure.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Chronic effects	Prolonged inhalation may be repeated exposure.	harmful. May cause damage to organs through prolonged or
12. Ecological information	ı	
Ecotoxicity		as environmentally hazardous. However, this does not exclude the nt spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the de	gradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects		tal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

·		
	UN number	UN3082
	UN proper shipping name	ENVIRONMNETALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (4,4-Methylenediphenyl Diisocyanate RQ = 25000 LBS)
	Transport hazard class(es)	
	Class	9
	Subsidiary risk	-
	Packing group	III
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Γ.	Δ	

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

```
Transport in bulk according to Not established.
Annex II of MARPOL 73/78 and the IBC Code
```

DOT



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, S	Subpt. D)			
Not regulated.				
TSCA Chemical Action Plans, Chemicals of Concern				
4,4-Methylenediphenyl Diisocyanate (CAS 101-68-8)	Methylene Diphenyl Diisocyanate (MDI) And Related Compounds Action Plan [RIN 2070-ZA15]			
Isocyanic acid, polymethylenepolyphenylene ester (CAS 9016-87-9)	Methylene Diphenyl Diisocyanate (MDI) And Related Compounds Action Plan [RIN 2070-ZA15]			
CERCLA Hazardous Substance List (40 CFR 302.4)				
4,4-Methylenediphenyl Diisocyanate (CAS 101-68-8) SARA 304 Emergency release notification	Listed.			
Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)				

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitization Carcinogenicity Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
4,4-Methylenediphenyl Diisocyanate	101-68-8	10 - < 30	
Isocyanic acid, polymethylenepolyphenylene este	er 9016-87-9	30 - < 60	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

4,4-Methylenediphenyl Diisocyanate (CAS 101-68-8)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 6
--

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

4,4-Methylenediphenyl Diisocyanate (CAS 101-68-8) Isocyanic acid, polymethylenepolyphenylene ester (CAS 9016-87-9)

International Inventories

Country(s) or region	Inventory name On invent	ory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
*A "Vee" indicates that all companyon to of this product comply with the inventory requirements administered by the apporning country(a)		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	06-May-2020
Version #	01
HMIS® ratings	Health: 3* Flammability: 0 Physical hazard: 0

Disclaimer

Health: 4 Flammability: 0 Instability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.