SAFETY DATA SHEET



1. Identification

Product identifier CoreFlex Universal Corners

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CETCO, an MTI Company **Address** 2870 Forbs Avenue Hoffman Estates, IL 60192

United States

Telephone General Information 800 527-9948

Website http://www.cetco.com/

E-mail safetydata@mineralstech.com

1.866.519.4752/1 760 476 3962 **Emergency phone number** Emergency

1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 **Americas**

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Germ cell mutagenicity Category 1 Category 1A

Reproductive toxicity (fertility, the unborn

child)

Reproductive toxicity Effects on or via lactation

Hazardous to the aquatic environment, acute **Environmental hazards** Category 3

Hazardous to the aquatic environment, long-term hazard

Category 3

OSHA defined hazards Not classified.

Label elements

None. Hazard symbol Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available. Not available. Response Storage Not available. Not available. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
CALCIUM CARBONATE	CALCIUM CARBONATE PRECIPITATED CALCIUM CARBONATE (PCC)	471-34-1	30 - < 40
Ethene, chloro-, homopolymer		9002-86-2	30 - < 40
Tin		7440-31-5	5 - < 10

Material name: CoreFlex Universal Corners 6618 Version #: 04 Revision date: 08-February-2019 Issue date: 11-August-2014

Chemical name	Common name and synonyms	CAS number	%
Arsenic		7440-38-2	< 0.3
Benzene		71-43-2	< 0.3
Lead		7439-92-1	< 0.2
2-Pentanone, 4-methyl-		108-10-1	< 0.1
Carbon disulfide		75-15-0	< 0.1
Other components below reportable	e levels		30 - < 40

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments Not applicable to consumer products.

4. First-aid measures

Inhalation Call a physician if symptoms develop or persist.

Not available.

Skin contact Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. **Eve contact**

Ingestion Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Most important

symptoms/effects, acute and

delayed

General information

If you feel unwell, seek medical advice (show the label where possible). Show this safety data

sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Not applicable.

Not available.

Water. Not available.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers.

In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.

Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Avoid inhalation of dust from the spilled material. Wear a dust mask if dust is generated above exposure limits.

Methods and materials for containment and cleaning up This product is miscible in water. Dike far ahead of spill for later disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Avoid dust formation. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water.

Environmental precautions Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling In case of insufficient ventilation, wear suitable respiratory equipment. Provide appropriate exhaust

ventilation at places where dust is formed. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep away from heat, sparks, and flame. No special restrictions on storage with other products.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

6618 Version #: 04 Revision date: 08-February-2019 Issue date: 11-August-2014

US. OSHA Specifically Regulated Substated Components	Type	Value	
Arsenic (CAS 7440-38-2)	TWA	0.01 mg/m3	
Benzene (CAS 71-43-2)	STEL	5 ppm	
	TWA	1 ppm	
Ethene, chloro-, homopolymer (CAS 9002-86-2)	STEL	5 ppm	
	TWA	1 ppm	
_ead (CAS 7439-92-1)	TWA	0.05 mg/m3	
JS. OSHA Table Z-1 Limits for Air Contar Components	ninants (29 CFR 1910.1000) Type	Value	
2-Pentanone, 4-methyl- (CAS 108-10-1)	PEL	410 mg/m3	
		100 ppm	
Tin (CAS 7440-31-5)	PEL	2 mg/m3	
US. OSHA Table Z-2 (29 CFR 1910.1000) Components	Туре	Value	
Benzene (CAS 71-43-2)	Ceiling	25 ppm	
· · · · · · · · · · · · · · · · · · ·	TWA	10 ppm	
Carbon disulfide (CAS	Ceiling	30 ppm	
75-15-0)	TWA	20 ppm	
US. OSHA Table Z-3 (29 CFR 1910.1000) Additional components	Туре	Value	Form
TRADE SECRET	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Values Components	Туре	Value	Form
•			
2-Pentanone, 4-methyl- (CAS 108-10-1)	STEL	75 ppm	
Arragia (OAO 7440 00 0)	TWA	20 ppm 0.01 mg/m3	
		U U I Ma/m:3	
	TWA	_	
·	STEL	2.5 ppm	
Benzene (CAS 71-43-2)	STEL TWA	2.5 ppm 0.5 ppm	
Benzene (CAS 71-43-2) Carbon disulfide (CAS	STEL	2.5 ppm	
Benzene (CAS 71-43-2) Carbon disulfide (CAS 75-15-0) Ethene, chloro-, homopolymer (CAS	STEL TWA	2.5 ppm 0.5 ppm	Respirable fraction.
Benzene (CAS 71-43-2) Carbon disulfide (CAS 75-15-0) Ethene, chloro-, homopolymer (CAS 9002-86-2)	STEL TWA TWA	2.5 ppm 0.5 ppm 1 ppm	Respirable fraction.
Benzene (CAS 71-43-2) Carbon disulfide (CAS 75-15-0) Ethene, chloro-, homopolymer (CAS 9002-86-2) Lead (CAS 7439-92-1)	STEL TWA TWA	2.5 ppm 0.5 ppm 1 ppm 1 mg/m3	Respirable fraction.
Carbon disulfide (CAS 71-43-2) Carbon disulfide (CAS 75-15-0) Ethene, chloro-, homopolymer (CAS 9002-86-2) Lead (CAS 7439-92-1) Tin (CAS 7440-31-5)	STEL TWA TWA TWA TWA TWA	2.5 ppm 0.5 ppm 1 ppm 1 mg/m3	Respirable fraction.
Arsenic (CAS 7440-38-2) Benzene (CAS 71-43-2) Carbon disulfide (CAS 75-15-0) Ethene, chloro-, homopolymer (CAS 9002-86-2) Lead (CAS 7439-92-1) Tin (CAS 7440-31-5) US. NIOSH: Pocket Guide to Chemical Ha Components	STEL TWA TWA TWA TWA TWA	2.5 ppm 0.5 ppm 1 ppm 1 mg/m3	Respirable fraction. Form
Benzene (CAS 71-43-2) Carbon disulfide (CAS 75-15-0) Ethene, chloro-, homopolymer (CAS 9002-86-2) Lead (CAS 7439-92-1) Tin (CAS 7440-31-5) US. NIOSH: Pocket Guide to Chemical Ha	STEL TWA TWA TWA TWA TWA TWA	2.5 ppm 0.5 ppm 1 ppm 1 mg/m3 0.05 mg/m3 2 mg/m3	
Benzene (CAS 71-43-2) Carbon disulfide (CAS 75-15-0) Ethene, chloro-, homopolymer (CAS 9002-86-2) Lead (CAS 7439-92-1) Tin (CAS 7440-31-5) US. NIOSH: Pocket Guide to Chemical Hacomponents 2-Pentanone, 4-methyl-	STEL TWA TWA TWA TWA TWA TWA TWA TWA TYPA	2.5 ppm 0.5 ppm 1 ppm 1 mg/m3 0.05 mg/m3 2 mg/m3	
Benzene (CAS 71-43-2) Carbon disulfide (CAS 75-15-0) Ethene, chloro-, homopolymer (CAS 9002-86-2) Lead (CAS 7439-92-1) Tin (CAS 7440-31-5) US. NIOSH: Pocket Guide to Chemical Hacomponents 2-Pentanone, 4-methyl-	STEL TWA TWA TWA TWA TWA TWA TWA TWA TYPA	2.5 ppm 0.5 ppm 1 ppm 1 mg/m3 0.05 mg/m3 2 mg/m3 Value 300 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards				
Components	Туре	Value	Form	
Arsenic (CAS 7440-38-2)	Ceiling	0.002 mg/m3		
Benzene (CAS 71-43-2)	STEL	1 ppm		
	TWA	0.1 ppm		
CALCIUM CARBONATE (CAS 471-34-1)	TWA	5 mg/m3	Respirable.	
		10 mg/m3	Total	
Carbon disulfide (CAS 75-15-0)	STEL	30 mg/m3		
		10 ppm		
	TWA	3 mg/m3		
		1 ppm		
Lead (CAS 7439-92-1)	TWA	0.05 mg/m3		
Tin (CAS 7440-31-5)	TWA	2 mg/m3		

Biological limit values

ACGIH Biological Exposi Components	ure Indices Value	Determinant	Specimen	Sampling Time	
2-Pentanone, 4-methyl- (CAS 108-10-1)	1 mg/l	Methyl isobutyl ketone	Urine	*	
Arsenic (CAS 7440-38-2)	35 μg/l	Inorganic arsenic, plus methylated metabolites, as As	Urine	*	
Benzene (CAS 71-43-2)	25 μg/g	S-Phenylmerca pturic acid	Creatinine in urine	*	
Carbon disulfide (CAS 75-15-0)	0.5 mg/g	2-Thiothiazolidi ne-4-carboxylic acid (TTCA)	Creatinine in urine	*	
Lead (CAS 7439-92-1)	200 μg/l	Lead	Blood	*	

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

Benzene (CAS 71-43-2)

Can be absorbed through the skin.

Carbon disulfide (CAS 75-15-0)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Carbon disulfide (CAS 75-15-0) Skin designation applies.

US - Tennessee OELs: Skin designation

Carbon disulfide (CAS 75-15-0)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Benzene (CAS 71-43-2)

Carbon disulfide (CAS 75-15-0)

Can be absorbed through the skin.

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Arsenic (CAS 7440-38-2)

Car be absorbed through the skin.

Carbon disulfide (CAS 75-15-0)

Can be absorbed through the skin.

Appropriate engineering

controls

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Use tight fitting goggles if dust is generated. Wear safety glasses with

side shields (or goggles). Eye wash fountain is recommended.

Skin protection

Hand protection Not normally needed.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection Wear respirator with dust filter. Use a NIOSH/MSHA approved respirator if there is a risk of

exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards Not available.

General hygiene Do not breathe dust. Avoid contact with eyes. Handle in accordance with good industrial hygiene

considerations and safety practice.

9. Physical and chemical properties

Appearance Opaque. Powder.

Physical state Solid.

Form Solid. Powder.
Color Various.
Odor Slight.
Odor threshold Not available.

Odor threshold Not available. pH Not available.

Melting point/freezing point 449.42 °F (231.9 °C) estimated initial boiling point and boiling 4544.6 °F (2507 °C) estimated

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

(%)

Flammability limit - upper

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.000006 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Negligible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 1166 °F (630 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Density 2.30 g/cm3 estimated

Specific gravity 1.1 - 1.6 **VOC** CARB

10. Stability and reactivity

Reactivity Not available.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid Avoid spread of dust.

Incompatible materials Not available. Hazardous decomposition Irritants.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation of dusts may cause respiratory irritation.

Skin contact Not available.

Eye contact May be irritating to eyes.

Ingestion Not available.

Symptoms related to the Not available.

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity

Components Species Test Results

2-Pentanone, 4-methyl- (CAS 108-10-1)

Acute

Dermal

LD50 Rabbit > 16000 mg/kg

Inhalation

LC50 Rat 8.2 mg/l, 4 Hours

Oral

LD50 Rat 2080 mg/kg

Arsenic (CAS 7440-38-2)

Acute

Oral

LD50 Rat 763 mg/kg

Benzene (CAS 71-43-2)

<u>Acute</u>

Oral

LD50 Rat 3306 mg/kg

CALCIUM CARBONATE (CAS 471-34-1)

Acute Oral

LD50 Rat 6450 mg/kg

Carbon disulfide (CAS 75-15-0)

Acute

Inhalation

LC50 Rat 25 mg/l, 2 Hours

Oral

LD50 Rat 3188 mg/kg

Skin corrosion/irritation Not available.

Serious eye damage/eye

Dust in the eyes will cause irritation. May be irritating to eyes.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not available.

Germ cell mutagenicity Not available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-Pentanone, 4-methyl- (CAS 108-10-1)

2B Possibly carcinogenic to humans.

Arsenic (CAS 7440-38-2)

Benzene (CAS 71-43-2)

1 Carcinogenic to humans.

1 Carcinogenic to humans.

Material name: CoreFlex Universal Corners

SDS US

^{*} Estimates for product may be based on additional component data not shown.

Ethene, chloro-, homopolymer (CAS 9002-86-2) 3 Not classifiable as to carcinogenicity to humans.

Lead (CAS 7439-92-1) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Arsenic (CAS 7440-38-2) Cancer Benzene (CAS 71-43-2) Cancer Ethene, chloro-, homopolymer (CAS 9002-86-2) Cancer US. National Toxicology Program (NTP) Report on Carcinogens

Arsenic (CAS 7440-38-2) Known To Be Human Carcinogen. Benzene (CAS 71-43-2) Known To Be Human Carcinogen.

Lead (CAS 7439-92-1) Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity Not available. Not available. Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Aspiration hazard Not available.

Not expected to be hazardous by WHMIS criteria. **Chronic effects**

This product has no known adverse effect on human health. **Further information**

12. Ecological information

Ecotoxicity

Components		Species	Test Results
2-Pentanone, 4-methyl	I- (CAS 108-10-1)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promel	las) 492 - 593 mg/l, 96 hours
Arsenic (CAS 7440-38	-2)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promel	las) 9.9 mg/l, 96 hours
Benzene (CAS 71-43-2	2)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	8.76 - 15.6 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	7.2 - 11.7 mg/l, 96 hours
CALCIUM CARBONAT	ΓΕ (CAS 471-34-1)		
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affi	nis) > 56000 mg/l, 96 hours
Carbon disulfide (CAS	75-15-0)		
Aquatic			
Fish	LC50	Fish	4 mg/L, 96 Hours
		Guppy (Poecilia reticulata)	3 - 5.8 mg/l, 96 hours
Lead (CAS 7439-92-1)			
Aquatic			
Fish	LC50	Fish	6.5 mg/L, 96 Hours
		Rainbow trout,donaldson trout (Oncorhynchus mykiss)	1.17 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability Not available. Not available. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow)

2-Pentanone, 4-methyl-1.31 2.13 Benzene

Carbon disulfide 1.94

Not available. Mobility in soil

Material name: CoreFlex Universal Corners

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose in accordance with all applicable regulations.

Hazardous waste code

US RCRA Hazardous Waste P List: Reference

Carbon disulfide (CAS 75-15-0) P022

Not applicable.

Waste from residues / unused

1 02

products

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

CERCLA/SARA Hazardous Substances - Not applicable.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-Pentanone, 4-methyl- (CAS 108-10-1)

Arsenic (CAS 7440-38-2)

Benzene (CAS 71-43-2)

Carbon disulfide (CAS 75-15-0)

Listed.

Lead (CAS 7439-92-1)

Listed.

SARA 304 Emergency release notification

CARBON DISULFIDE (CAS 75-15-0) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Arsenic (CAS 7440-38-2)

Benzene (CAS 71-43-2)

Ethene, chloro-, homopolymer (CAS 9002-86-2)

Cancer

Cancer

Lead (CAS 7439-92-1) Reproductive toxicity

Arsenic (CAS 7440-38-2) Liver

Benzene (CAS 71-43-2)

Ethene, chloro-, homopolymer (CAS 9002-86-2)

Lead (CAS 7439-92-1)

Central nervous system

Central nervous system

Arsenic (CAS 7440-38-2)

Benzene (CAS 71-43-2)

Ethene, chloro-, homopolymer (CAS 9002-86-2)

Lead (CAS 7439-92-1)

Skin

Blood

Liver

Kidney

Arsenic (CAS 7440-38-2) Respiratory irritation

Benzene (CAS 71-43-2)

Ethene, chloro-, homopolymer (CAS 9002-86-2)

Lead (CAS 7439-92-1)

Aspiration

Blood

Blood

Arsenic (CAS 7440-38-2) Nervous system

Benzene (CAS 71-43-2)

Ethene, chloro-, homopolymer (CAS 9002-86-2)

Lead (CAS 7439-92-1) Arsenic (CAS 7440-38-2)

Benzene (CAS 71-43-2)

Skin

Flammability Acute toxicity Acute toxicity

Eve

respiratory tract irritation

Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Carbon disulfide	75-15-0	100	10000		

Carbon disulfide 75-15-0 100

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

	Chemical name	CAS number	% by wt.	
Ī	Arsenic	7440-38-2	< 0.3	
	Benzene	71-43-2	< 0.3	
	Lead	7439-92-1	< 0.2	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No (Exempt)

2-Pentanone, 4-methyl- (CAS 108-10-1)

Arsenic (CAS 7440-38-2) Benzene (CAS 71-43-2) Carbon disulfide (CAS 75-15-0)

Lead (CAS 7439-92-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Carbon disulfide (CAS 75-15-0)

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

2-Pentanone, 4-methyl- (CAS 108-10-1)

6715

35 %WV

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

2-Pentanone, 4-methyl- (CAS 108-10-1)

DEA Exempt Chemical Mixtures Code Number

2-Pentanone, 4-methyl- (CAS 108-10-1) 6715

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

2-Pentanone, 4-methyl- (CAS 108-10-1)

Low priority

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

California Proposition 65



WARNING: This product can expose you to chemicals including Lead: Benzene: 2-Pentanone. 4-methyl-. which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

2-Pentanone, 4-methyl- (CAS 108-10-1) Listed: November 4, 2011 Arsenic (CAS 7440-38-2) Listed: February 27, 1987 Benzene (CAS 71-43-2) Listed: February 27, 1987 Lead (CAS 7439-92-1) Listed: October 1, 1992

California Proposition 65 - CRT: Listed date/Developmental toxin

2-Pentanone, 4-methyl- (CAS 108-10-1) Listed: March 28, 2014 Benzene (CAS 71-43-2) Listed: December 26, 1997 Carbon disulfide (CAS 75-15-0) Listed: July 1, 1989 Lead (CAS 7439-92-1) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Carbon disulfide (CAS 75-15-0) Listed: July 1, 1989

Material name: CoreFlex Universal Corners

Lead (CAS 7439-92-1) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Inventory name

 Benzene (CAS 71-43-2)
 Listed: December 26, 1997

 Carbon disulfide (CAS 75-15-0)
 Listed: July 1, 1989

 Lead (CAS 7439-92-1)
 Listed: February 27, 1987

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

2-Pentanone, 4-methyl- (CAS 108-10-1)

Arsenic (CAS 7440-38-2) Benzene (CAS 71-43-2) Carbon disulfide (CAS 75-15-0)

Lead (CAS 7439-92-1) Tin (CAS 7440-31-5)

International Inventories

Australia

Country(s) or region

Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No

Australian Inventory of Chemical Substances (AICS)

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Issue date11-August-2014Revision date08-February-2019

Version # 04

United States & Puerto Rico

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 4*

Flammability: 0 Physical hazard: 0

i ilysicai ilazi

NFPA ratings Health: 0

Flammability: 0 Instability: 0

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information Hazard(s) identification: Hazard statement

Composition/information on ingredients: Component information Exposure controls/personal protection: Occupational exposure limits

Physical & Chemical Properties: Multiple Properties Regulatory information: California Proposition 65

Material name: CoreFlex Universal Corners

On inventory (yes/no)*

No

No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).