HYDROBARTM

SWELLABLE DETAILING BAR

DESCRIPTION

HYDROBARTM is a detailing accessory product for CETCO Waterproofing Systems used at the footing/wall junction to provide additional waterproofing protection. HYDROBARTM is made of rubber and swellable sodium bentonite. When wetted, the HYDROBARTM expands to form a seal at the footing-to-wall in conjunction with the VOLTEX waterproofing membrane. HYDROBARTM roll measures 30 mm in diameter by 3.5 m, assuring a consistent application of sodium bentonite at the critical footing/wall junction.

APPLICATIONS

HYDROBARTM is designed to work in conjunction with VOLTEX waterproofing membranes at the footing/wall junction of foundation walls. HYDROBARTM is aconvenient method of providing additional waterproofing protection at this critical junction. HYDROBARTM is not an expansion joint sealant.

INSTALLATION

Remove dirt and other debris from area to receive HYDROBAR™. When using with VOLTEX®, place HYDROBAR™ at footing/wall junction in direct contact with wall. Butt roll ends tightly togethe to form continuous installation. Install VOLTEX® over HYDROBAR™ and backfill.

For vertical inside corners of foundation walls, first install continuous bead of CETSEAL on both wall surfaces approximately 12 mm outward from corner. Then starting at the bottom of the wall, firmly press the HYDROBAR $^{\text{TM}}$ tube into both beads of CETSEAL. Make sure that the HYDROBAR $^{\text{TM}}$ tube is securly pressed into both beads of CETSEAL.


PACKAGING

HYDROBAR™ are packaged 6 rolls per carton; 21 linear meter per carton. Carton weight 23 kg. 24 cartons per pallet.


Limitations: HYDROBAR™ should not be applied in standing water or during precipitation. HYDROBAR™ intended for below-ground waterproofing applications. Compact backfill to 85% Modified Proctor density.

Safety: Use only with adequate ventilation. Workers should wear approved breathing apparatus, protective clothing and eye protection. Avoid skin and eye contact. In the event of contact, wash immediately. Do not ingest. Refer to SDS for other warnings and safety information.

APPLICATION ILLUSTRATIONS



Foundation Wall Exterior Inside Corners



Install HYDROBAR™ directly in footing-to-wall inside corner

www.cetco.com | contact@cetco.com

