

SAFETY DATA SHEET

1. Identification

Product identifier	CETCO® CRUMBLES		
Other means of identification			
CAS number	1302-78-9		
Synonyms	SMECTITE CLAY * BENTONITE		
Recommended use	Not available.		
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	CETCO, an MTI Company 2870 Forbs Avenue Hoffman Estates, IL 60192 United States		
Telephone	General Information 800 527-9948		
Website	http://www.cetco.com/		
E-mail	safetydata@mineralstech.com		
Emergency phone number	Emergency 1.866.519.4752/1 760 476 3962		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Carcinogenicity Category 1A		
	Specific target organ toxicity, repeated Category 1 exposure		
Environmental hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.		
Precautionary statement			
Prevention	Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention.		
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		
Supplemental information	8% of the mixture consists of component(s) of unknown acute dermal toxicity. 8% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
SILICA, CRYSTALLINE, QUAR	TZ	14808-60-7	5 - < 10	
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	1 - < 3	
Other components below report	table levels		90 - 100	
Constituents				
Chemical name	Common name and synonyms	CAS number	%	
INERT OR NUISANCE DUSTS	PARTICLES NOT OTHERWISE REGULATED	SEQ250		
	y weight unless ingredient is a gas. Gas conce		ume.	
Composition comments	Occupational Exposure Limits for constituent	s are listed in Section 8.		
4. First-aid measures				
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.			
Skin contact	-	Wash off with soap and water. Get medical attention if irritation develops and persists.		
Eye contact	Rinse with water. Get medical attention if irrita			
Ingestion	Rinse mouth. Get medical attention if sympto			
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effec	35.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.			
General information	IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect ther	medical personnel are aware		
5. Fire-fighting measures				
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).			
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be wor	n in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.		
Specific methods	Use standard firefighting procedures and con	sider the hazards of other invo	olved materials.	
General fire hazards	No unusual fire or explosion hazards noted.			
6. Accidental release meas	sures			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per adequate ventilation. Local authorities should contained. For personal protection, see section	be advised if significant spilla		
Methods and materials for containment and cleaning up	Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.			
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground.		
7. Handling and storage				
Precautions for safe handling	Obtain special instructions before use. Do no and understood. Keep formation of airborne of prolonged exposure. When using, do not eat, systems, if possible. Provide adequate ventila equipment. Wash hands thoroughly after han	dusts to a minimum. Do not bro , drink or smoke. Should be ha ation. Wear appropriate persor	eathe dust. Avoid Indled in closed nal protective	
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly close away from incompatible materials (see Section		each of children. Store	

8. Exposure controls/personal protection

Occupational exposure limits

Components	Values Type	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occ Components	upational Health & Safety Code, Sche Type	edule 1, Table 2) Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Total particulate.
Canada. British Columbia O Safety Regulation 296/97, as	DELs. (Occupational Exposure Limits s amended)	for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	3 mg/m3	Respirable fraction.
00313		10 mg/m3	Total dust.
Canada. Manitoba OELs (Re Components	eg. 217/2006, The Workplace Safety A Type	Ind Health Act) Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Ontario OELs. (Cor	ntrol of Exposure to Biological or Ch	emical Agents)	
Components	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
			Form
	Туре	Value	Form
Constituents	Type TWA	Value 3 mg/m3	Respirable fraction.
Constituents			-
Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Mir		3 mg/m3 10 mg/m3	Respirable fraction.
Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Mir Components SILICA, CRYSTALLINE,	TWA	3 mg/m3 10 mg/m3 g occupational health and sa	Respirable fraction. Inhalable fraction.
Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Mir Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA nistry of Labor - Regulation respectin Type	3 mg/m3 10 mg/m3 ng occupational health and sa Value	Respirable fraction. Inhalable fraction. fety) Form
Constituents INERT OR NUISANCE DUSTS	TWA nistry of Labor - Regulation respectin Type TWA	3 mg/m3 10 mg/m3 ig occupational health and sa Value 0.1 mg/m3	Respirable fraction. Inhalable fraction. fety) Form Respirable dust.
Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Mir Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS	TWA nistry of Labor - Regulation respectin Type TWA Type	3 mg/m3 10 mg/m3 ig occupational health and sa Value 0.1 mg/m3 Value 10 mg/m3	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form
Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Mir Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE	TWA nistry of Labor - Regulation respectin Type TWA Type TWA	3 mg/m3 10 mg/m3 ag occupational health and sa Value 0.1 mg/m3 Value 10 mg/m3 or the ingredient(s).	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form Total dust.
Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Mir Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS ogical limit values	TWA nistry of Labor - Regulation respectin Type TWA Type TWA No biological exposure limits noted for Occupational exposure to nuisance d	3 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 Value 0.1 mg/m3 Value 10 mg/m3 or the ingredient(s). lust (total and respirable) and respirable) and respirable, and respirable and	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form Total dust. spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
Constituents INERT OR NUISANCE DUSTS Canada. Quebec OELs. (Mir Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Constituents INERT OR NUISANCE DUSTS ogical limit values osure guidelines propriate engineering trols	TWA nistry of Labor - Regulation respectin Type TWA Type TWA No biological exposure limits noted for Occupational exposure to nuisance d should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main	3 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 0.1 mg/m3 Value 10 mg/m3 or the ingredient(s). lust (total and respirable) and re- air changes per hour) should b pplicable, use process enclosur tain airborne levels below recon shed, maintain airborne levels t	Respirable fraction. Inhalable fraction. fety) Form Respirable dust. Form Total dust. spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.

Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Use of an impervious apron is recommended.
Respiratory protection	Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not applicable.
рН	8.5 - 11
Melting point/freezing point	> 842 °F (> 450 °C) / Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	2.6 g/cm ³
Solubility(ies)	
Solubility (water)	< 0.9 mg/l
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	> 932 °F (> 500 °C)
Viscosity	Not applicable.
Viscosity temperature	Not applicable.
Other information	
Bulk density	0.9 - 1.4 g/cm ³
Explosive limit	Not applicable.
Explosive properties	Not explosive.
Explosivity	Not applicable.
Flame extension	Not applicable.
Flammability	Not applicable.
Flammability (flash back)	Not applicable.
Flammability (Heat of combustion)	Not applicable.

Flammability (Train fire)	Not applicable.
Flammability class	Not applicable.
Flash point class	Not flammable
Molecular formula	UVCB Substance
Molecular weight	Not applicable.
Oxidizing properties	Not oxidizing.
Percent volatile	0 %
pH in aqueous solution	8.5 - 11
Specific gravity	Not applicable.
VOC	0 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Powerful oxidizers. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity	Not known.	
Product	Species	Test Results
Bentonite (CAS 1302-78-9)		
<u>Acute</u>		
Inhalation		
Dust		
LC50	Rat	> 5.27 mg/l, 4 hr OECD 436
Oral		
Dust		
LD50	Rat	> 2000 mg/kg OECD 425
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritat	ion.
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any compor mutagenic or genotoxic.	nents present at greater than 0.1% are

Carcinogenicity In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline sili inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that t main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons wi silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries a in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.		
ACGIH Carcinogens		
SILICA, CRYSTALLINE,	QUARTZ (CAS 14808-60-7)	A2 Suspected human carcinogen.
Canada - Alberta OELs: Car	cinogen category	
	QUARTZ (CAS 14808-60-7)	Suspected human carcinogen.
Canada - Manitoba OELs: c		
	QUARTZ (CAS 14808-60-7)	Suspected human carcinogen.
Canada - Quebec OELs: Ca		Our stand a serie and a first in humans
	QUARTZ (CAS 14808-60-7) Evaluation of Carcinogenicity	Suspected carcinogenic effect in humans.
	QUARTZ (CAS 14808-60-7)	1 Carcinogenic to humans.
	ogram (NTP) Report on Carcir	
	QUARTZ (CAS 14808-60-7)	Known To Be Human Carcinogen.
Reproductive toxicity	· · · · ·	to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Causes damage to organs th	rough prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.	
12. Ecological information	ı	
Ecotoxicity		as environmentally hazardous. However, this does not exclude the ent spills can have a harmful or damaging effect on the environment.
Product	Species	Test Results
Bentonite (CAS 1302-78-9)		
Λαματίο		

Bentonite (CAS 1302-78-9)			
Aquatic			
Algae	EC50	Freshwater algae	> 100 mg/l, 72 hours
Crustacea	EC50	Coon stripe shrimp (Pandalus danae)	24.8 mg/l, 96 hours
		Daphnia	> 100 mg/l, 48 hours
		Dungeness or edible crab (Cancer magister)	81.6 mg/l, 96 hours
Fish	LC50	Freshwater fish	16000 mg/l, 96 hours
		Marine water fish	2800 - 3200 mg/l, 24 hours
Persistence and degradability	No data is ava	ailable on the degradability of any ingredie	ents in the mixture.
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects		erse environmental effects (e.g. ozone dep ocrine disruption, global warming potentia	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Su	ibstances Act	
Not regulated.		
Export Control List (CEP	A 1999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
Precursor Control Regul	ations	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto protocol		
Not applicable. Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Να
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Material name: CETCO® CRUME	BLES	SDS CANADA
		7 / 0

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
	nents of this product comply with the inventory requirements administered by the go components of the product are not listed or exempt from listing on the inventory ad	
16. Other information		

Issue date Revision date Version #	23-July-2018 23-July-2018 09
Disclaimer	CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Product and Company Identification: Synonyms Composition / Information on Ingredients: Ingredients Regulatory Information: United States GHS: Classification