SAFETY DATA SHEET



1. Identification

Product identifier CETCO® TC BOOSTER

Other means of identification None

Recommended use Not available.

Recommended restrictions Workers (and your customers or users in the case of resale) should be informed of the potential

presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

CETCO, an MTI Company Company name **Address** 2870 Forbs Avenue

Hoffman Estates. IL 60192

United States

Telephone **General Information** 800 527-9948

Website http://www.cetco.com/

E-mail safetydata@mineralstech.com

Emergency 1.866.519.4752/1 760 476 3962 **Emergency phone number**

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Acute toxicity, oral **Health hazards** Category 4

> Carcinogenicity Category 1A Specific target organ toxicity, repeated Category 1

exposure

Not classified. **Environmental hazards**

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. May cause cancer. Causes damage to organs through prolonged or

repeated exposure.

Precautionary statement

Prevention Keep out of reach of children. Read label before use. Do not handle until all safety precautions

> have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective

gloves/protective clothing/eye protection/face protection.

If medical advice is needed, have product container or label at hand. IF SWALLOWED: Call a Response

POISON CENTER/doctor if you feel unwell. Rinse mouth. IF exposed or concerned: Get medical

advice/attention.

Store in accordance with local/regional/national regulations. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

Other hazards May form combustible dust concentrations in air.

3. Composition/information on ingredients

Mixtures

Material name: CETCO® TC BOOSTER 1/7

15932 Version #: 04 Revision date: 13-March-2024 Issue date: 16-December-2021

Chemical name	Common name and synonyms	CAS number	%
GRAPHITE		7782-42-5	90 - 100
QUARTZ	CRYSTALLINE SILICA, QUARTZ SILICA (QUARTZ)	14808-60-7	0.1 - < 10

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion

Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and

delayed

Coughing. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm, Keep victim

under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

During fire, gases hazardous to health may be formed.

Do not use water jet as an extinguisher, as this will spread the fire.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Shovel up and place in a container for salvage or disposal. Avoid dust formation. Clean surface thoroughly to remove residual contamination.

Small Spills: Shovel or sweep up. Avoid dust formation. Clean surface thoroughly to remove residual contamination.

Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Va Components	Type	Value	Form	
GRAPHITE (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
Canada. Alberta OELs (Occupa	ational Health & Safety Code, Schedule Type	e 1, Table 2), as amendo Value	ed Form	
GRAPHITE (CAS 7782-42-5)	TWA	2 mg/m3	Respirable.	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.	
Canada. British Columbia OEL Board, as amended	s: Table of Exposure Limits for Chemic	cal Biological Substan	ces Workers Compensatio	
Components	Туре	Value	Form	
GRAPHITE (CAS 7782-42-5)	TWA	2 mg/m3	Respirable.	
Canada. Manitoba OELs (Reg. Components	217/2006, The Workplace Safety And H Type	lealth Act), as amended Value	d Form	
GRAPHITE (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
	: Threshold Limit Values (TLVs) Based	on the 1991 and 1997	ACGIH TLVs and BEIs	
Publication (New Brunswick R Components	egulation 91-191) Type	Value	Form	
GRAPHITE (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fibers.	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
Canada. Ontario OELs (Regula Components	ntion 833, Control of Exposure to Biolog Type	gical or Chemical Ager Value	nts), as amended Form	
GRAPHITE (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.	
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.	
Canada. Quebec OELs (Regula Components	ation respecting occupational health an Type	nd safety, v. S-2.1, r.13) Value	, as amended Form	
GRAPHITE (CAS 7782-42-5)	TWA	2 mg/m3	Respirable dust.	
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.	
Canada. Saskatchewan OELs Components	(Occupational Health and Safety Regul Type	ations, 1996; Table 21) Value	, as amended Form	
GRAPHITE (CAS 7782-42-5)	15 minute	4 mg/m3	Respirable fraction.	
ogical limit values	No biological exposure limits noted for the	ingredient(s).		
	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.			
trols s	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. It exposure limits have not been established, maintain airborne levels to an acceptable level.			
	ich as personal protective equipment f contact is likely, safety glasses with side	shields are recommend	ed.	
Skin protection				

Material name: CETCO® TC BOOSTER

15932 Version #: 04 Revision date: 13-March-2024 Issue date: 16-December-2021

3/7

Other It is a good industrial hygiene practice to minimize skin contact.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Flakes.

Color Silver. Grey. or Black.

Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure -0.01 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature>932 °F (>500 °C)Decomposition temperature>752 °F (>400 °C)ViscosityNot available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Avoid dust formation. Avoid heat, sparks, open flames and

other ignition sources.

Incompatible materials Powerful oxidizers. Chlorine.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Material name: CETCO® TC BOOSTER

15932 Version #: 04 Revision date: 13-March-2024 Issue date: 16-December-2021

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Coughing.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components **Species Test Results**

QUARTZ (CAS 14808-60-7)

Acute Oral

LD50 Rat 500 mg/kg

Skin corrosion/irritation Serious eye damage/eye Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization Germ cell mutagenicity This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.

ACGIH Carcinogens

QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen.

Canada - Alberta OELs: Carcinogen category

QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Suspected human carcinogen. QUARTZ (CAS 14808-60-7)

Canada - Quebec OELs: Carcinogen category

QUARTZ (CAS 14808-60-7) Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

Material name: CETCO® TC BOOSTER

SDS CANADA

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

No data available. Bioaccumulative potential Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

On inventory (yes/no)* Country(s) or region Inventory name

Australian Inventory of Industrial Chemicals (AICIS) Australia Yes

Material name: CETCO® TC BOOSTER SDS CANADA 6/7 15932 Version #: 04 Revision date: 13-March-2024 Issue date: 16-December-2021

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes Philippine Inventory of Chemicals and Chemical Substances Yes **Philippines**

(PICCS)

Taiwan Chemical Substance Inventory (TCSI) Taiwan Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information

Issue date 16-December-2021 **Revision date** 13-March-2024

Version # 04

Disclaimer CETCO, an MTI Company cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information Product and Company Identification: Product and Company Identification

> Hazard identification: Prevention Hazard identification: Response Hazard identification: Storage

Hazard identification: Supplemental information Handling and storage: Precautions for safe handling

Handling and storage: Conditions for safe storage, including any incompatibilities

Material name: CETCO® TC BOOSTER

SDS CANADA

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).