



SAFETY DATA SHEET

1. Identification

Product identifier ACCU-VIS®
Other means of identification None.
Recommended use Not available.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information
Manufacturer

Company name CETCO, an MTI Company
Address 2870 Forbs Avenue
Hoffman Estates, IL 60192
United States

Telephone General Information 800 527-9948
Website <http://www.cetco.com/>
E-mail safetydata@mineralstech.com

Emergency phone number Emergency 1.866.519.4752/1 760 476 3962
Americas 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.
Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.
Response If exposed or concerned: Get medical advice/attention.
Storage Store away from incompatible materials.
Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information 13% of the mixture consists of component(s) of unknown acute oral toxicity. 13% of the mixture consists of component(s) of unknown acute dermal toxicity. 38% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 35% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC [BASEOIL UNSPECIFIED] (CONC>=0.1%)		64742-52-5	20 - < 30
Alcohols, C11-14-iso-, C13-rich, Ethoxylated		78330-21-9	3 - < 5
Other components below reportable levels			70 - < 80

Constituents

Chemical name	Common name and synonyms	CAS number	%
2-PROPENOIC ACID, SODIUM SALT, POLYMER WITH 2-PROPENAMIDE		25085-02-3	
Acrylamide		79-06-1	0 - 0.05

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments Occupational Exposure Limits for constituents are listed in Section 8. For the full text of the R phrases mentioned in this Section, see Section 15.

4. First-aid measures

Inhalation	If gas/fume/vapor/dust/mist from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist. Not likely, due to the form of the product.
Skin contact	Remove and isolate contaminated clothing and shoes.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Powder. Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop leak if you can do so without risk. Use water spray to reduce vapors or divert vapor cloud drift. Large Spills: Dike the spilled material, where this is possible. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Forms smooth, slippery surfaces on floors, posing an accident risk.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

7. Handling and storage

Precautions for safe handling	Do not get this material in your eyes, on your skin, or on your clothing. Forms smooth, slippery surfaces on floors, posing an accident risk.
Conditions for safe storage, including any incompatibilities	Store at room temperature in the original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Constituents	Type	Value
Acrylamide (CAS 79-06-1)	PEL	0.3 mg/m3

US. ACGIH Threshold Limit Values

Constituents	Type	Value	Form
Acrylamide (CAS 79-06-1)	TWA	0.03 mg/m3	Inhalable fraction and vapor.

US. NIOSH: Pocket Guide to Chemical Hazards

Constituents	Type	Value
Acrylamide (CAS 79-06-1)	TWA	0.03 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

Acrylamide (CAS 79-06-1) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Acrylamide (CAS 79-06-1) Skin designation applies.

US - Tennessee OELs: Skin designation

Acrylamide (CAS 79-06-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Acrylamide (CAS 79-06-1) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Acrylamide (CAS 79-06-1) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Acrylamide (CAS 79-06-1) Can be absorbed through the skin.

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear chemical goggles and face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear oil-impervious garments if contact is unavoidable. Use impervious gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. If mist is generated (heating, spraying) and engineering controls are not sufficient, wear approved organic vapor respirator suitable for oil mist.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Keep away from food, drink and animal feeding stuffs. Use good industrial hygiene practices in handling this material. Eye wash fountain and emergency showers are recommended.

9. Physical and chemical properties

Appearance Viscous.

Physical state Liquid.

Form Liquid.

Color White.

Odor Petroleum

Odor threshold Not available.

pH 5 - 8

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point Does not flash

Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	0.8
Relative density	1 - 1.2 g/cm ³
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	302 °F (150 °C)
Viscosity	20.5 mm ² /s
Viscosity temperature	104 °F (40 °C)
Other information	
Explosive properties	Not explosive.
Flammability class	Combustible IIIA estimated
Flash point class	Combustible IIIA
Oxidizing properties	Not oxidizing.
Specific gravity	1.1
VOC	CARB

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Extremes of temperature and direct sunlight. Do not freeze.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Toxic gas. At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
ACCU-VIS®		
Acute		
Dermal		
LD50	Rabbit	5467 mg/kg
Inhalation		
LC50	Rat	6.229 mg/l/4h
Components	Species	Test Results

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC [BASEOIL UNSPECIFIED] (CONC>=0.1%) (CAS 64742-52-5)

Acute		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LC50	Rat	2.18 mg/l/4h
Oral		
LD50	Rat	5000 mg/kg
Constituents	Species	Test Results

Acrylamide (CAS 79-06-1)

Acute		
Dermal		
LD50	Rat	400 mg/kg
Oral		
LD50	Rat	124 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Carcinogenic effects are not expected as a result of occupational exposure.

IARC Monographs. Overall Evaluation of Carcinogenicity

Acrylamide (CAS 79-06-1) 2A Probably carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Acrylamide (CAS 79-06-1) Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species		Test Results
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC [BASEOIL UNSPECIFIED] (CONC>=0.1%) (CAS 64742-52-5)			
Aquatic			
Crustacea	EC50	Daphnia	1000.0001 mg/L, 48 Hours
Fish	LC50	Fish	5000.0001 mg/L, 96 Hours
Constituents	Species		Test Results

Acrylamide (CAS 79-06-1)

Aquatic

Crustacea	EC50	Daphnia	98 mg/L, 48 Hours
Fish	LC50	Bluegill (Lepomis macrochirus)	81 - 150 mg/l, 96 hours
		Fish	109 mg/L, 96 Hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of waste and residues in accordance with local authority requirements.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

US RCRA Hazardous Waste U List: Reference

Acrylamide (CAS 79-06-1) U007

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acrylamide (CAS 79-06-1) Listed.

SARA 304 Emergency release notification

ACRYLAMIDE (CAS 79-06-1) 5000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Acrylamide	79-06-1	5000		1000	10000

SARA 311/312 Hazardous chemical No (Exempt)**SARA 313 (TRI reporting)**

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Acrylamide (CAS 79-06-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer.

California Proposition 65

WARNING: This product can expose you to Acrylamide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Acrylamide (CAS 79-06-1)

Listed: January 1, 1990

California Proposition 65 - CRT: Listed date/Developmental toxin

Acrylamide (CAS 79-06-1)

Listed: February 25, 2011

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Acrylamide (CAS 79-06-1)

Listed: February 25, 2011

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Acrylamide (CAS 79-06-1)

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC [BASEOIL UNSPECIFIED] (CONC>=0.1%) (CAS 64742-52-5)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 31-October-2014

Revision date 19-August-2020

Version # 14

HMIS® ratings Health: 0
Flammability: 1
Physical hazard: 0
Personal protection: B

NFPA ratings Health: 0
Flammability: 1
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. CETCO, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information Disposal considerations: Disposal instructions