

SAFETY DATA SHEET

1. Identification

Product identifierCLAYMAX® 200ROther means of identificationNot available.Recommended useNot available.Recommended restrictionsWorkers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards.

presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer
mananactarci

Company name Address	CETCO, an MTI Company 2870 Forbs Avenue Hoffman Estates, IL 60192 United States	
Telephone	General Information	800 527-9948
Website	http://www.cetco.com/LT/	
E-mail	safetydata@amcol.com	
Emergency phone number		
Americas	1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962	

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/information on ingredients

Mixtures

AS number 4808-60-7 hheld as a trade sec in Section 8. This p l of Directive 67/548	
hheld as a trade sec in Section 8. This p	product contains
in Section 8. This p	product contains
If symptoms are experienced, remove source of contamination or move victim to fresh air. Call a physician if symptoms develop or persist.	

Material name: CLAYMAX® 200R

Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2). Use any media suitable for the surrounding fires.	
Unsuitable extinguishing media	None known.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Material can be slippery when wet.	
Fire-fighting equipment/instructions	In the event of fire, cool tanks with water spray.	
Specific methods	Cool containers exposed to flames with water until well after the fire is out.	
General fire hazards	Not a fire hazard. No unusual fire or explosion hazards noted.	
6. Accidental release measures		

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Material can be slippery when wet. Wear a dust mask if dust is generated above exposure limits. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Collect dust or particulates using a vacuum cleaner with a HEPA filter. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. None necessary. Reduce airborne dust and prevent scattering by moistening with water.
Environmental precautions	No special environmental precautions required.
7. Handling and storage	
Precautions for safe handling	Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment.
• •••• • • •	

Conditions for safe storage, including any incompatibilities No special restrictions on storage with other products. Store in original tightly closed container. No special storage conditions required. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this material.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	PEL	5 mg/m3	Respirable fraction.
(15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.	1000)		
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	5 mg/m3	Respirable fraction.
, , , , , , , , , , , , , , , , , , ,		15 mg/m3	Total dust.
		50 millions of particle	Total dust.
		15 millions of particle	Respirable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
· · ·		0.1 mg/m3	Respirable.
		2.4 millions of particle	Respirable.

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable particles.
	714/4	10 mg/m3	Inhalable particles.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Constituents	Chemical Hazards Type	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
iological limit values	No biological exposure limits noted for t	he ingredient(s).	
xposure guidelines	Occupational exposure to nuisance dus should be monitored and controlled.		spirable crystalline silica
ppropriate engineering ontrols	If material is ground, cut, or used in any operation which may generate dusts, use appropriate loc exhaust ventilation to keep exposures below the recommended exposure limits. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitabl respiratory protection must be worn.		
ndividual protection measures,	such as personal protective equipmen	ıt	
Eye/face protection	Wear dust goggles.		
Hand protection	For prolonged or repeated skin contact	use suitable protective gloves	5.
Other	No special protective equipment require	ed.	
Respiratory protection	Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
eneral hygiene onsiderations	Eye wash fountain is recommended. Use good industrial hygiene practices in handling this material.		
. Physical and chemical p	properties		
ppearance	The product consists of bentonite granu	lles between geotextile layers	
Physical state	Solid.		
Form	Solid. Mat or Fabric		
Color	Various.		
dor	None.		
dor threshold	Not available.		
н	Not available.		
lelting point/freezing point	Not available.		
nitial boiling point and boiling ange	Not available.		
lash point	Not flammable		
vaporation rate	Not available.		
lammability (solid, gas)	Not available.		
pper/lower flammability or exp Flammability limit - lower	losive limits Not explosive		
(%) Flammability limit - upper (%)	Not explosive		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
apor pressure	0 hPa estimated		
apor density	Not available.		
elative density	Not available.		
olubility(ies)			
Solubility (water)	Negligible		
	- 0		

Not available.

Not available.

Partition coefficient

Auto-ignition temperature

(n-octanol/water)

Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Percent volatile	0 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Will not occur. Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on likely routes of exposure

· · · · · · · · · · · · · · · · · · ·	
Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	Not available.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological ef	ffects
Acute toxicity	
Toxicological data	

Constituents	Species	Test Results
QUARTZ (CAS 14808-60-7)		
Acute		
Oral		
LD50	Rat	500 mg/kg

* Estimates for product may be based on additional component data not shown.

based on additional component data not snown.
Prolonged skin contact may cause temporary irritation.
Mild irritant to eyes (according to the modified Kay & Calandra criteria)
Not available.
According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.
valuation of Carcinogenicity
7) 1 Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens QUARTZ (CAS 14808-60-7) Reproductive toxicity Specific target organ toxicity single exposure

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Some of the components of this product are hazardous in the respirable form. However, because of the physical nature of this product, dust generation is not expected.

12. Ecological information

Ecotoxicity	The product is not expected to be hazardous to the environment. This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. Material should be recycled if possible.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot available.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization	Act of 1986 (SARA)
--	--------------------

Hazard categories	eauthorization Act of 1986 (SARA) Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazardous substance	No	
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section Not regulated.	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Total food additive Indirect food additive GRAS food additive	
US state regulations	WARNING: This product contains a chemical known to the State of	f California to cause cancer.
US - Pennsylvania RTK	C - Hazardous Substances: Listed substance	
QUARTZ (CAS 148 US. Massachusetts RT		
QUARTZ (CAS 148 US. New Jersev Worke	08-60-7) r and Community Right-to-Know Act	
Not regulated. US. Rhode Island RTK		
Not regulated.		
	65 Water and Toxic Enforcement Act of 1986 (Proposition 65): This mate listed as carcinogens or reproductive toxins.	rial is not known to contain
	tion 65 - CRT: Listed date/Carcinogenic substance	
QUARTZ (CAS 148	08-60-7) Listed: October 1, 1988	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by t e components of the product are not listed or exempt from listing on the inventor	

16. Other information, including date of preparation or last revision

Issue date	19-September-2014
Revision date	19-September-2014
Version #	23

Further information	This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
HMIS® ratings	Health: 1* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.
	Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.
Revision Information	Product and Company Identification: Alternate Trade Names