

# SAFETY DATA SHEET

1. Identification

Product identifier GEOSYNTHETIC CLAY LINER

Other means of identification Not available.

Recommended use Not available.

**Recommended restrictions** Workers (and your customers or users in the case of resale) should be informed of the potential

presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CETCO, an MTI Company
Address 2870 Forbs Avenue

Hoffman Estates, IL 60192

United States

**Telephone** General Information 800 527-9948

Website http://www.cetco.com/LT/
E-mail safetydata@amcol.com

Emergency phone number

**Americas** 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

# 3. Composition/information on ingredients

**Mixtures** 

Constituents

Chemical name CAS number %

QUARTZ 14808-60-7

**Composition comments**Occupational Exposure Limits for constituents are listed in Section 8. This product contains

naturally occurring crystalline silica (not listed in Annex I of Directive 67/548/EEC) in quantities less

than 6%.

4. First-aid measures

**Inhalation** If symptoms are experienced, remove source of contamination or move victim to fresh air. Call a

physician if symptoms develop or persist.

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Skin contact Not available.

**Eye contact** Flush eyes immediately with large amounts of water.

**Ingestion** Not available.

Material name: GEOSYNTHETIC CLAY LINER

4011 Version #: 23 Revision date: 19-September-2014 Print date: 19-September-2014

SDS US

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon

dioxide (CO2). Use any media suitable for the surrounding fires.

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Material can be slippery when wet. and precautions for firefighters

During fire, gases hazardous to health may be formed.

Fire-fighting In the event of fire, cool tanks with water spray.

None known.

equipment/instructions Specific methods

Cool containers exposed to flames with water until well after the fire is out.

General fire hazards Not a fire hazard. No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Material can be slippery when wet. Wear a dust mask if dust is generated above exposure limits. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water. Collect dust or particulates using a vacuum cleaner with a HEPA filter. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. None necessary. Reduce airborne dust and

prevent scattering by moistening with water. No special environmental precautions required.

**Environmental precautions** 

7. Handling and storage Precautions for safe handling

Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities No special restrictions on storage with other products. Store in original tightly closed container. No special storage conditions required. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this material.

## 8. Exposure controls/personal protection

## Occupational exposure limits

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	PEL	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.1000	)		
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	5 mg/m3	Respirable fraction.
(3.32 = 3.23)		15 mg/m3	Total dust.
		50 millions of particle	Total dust.
		15 millions of particle	Respirable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
,		0.1 mg/m3	Respirable.
		2.4 millions of particle	Respirable.

US. ACGIH Threshold Limit Val Constituents	lues Type	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable particles
		10 mg/m3	Inhalable particles.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Ch	nemical Hazards		
Constituents	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

**Exposure guidelines**Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled.

Appropriate engineering

controls

If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable

respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear dust goggles.

**Hand protection** For prolonged or repeated skin contact use suitable protective gloves.

Other No special protective equipment required.

**Respiratory protection**Use a particulate filter respirator for particulate concentrations exceeding the Occupational

Exposure Limit.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene Eye wash fountain is recommended. Use good industrial hygiene practices in handling this

considerations material.

## 9. Physical and chemical properties

Appearance The product consists of bentonite granules between geotextile layers

Physical state Solid.

Form Solid. Mat or Fabric

Color Various.
Odor None.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not flammable
Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not explosive

(%)

Flammability limit - upper

(%)

Not explosive

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0 hPa estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Negligible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Not available. **Decomposition temperature Viscosity** Not available.

Other information

Percent volatile 0 % estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable at normal conditions. Chemical stability

Possibility of hazardous

reactions

Will not occur. Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials.

Incompatible materials None known. None known. Hazardous decomposition

products

## 11. Toxicological information

## Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation No adverse effects due to inhalation are expected.

Skin contact Not available.

Eye contact Direct contact with eyes may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

## Information on toxicological effects

**Acute toxicity** 

Toxicological data

Constituents **Species Test Results** 

QUARTZ (CAS 14808-60-7)

**Acute** Oral

LD50 Rat 500 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Mild irritant to eyes (according to the modified Kay & Calandra criteria)

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization According to the classification criteria of the European Union, the product is not considered as

being a skin irritant.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded Carcinogenicity

> that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing

regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable

crystalline silica should be monitored and controlled.

## IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Material name: GEOSYNTHETIC CLAY LINER

single exposure

Not classified

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Specific target organ toxicity - repeated exposure

Not classified.

**Aspiration hazard** 

Not available.

Chronic effects

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)

According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Some of the components of this product are hazardous in the respirable form. However, because of the physical nature of this product, dust generation is not expected.

## 12. Ecological information

**Ecotoxicity** 

The product is not expected to be hazardous to the environment. This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential Mobility in soil

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. Material should be recycled if possible.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not available.

the IBC Code

# 15. Regulatory information

**US** federal regulations

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

4011 Version #: 23 Revision date: 19-September-2014 Print date: 19-September-2014

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

Immediate Hazard - No **Hazard categories** 

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

**Food and Drug** Total food additive Indirect food additive Administration (FDA) GRAS food additive

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

### US - Pennsylvania RTK - Hazardous Substances: Listed substance

QUARTZ (CAS 14808-60-7)

## **US. Massachusetts RTK - Substance List**

QUARTZ (CAS 14808-60-7)

## US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

## **US. Rhode Island RTK**

Not regulated.

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

Issue date 19-September-2014 **Revision date** 19-September-2014

Version # 23

Material name: GEOSYNTHETIC CLAY LINER

4011 Version #: 23 Revision date: 19-September-2014 Print date: 19-September-2014

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Further information This safety datasheet only contains information relating to safety and does not replace any product

information or product specification.

HMIS® ratings Health: 1\*

Flammability: 0 Physical hazard: 0

NFPA ratings Health:

Flammability: 0 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and

completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience

currently available.

**Revision Information** Product and Company Identification: Alternate Trade Names

Material name: GEOSYNTHETIC CLAY LINER
4011 Version #: 23 Revision date: 19-September-2014 Print date: 19-September-2014