

SAFETY DATA SHEET

1. Identification

Product identifier SEAL-X XP

Other means of identification

Product code SEAL-X XP Recommended use Not available. Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

CETCO, an MTI Company Company name **Address** 2870 Forbs Avenue

Hoffman Estates, IL 60192

United States

Telephone General Information 800 527-9948

Website http://www.cetco.com/ E-mail safety.data@amcol.com

Emergency phone number

Americas 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 Access Code 333562

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards

Label elements

Hazard symbol None. Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Bentonite contains naturally occurring crystalline silica (not listed in Annex I of Directive Composition comments

67/548/EEC) in quantities less than 6%.

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water.

Eye contact Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. Rinse mouth. Get medical advice/attention if you feel unwell. If ingestion of a large amount does Ingestion

occur, call a poison control center immediately.

Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Material name: SEAL-X XP SDS US

14876 Version #: 06 Revision date: 07-May-2015 Print date: 07-May-2015

Indication of immediate medical attention and special treatment needed

Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

Cool containers exposed to flames with water until well after the fire is out. Specific methods

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch

or walk through spilled material. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. Following

product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Prevent further leakage or spillage if safe to do so. **Environmental precautions**

7. Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Туре	Value	Form
PEL	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
Туре	Value	Form
TWA	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
	15 mg/m3 50 mppcf	Total dust. Total dust.
-	PEL Type	PEL 5 mg/m3 15 mg/m3 Type Value

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Not normally needed. Hand protection

Wear suitable protective clothing. Other

Respiratory protection No personal respiratory protective equipment normally required. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material General hygiene and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations equipment to remove contaminants.

Material name: SEAL-X XP

SDS US 14876 Version #: 06 Revision date: 07-May-2015 Print date: 07-May-2015

9. Physical and chemical properties

Appearance Paste.

Physical state Not available.

Paste. **Form** Color Blue.

Characteristic. Odor **Odor threshold** Not available. Not available. pН Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

215.0 °F (101.7 °C) estimated Flash point

Evaporation rate Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available. **Explosive limit - lower (%)** Explosive limit - upper (%) Not available. 0 hPa estimated Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

1.30 g/cm³ Density

Combustible IIIB estimated Flammability class

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

occur.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion

Inhalation Due to lack of data the classification is not possible.

Skin contact Not available

Eye contact Due to lack of data the classification is not possible. Symptoms related to the

physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available.

Material name: SEAL-X XP SDS US Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Due to lack of data the classification is not possible.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible.

Skin sensitization

Due to lack of data the classification is not possible.

Germ cell mutagenicity

Due to lack of data the classification is not possible.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicityDue to lack of data the classification is not possible. **Specific target organ toxicity -**Due to lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to lack of data the classification is not possible.

Specific target organ toxicity - Due to lack of data the classification is repeated exposure

Aspiration hazard Due to lack of data the classification is not possible.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulationsOne or more components are not listed on TSCA.

CERCLA/SARA Hazardous Substances - Not applicable.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Material name: SEAL-X XP SDS US

14876 Version #: 06 Revision date: 07-May-2015 Print date: 07-May-2015

SARA 302 Extremely Nο hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material **US state regulations**

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated. **US. Rhode Island RTK**

Not regulated. **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

O-----

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

No

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Issue date 30-April-2015 **Revision date** 07-May-2015

Version #

NFPA ratings

References

United States & Puerto Rico

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Flammability: 1 Physical hazard: 0

Flammability: 1 Instability: 0

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Material name: SEAL-X XP SDS US 5/6

14876 Version #: 06 Revision date: 07-May-2015 Print date: 07-May-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: SEAL-X XP SDS US