

# SAFETY DATA SHEET

### 1. Identification

**Product identifier ULTRASEAL® XP** Other means of identification Not available. Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

CETCO, an MTI Company Company name **Address** 2870 Forbs Avenue

Hoffman Estates, IL 60192

**United States** 

800 527-9948 **Telephone** General Information

Website http://www.cetco.com/ E-mail safety.data@amcol.com

**Emergency phone number** 

**Americas** 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 Access Code 333562

### 2. Hazard(s) identification

Physical hazards Not classified. Not classified. **Health hazards Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word None

**Hazard statement** The mixture does not meet the criteria for classification.

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** Not applicable.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	0.0002999999
Other components below reportal	hle levels		99 999699999

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** Occupational Exposure Limits for impurities are listed in Section 8.

4. First-aid measures

Inhalation If dust from the material is inhaled, remove the affected person immediately to fresh air. If

symptoms are experienced, remove source of contamination or move victim to fresh air. Call a

physician if symptoms develop or persist.

Skin contact Get medical attention if irritation develops or persists. Wash affected area with mild soap and

water.

Eye contact If irritation persists get medical attention.

Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. For larger amounts, do not induce vomiting, but give one or two glasses of water to drink and get medical

attention.

Material name: ULTRASEAL® XP

5627 Version #: 05 Revision date: 07-May-2015 Print date: 07-May-2015

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Direct contact with eyes may cause temporary irritation.

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon

dioxide (CO2).

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Fire-fighting equipment/instructions As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. In the event of fire, cool tanks with water spray.

Material can be slippery when wet...

Cool containers exposed to flames with water until well after the fire is out. Specific methods

General fire hazards Not a fire hazard. No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. For personal protection, see section 8 of the SDS. Material can be slippery when wet.

Methods and materials for containment and cleaning up

Stop leak if you can do so without risk. Sweep up or gather material and place in appropriate container for disposal. After removal flush contaminated area thoroughly with water. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Following product recovery, flush area with water. For waste disposal, see section

13 of the SDS.

**Environmental precautions** 

Do not contaminate water.

## 7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Wash hands after handling and before eating. Avoid breathing dust. Avoid contact with skin and eyes. Avoid prolonged exposure. Practice good housekeeping. Avoid release to the environment.

Conditions for safe storage. including any incompatibilities

Store in original tightly closed container. Keep containers tightly closed in a cool, well-ventilated place. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this material.

## 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Impurities	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.10	000)		
Impurities	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

Material name: ULTRASEAL® XP 5627 Version #: 05 Revision date: 07-May-2015 Print date: 07-May-2015 **US. ACGIH Threshold Limit Values** Components **Type** Value TRADE SECRET (CAS **STEL** 15 ppm Proprietary) TW/A 10 ppm **US. NIOSH: Pocket Guide to Chemical Hazards** Value Components **Type** TRADE SECRET (CAS Ceiling 15 mg/m3

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Proprietary)

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be

4 ppm

worn

Individual protection measures, such as personal protective equipment

Eye/face protection Use tight fitting goggles if dust is generated.

For prolonged or repeated skin contact use suitable protective gloves. Hand protection

Other Wear appropriate chemical resistant gloves. Normal work clothing (long sleeved shirts and long

pants) is recommended.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits. If airborne concentrations are above the applicable exposure limits,

use NIOSH approved respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this

material.

#### 9. Physical and chemical properties

Fabric/Mat **Appearance** Physical state Solid.

Powder. Roll. Form Color White. None. Odor

Odor threshold Not available. Not available. pН Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

Flash point Not available.

Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Not available. Flammability limit - lower

(%)

Flammability limit - upper Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Not available. Vapor pressure Vapor density Not available. Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available

(n-octanol/water)

Material name: ULTRASEAL® XP 5627 Version #: 05 Revision date: 07-May-2015 Print date: 07-May-2015 Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Density** 0.93 g/cm3 estimated

Percent volatile 0 % estimated Specific gravity 0.93 estimated

### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

None known.

Conditions to avoid None known. Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing

dust surfaces with compressed air).

Incompatible materials

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

**Test Results** 

## 11. Toxicological information

#### Information on likely routes of exposure

**Ingestion** Expected to be a low ingestion hazard.

**Inhalation** Prolonged inhalation may be harmful. Inhalation of dusts may cause respiratory irritation.

**Skin contact** Not available.

**Eye contact** Dust in the eyes will cause irritation.

Species

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

Acute toxicity
Components

Componente	Opooloo	root resoures
TRADE SECRET (CAS Pro	oprietary)	
Acute		
Dermal		
LD50	Rabbit	2320 mg/kg
Inhalation		
LC50	Guinea pig	6215 ppm, 4 Hours
	Mouse	1550 ppm, 4 Hours
	Rabbit	2500 ppm, 4 Hours
	Rat	3680 ppm, 4 Hours
		11.4 mg/l/4h
Oral		
LD50	Mouse	1613 mg/kg
	Rat	2920 mg/kg
Other		
LD50	Mouse	595 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Dust in the eyes will cause irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization No skin irritation

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Possible cancer hazard - may cause cancer based on animal data.

Material name: ULTRASEAL® XP

#### IARC Monographs. Overall Evaluation of Carcinogenicity

TRADE SECRET (CAS Proprietary) 2B Possibly carcinogenic to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not available Aspiration hazard

**Chronic effects** Prolonged inhalation may be harmful. Overexposure to dusts may result in pneumoconiosis, a lung

disease due to permanent deposition of substantial amounts of particulate matter in the lungs.

# 12. Ecological information

Components of this product are hazardous to aquatic life. This material is not expected to be **Ecotoxicity** 

harmful to aquatic life.

Components		Species	Test Results
TRADE SECRET (CA	AS Proprietary)		
Fish	LC50	Fish	31 mg/L, 96 Hours
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	15.04 - 21.54 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability Not inherently biodegradable.

Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

TRADE SECRET 0.73

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

Not regulated as dangerous goods.

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly **US federal regulations** 

Hazardous Process Safety Standard, 29 CFR 1910.119.

All components are on the U.S. EPA TSCA Inventory List.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

TRADE SECRET (CAS Proprietary)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Material name: ULTRASEAL® XP SDS US

#### US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

TRADE SECRET (CAS Proprietary) 5000 LBS

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories** 

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

TRADE SECRET (CAS Proprietary)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

TRADE SECRET (CAS Proprietary)

Safe Drinking Water Act

(SDWA)

Not regulated.

WARNING: This product contains a chemical known to the State of California to cause cancer. **US state regulations** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### US - Pennsylvania RTK - Hazardous Substances: Listed substance

TRADE SECRET (CAS Proprietary)

# US. Massachusetts RTK - Substance List

TRADE SECRET (CAS Proprietary)

## **US. New Jersey Worker and Community Right-to-Know Act**

TRADE SECRET (CAS Proprietary) 500 LBS

Inventory name

**US. Rhode Island RTK** 

TRADE SECRET (CAS Proprietary)

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

## 16. Other information, including date of preparation or last revision

Issue date 04-August-2014 **Revision date** 07-May-2015

Version # 05

**Further information** This safety datasheet only contains information relating to safety and does not replace any product

information or product specification. HMIS® is a registered trade and service mark of the NPCA.

5627 Version #: 05 Revision date: 07-May-2015 Print date: 07-May-2015

On inventory (yes/no)\*

HMIS® ratings

Health: 1 Flammability: 0 Physical hazard: 0

**NFPA** ratings

Health: 1 Flammability: 0 Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: ULTRASEAL® XP
5627 Version #: 05 Revision date: 07-May-2015 Print date: 07-May-2015