

SAFETY DATA SHEET

1. Identification

Product identifier VOLCLAY® CP-200

Other means of identification Not available.

BENTONITE * SMECTITE CLAY Synonym(s)

Recommended use Not available.

Workers (and your customers or users in the case of resale) should be informed of the potential Recommended restrictions

presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name **CETCO**

2870 Forbs Avenue Address

Hoffman Estates, IL 60192

United States

800 527-9948 **Telephone** General Information

Website http://www.cetco.com/LT/ E-mail safetydata@amcol.com

Emergency phone number

1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 **Americas**

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word None.

The substance does not meet the criteria for classification. **Hazard statement**

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	<u></u> %
Bentonite	BENTONITE SMECTITE CLAY	1302-78-9	100

Constituents

Composition comments

Chemical name CAS number %

QUARTZ 14808-60-7

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Bentonite contains naturally occurring crystalline silica (not listed in Annex I of Directive 67/548/EEC) in quantities less than 6%. Occupational Exposure Limits for constituents are listed in

Section 8. Occupational Exposure Limits for impurities are listed in Section 8.

Material name: VOLCLAY® CP-200 SDS US

4. First-aid measures

Inhalation Remove to fresh air. If dust from the material is inhaled, remove the affected person immediately

to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get

medical attention, if needed.

Skin contact Get medical attention if irritation develops or persists. No special measures required.

Eye contact Flush eyes immediately with large amounts of water. If irritation persists get medical attention.

Direct contact with eyes may cause temporary irritation.

Ingestion If ingestion of a large amount does occur, seek medical attention. No special measures required.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2). Use any media suitable for the surrounding fires.

Unsuitable extinguishing

media

None known

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

6. Accidental release measures

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Material can be slippery when wet. In the event of fire, cool tanks with water spray. Material can be slippery when wet.

Fire-fighting equipment/instructions

Specific methods

Cool containers exposed to flames with water until well after the fire is out. No unusual fire or explosion hazards noted. This material will not burn.

General fire hazards

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Material can be slippery when wet. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Avoid inhalation of dust from the spilled material. For personal protection, see section 8 of the SDS. Material can be slippery when wet.

Methods and materials for containment and cleaning up This product is miscible in water. Collect dust or particulates using a vacuum cleaner with a HEPA filter. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Reduce airborne dust and prevent scattering by moistening with water.

Environmental precautions

No special environmental precautions required.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities

No special restrictions on storage with other products. Store in original tightly closed container. Store in a well-ventilated place. No special storage conditions required. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this material.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	PEL	5 mg/m3	Respirable fraction.
(0,10 020200)		15 mg/m3	Total dust.

Material name: VOLCLAY® CP-200 5074 Version #: 03 Revision date: 15-April-2014 Print date: 15-April-2014 US. OSHA Table Z-3 (29 CFR 1910.1000)

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 millions of particle	Total dust.
		15 millions of particle	Respirable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
•		0.1 mg/m3	Respirable.
		2.4 millions of particle	Respirable.
US. ACGIH Threshold Limit Valu	ies	·	
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable particles.
,		10 mg/m3	Inhalable particles.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Constituents	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica **Exposure guidelines**

should be monitored and controlled.

Appropriate engineering

controls

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear dust goggles. Use tight fitting goggles if dust is generated. Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Other No special protective equipment required.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this

material. Eye wash fountain is recommended.

9. Physical and chemical properties

Appearance

Solid. Physical state

Powder. Granular. **Form**

Various. Color None. Odor

Odor threshold Not available.

9 In presence of water, forms translucent suspension with pH approx. 9.0 pН

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Non-flammable **Evaporation rate** Not available.

Material name: VOLCLAY® CP-200

SDS US 5074 Version #: 03 Revision date: 15-April-2014 Print date: 15-April-2014

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Non-explosive

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure0 kPa at 25 °CVapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Negligible
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Bulk density 65 lb/ft3

Molecular formula UNKNOWN

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid None known. Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing

dust surfaces with compressed air).

Incompatible materials None known.

Hazardous decomposition None known.

products

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation Inhalation of dusts may cause respiratory irritation.

Skin contact Not available.

Eye contact Dust in the eyes will cause irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Toxicological data

Constituents Species Test Results

QUARTZ (CAS 14808-60-7)

Acute Oral

LD50 Rat 500 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Skill corrosion/irritation Froilinged skill contact may cause temporary irritation.

Serious eye damage/eye
In the eyes will cause irritation. Mild irritant to eyes (according to the modified Kay & Calandra criteria) Mild irritant to eyes (according to the modified Kay & Calandra criteria)

Respiratory or skin sensitization

Respiratory sensitization Not available.

Material name: VOLCLAY® CP-200
5074 Version #: 03 Revision date: 15-April-2014 Print date: 15-April-2014

^{*} Estimates for product may be based on additional component data not shown.

Skin sensitization According to the classification criteria of the European Union, the product is not considered as

being a skin irritant.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded

that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art,

worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable

crystalline silica should be monitored and controlled.

IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure

Not available.

Aspiration hazard Not a Chronic effects In 19

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)

According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

12. Ecological information

Ecotoxicity

The product is not expected to be hazardous to the environment. This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Product		Species	Test Results	
Bentonite (CAS 1302-78-9)				
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	19000 mg/l, 96 hours	

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in

accordance with all applicable regulations. Material should be recycled if possible.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: VOLCLAY® CP-200

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not available.

the IBC Code

15. Regulatory information

US federal regulations

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly

Hazardous Process Safety Standard, 29 CFR 1910.119.

CERCLA Hazardous Substance List (40 CFR 302.4)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

Nο

hazardous substance

Nο

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Total food additive Food and Drug Direct food additive Administration (FDA)

GRAS food additive

WARNING: This product contains a chemical known to the State of California to cause cancer. US state regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

QUARTZ (CAS 14808-60-7)

US. Massachusetts RTK - Substance List

QUARTZ (CAS 14808-60-7)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

Material name: VOLCLAY® CP-200 SDS US

International Inventories

Country(s) or region

oountry(o) or region	inventory name	On mironiony (yourno)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Inventory name

Yes

On inventory (yes/no)*

16. Other information, including date of preparation or last revision

Issue date15-April-2014Revision date15-April-2014

Version # 03

Further information This safety datasheet only contains information relating to safety and does not replace any product

information or product specification.

NFPA ratings

0

1 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.

Revision Information

Composition / Information on Ingredients: Ingredients

Material name: VOLCLAY® CP-200

5074 Version #: 03 Revision date: 15-April-2014 Print date: 15-April-2014

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).