

SAFETY DATA SHEET

1. Identification

Product identifier	VOLCLAY® SG-40
Other means of identification	Not available.
Synonym(s)	BENTONITE * SMECTITE CLAY
Recommended use	Not available.
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer		
Company name	CETCO	
Address	2870 Forbs Avenue	
	Hoffman Estates, IL 60192	
	United States	
Telephone	General Information	800 527-9948
Website	http://www.cetco.com/LT/	
E-mail	safetydata@amcol.com	
Emergency phone number		
Americas	1.866.519.4752 (US, Canada,	Mexico) 1 760 476 3962

2. Hazard(s) identification

. ,		
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The substance does not meet the criteria for classification.	
Prevention	Observe good industrial hygiene practices.	
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	Not applicable.	

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Bentonite	BENTONITE SMECTITE CLAY	1302-78-9	100
Constituents			
Chemical name		CAS number	%
QUARTZ		14808-60-7	
Designatos that a specific sh	amigal identity and/or paraantage of composition has b	oon withhold on a trada on	orot

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

Bentonite contains naturally occurring crystalline silica (not listed in Annex I of Directive 67/548/EEC) in quantities less than 6%. Occupational Exposure Limits for constituents are listed in Section 8. Occupational Exposure Limits for impurities are listed in Section 8.

4. First-aid measures

4. First-aid measures	
Inhalation	Remove to fresh air. If dust from the material is inhaled, remove the affected person immediately to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get medical attention, if needed.
Skin contact	Get medical attention if irritation develops or persists. No special measures required.
Eye contact	Flush eyes immediately with large amounts of water. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention. No special measures required.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
5. Fire-fighting measures Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2). Use any media suitable for the surrounding fires.
•••	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon
Suitable extinguishing media Unsuitable extinguishing	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2). Use any media suitable for the surrounding fires.
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2). Use any media suitable for the surrounding fires.None known.During fire, gases hazardous to health may be formed.As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2). Use any media suitable for the surrounding fires.None known.During fire, gases hazardous to health may be formed.As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire-fighting	 Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2). Use any media suitable for the surrounding fires. None known. During fire, gases hazardous to health may be formed. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Material can be slippery when wet.
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire-fighting equipment/instructions	 Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2). Use any media suitable for the surrounding fires. None known. During fire, gases hazardous to health may be formed. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Material can be slippery when wet. In the event of fire, cool tanks with water spray. Material can be slippery when wet.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Material can be slippery when wet. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Avoid inhalation of dust from the spilled material. For personal protection, see section 8 of the SDS. Material can be slippery when wet.	
Methods and materials for containment and cleaning up	This product is miscible in water. Collect dust or particulates using a vacuum cleaner with a HEP filter. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generatia and accumulation. Avoid the generation of dusts during clean-up. Following product recovery, flu area with water. For waste disposal, see section 13 of the SDS. Reduce airborne dust and prevention of the section of the section for the	
Environmental precautions	No special environmental precautions required.	
7. Handling and storage		
Precautions for safe handling	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Practice good housekeeping.	
Conditions for safe storage, including any incompatibilities	No special restrictions on storage with other products. Store in original tightly closed container. Store in a well-ventilated place. No special storage conditions required. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this	

8. Exposure controls/personal protection

Occupational exposure limits

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

material.

US. OSHA Table Z-3 (29 CFR 1910.1000) Constituents

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	5 mg/m3	Respirable fraction.
(15 mg/m3	Total dust.
		50 millions of particle	Total dust.
		15 millions of particle	Respirable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 millions of particle	Respirable.
US. ACGIH Threshold Limi Constituents	it Values Type	Value	Form
		0 m m /m 0	Deenirable nertiales
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable particles.
, , , , , , , , , , , , , , , , , , ,		10 mg/m3	Inhalable particles.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide t Constituents	to Chemical Hazards Type	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted for the	he ingredient(s).	
bosure guidelines	Occupational exposure to nuisance dus should be monitored and controlled.	t (total and respirable) and re-	spirable crystalline silica
propriate engineering htrols	Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn.		
ividual protection measures	s, such as personal protective equipmen	t	
Eye/face protection	Wear dust goggles. Use tight fitting gog	gles if dust is generated.	
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.		
Other	No special protective equipment required.		
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.		
Thermal hazards	Wear appropriate thermal protective clo	thing, when necessary.	
	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this material. Eye wash fountain is recommended.		

,	•
Appearance	
Physical state	Solid.
Form	Powder. Granular.
Color	Various.
Odor	None.
Odor threshold	Not available.
рН	9 In presence of water, forms translucent suspension with pH approx. 9.0
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Non-flammable
Evaporation rate	Not available.

Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Non-explosive
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0 kPa at 25 °C
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	65 lb/ft3
Molecular formula	UNKNOWN
10. Stability and reactivity	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	None known. Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Incompatible materials	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on likely routes of exposure

information on likely routes of (exposure		
Ingestion	Expected to be a low ingestion hazard.		
Inhalation	Inhalation of dusts may cause respiratory irritation.		
Skin contact	Not available.		
Eye contact	Dust in the eyes will cause irritation.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.		
Information on toxicological eff	ects		
Acute toxicity			
Toxicological data			
Constituents	Species	Test Results	
QUARTZ (CAS 14808-60-7)			
Acute			
Oral			
LD50	Rat	500 mg/kg	
* Estimates for product may I	be based on additional component data not shown.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Dust in the eyes will cause irritation. Mild irritant to eyes (according to the modified Kay & Calandra criteria) Mild irritant to eyes (according to the modified Kay & Calandra criteria)		
Respiratory or skin sensitizatio	n		
Respiratory or skin sensitizatio Respiratory sensitization	n Not available.		

Skin sensitization	According to the classification criteria of the European Union, the product is not considered as
Skin sensitization	being a skin irritant.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.
IARC Monographs. Overall I	Evaluation of Carcinogenicity
QUARTZ (CAS 14808-60	
	ogram (NTP) Report on Carcinogens
QUARTZ (CAS 14808-60	· · · · · · · · · · · · · · · · · · ·
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)
	In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003)
	According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

12. Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment. This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Product		Species	Test Results	
Bentonite (CAS 1302-78-9)				
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	19000 mg/l, 96 hours	
* Estimates for product may I	be based on add	litional component data not shown.		
Persistence and degradability	No data is av	No data is available on the degradability of this product.		
Bioaccumulative potential	No data avail	No data available.		
Mobility in soil	No data avail	able.		
Other adverse effects		erse environmental effects (e.g. ozone dep locrine disruption, global warming potentia		
13. Disposal consideratio	ons			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. Material should be recycled if possible.			
Local disposal regulations	Dispose in ac	cordance with all applicable regulations.		
Hazardous waste code	The waste co disposal com	de should be assigned in discussion betwo pany.	een the user, the producer and the waste	

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
14 Transport information	
14. Transport information	
DOT	
Not regulated as dangerous g	oods.
ΙΑΤΑ	
Not regulated as dangerous g	oods.
IMDG	
Not regulated as dangerous g	oods.
Transport in bulk according to	Not available.
Annex II of MARPOL 73/78 and the IBC Code	
15. Regulatory information	ı
US federal regulations	OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly
C C	Hazardous Process Safety Standard, 29 CFR 1910.119.
CERCLA Hazardous Substa	nce List (40 CFR 302.4)
Not listed.	
	lated Substances (29 CFR 1910.1001-1050)
Not listed.	
Superfund Amendments and Re	authorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - No
	Delayed Hazard - No Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No
SARA 302 Extremely	No
hazardous substance	
SARA 311/312 Hazardous	No
chemical	
SARA 313 (TRI reporting) Not regulated.	
C C	
Other federal regulations	
	112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
	112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug	Total food additive
Administration (FDA)	Direct food additive
	GRAS food additive
US state regulations	WARNING: This product contains a chemical known to the State of California to cause cancer.
US - Pennsylvania RTK	- Hazardous Substances: Listed substance
QUARTZ (CAS 1480	
US. Massachusetts RTK	C - Substance List
QUARTZ (CAS 1480	
US. New Jersey Worker	and Community Right-to-Know Act
Not regulated.	
US. Rhode Island RTK	
Not regulated.	
US. California Proposition 6	
	Vater and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain
any chemicals currently li	sted as carcinogens or reproductive toxins.
US - California Proposit	ion 65 - CRT: Listed date/Carcinogenic substance
QUARTZ (CAS 1480	8-60-7) Listed: October 1, 1988

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	15-April-2014
Revision date	15-April-2014
Version #	03
Further information	This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

NFPA	ratings
------	---------

	0	
1		0

Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.
	Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.
Revision Information	Composition / Information on Ingredients: Ingredients