



1. Identification

Product identifier Other means of identification	SORBOND® LPC II None.	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	Distributor information	
Manufacturer		
Company name	CETCO Oilfield Services Company an MTI Company	
Address	2870 Forbs Avenue	
	Hoffman Estates, IL 60192	
	United States	
Telephone	General Information 800 527-9948	
Website	http://www.cetcooilfieldservices.com/	
E-mail	safetydata@mineralstech.com	
Emergency phone number	Emergency 1.866.519.4752/1 760 476 3962	
Americas	1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 Access Code 333562	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	74% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 74% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	74
CALCIUM HYDROXIDE		1305-62-0	25
SODIUM SILICATE		1344-09-8	1
	al identity and/or paraantage of composition be		-
Composition comments	al identity and/or percentage of composition ha Occupational Exposure Limits for constituents		iei.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist.	
Skin contact	Take off immediately all contaminated clothin poison control center immediately. Chemical contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water fo present and easy to do. Continue rinsing. Cal		
Ingestion	Call a physician or poison control center immoving occurs, keep head low so that stoma		
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin dama include stinging, tearing, redness, swelling, an blindness could result. Coughing.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre immediately. While flushing, remove clothes wambulance. Continue flushing during transport Symptoms may be delayed.	which do not adhere to affected	area. Call an
General information	Ensure that medical personnel are aware of the protect themselves.	he material(s) involved, and tak	e precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be worn	in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers		
Specific methods	Use standard firefighting procedures and con	sider the hazards of other invol	ved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	Sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing or spilled material unless wearing appropriate Local authorities should be advised if significa protection, see section 8 of the SDS.	g during clean-up. Do not touch protective clothing. Ensure ad	damaged containers equate ventilation.
Methods and materials for	Prevent product from entering drains.		
containment and cleaning up	Large Spills: Stop the flow of material, if this is possible. Absorb in vermiculite, dry sand or exrecovery, flush area with water.		
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean surfa	ace thoroughly to

Environmental precautions Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits Components	s for Air Contaminants (29 CFR 1910.1000) Type	Value	Form
CALCIUM HYDROXIDE (CAS 1305-62-0)	PEL	5 mg/m3	Respirable fraction.
TRADE SECRET	PEL	15 mg/m3 5 mg/m3	Total dust. Respirable fraction.
US. OSHA Table Z-3 (29 CF	ER 1910 1000)	15 mg/m3	Total dust.
Components	Туре	Value	
TRADE SECRET	TWA	50 mppcf	
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limi Components	it Values Type	Value	Form
CALCIUM HYDROXIDE (CAS 1305-62-0)	TWA	5 mg/m3	
TRADE SECRET	TWA	1 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide			_
Components	Туре	Value	Form
	TWA	5 mg/m3	
(CAS 1305-62-0) TRADE SECRET	TWA	5 mg/m3 10 mg/m3	Respirable. Total
logical limit values	No biological exposure limits noted for the ing	U U	
propriate engineering trols	Good general ventilation (typically 10 air char should be matched to conditions. If applicable or other engineering controls to maintain airb exposure limits have not been established, m wash facilities and emergency shower must b	nges per hour) should e, use process enclos orne levels below reco naintain airborne levels	ures, local exhaust ventilatic ommended exposure limits. s to an acceptable level. Eye
•	s, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or gog	gles) and a face shiel	d.
Skin protection Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitab		ent.
Thermal hazards	Wear appropriate thermal protective clothing		
Always observe good personal hygiene measures, such as washing after handling the r and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			

9. Physical and chemical properties

9. Physical and chemical	properties
Appearance	Powder.
Physical state	Solid.
Form	Solid.
Color	Light grey.
Odor	Not available.
Odor threshold	Not available.
рН	11 - 12
Melting point/freezing point	1076 °F (580 °C) estimated
Initial boiling point and boiling range	5162 °F (2850 °C) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	2.24 g/cm3 estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	0 % estimated
Specific gravity	2.24 estimated
VOC	CARB
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and the
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.

	Contact with meenpatible materials.
Incompatible materials	Maleic anhydride. Nitroethane. Nitromethane. Nitroparaffins. Nitropropane. Phosphorus.
Hazardous decomposition	No hazardous decomposition products are known.
products	

11. Toxicological information

Information on likely routes of exposure

```
Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
```

transport.

Skin contact	Causes severe skin burns.	
Eye contact	Causes serious eye damage.	
Ingestion	Causes digestive tract burns.	
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Coughing.	
Information on toxicological effects		
A outo toxicity		

Acute toxicity			
Product	Species	Test Results	
SORBOND® LPC II			
Acute			
Oral	_		
LD50	Rat	2000 mg/kg	
Components	Species	Test Results	
CALCIUM HYDROXIDE (CAS 13	305-62-0)		
<u>Acute</u>			
Oral LD50	Rat	7340 mg/kg	
SODIUM SILICATE (CAS 1344-0		7 340 mg/kg	
Acute	J 3 -0)		
Dermal			
LD50	Rabbit	4640.0001 mg/kg	
Oral			
LD50	Rat	1153 mg/kg	
		1.1 g/kg	
Skin corrosion/irritation	Causes severe skin burns and eye damage.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitization	on		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to huma	ans.	
IARC Monographs. Overal	I Evaluation of Carcinogenicity		
Not listed. OSHA Specifically Regulat	ed Substances (29 CFR 1910.1001-1052)		
Not regulated. US. National Toxicology P	rogram (NTP) Report on Carcinogens		
Not listed.			
Reproductive toxicity	This product is not expected to cause reprod	luctive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information	'n		
Ecotoxicity	Harmful to aquatic life with long lasting effec	ts.	

Components		Species	Test Results
CALCIUM HYDROXIDE (CA	S 1305-62-0)		
Aquatic			
Fish	LC50	Fish	160 mg/L, 96 Hours
		Zambezi barbel (Clarias gariepinus)	33.8844 mg/l, 96 hours
SODIUM SILICATE (CAS 13	844-09-8)		
Aquatic	·		
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.28 - 0.57 mg/l, 48 hours
Fish	LC50	Fish	389.5 mg/L, 96 Hours
Persistence and degradability	stence and degradability No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data avai	able.	
Mobility in soil	No data avai	able.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons		
Disposal instructions	this material with chemica	eclaim or dispose in sealed containers at li to drain into sewers/water supplies. Do not I or used container. Dispose of contents/co /national/international regulations.	contaminate ponds, waterways or ditches
Local disposal regulations	Dispose in ad	ccordance with all applicable regulations.	
Hazardous waste code	The waste co disposal com	de should be assigned in discussion betw pany.	een the user, the producer and the waste
Waste from residues / unused products		accordance with local regulations. Empty ues. This material and its container must b ructions).	
Contaminated packaging		d containers may retain product residue, for oty containers should be taken to an appro	ollow label warnings even after container is ved waste handling site for recycling or
14. Transport information	า		
DOT			
Not regulated as dangerous	goods.		
ΙΑΤΑ			
Not regulated as dangerous	goods.		

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance Not listed.

SARA 311/312 Hazardous No (Exempt) chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA) US state regulations

California Proposition 65

WARNING: California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	27-February-2015
Revision date	13-April-2018
Version #	04
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. CETCO Oilfield Services Company an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.