

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 9/11/2012 Revision date: 2/13/2023 Supersedes: 6/7/2018 Version: 4.0

SECTION 1: Identification	
1.1. Identification	
Product form Product name Product code Other means of identification	 Mixture DOLOMITIC LIMESTONE C-MS-AT-2011CANCCA CCA LIMESTONE, FCA LIMESTONE, MS-4, 1 Inch STONE MARBLEMIX® - COARSE, MARBLEMIX® - PLUS, MARBLEMIX® - ULTRA DF 1000, DF 2000, DF 3015, DF 4070, DF 5025, DF 5020, DOLOCRON® 4013, DOLOCRON® 4512,DOLOFIL® 2055, DOLOFIL® 4085, GS 1000, GS 2000, GS 2005, RF-2050
1.2. Recommended use and restrictions	on use
Recommended use Restrictions on use	: Mineral additive : Anything other than the above
1.3. Supplier	
Specialty Minerals Inc. 30 Daisy Hill Road Canaan, CT 06018 U.S.A.	
1.4. Emergency telephone number	
Emergency number	 +1-760-476-3962 3E Global Emergency Response Services. Access code: 333336 (if you mention SDS name and company name-you don't need the access code)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	nixture
GHS US classification	
Carcinogenicity, Category 1A Specific target organ toxicity – Single exposure, 6 Full text of H-statements: see section 16	H350May cause cancer (Inhalation).Category 1H370Causes damage to organs (lungs) (Inhalation).
2.2. GHS Label elements, including prec	autionary statements
GHS US labelling	
Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 Danger H350 - May cause cancer (Inhalation). H370 - Causes damage to organs (lungs) (Inhalation). P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust.
P280 - Wear protective gloves, protective clothing, eye protection, face protection. P308+P313 - If exposed or concerned: Get medical advice/attention.	

P405 - Store locked up.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in (classification
Other hazards which do not result in classification	: Dust may cause mechanical irritation of the eyes, skin and upper respiratory tract. Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica.

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Dolomite	CAS-No.: 16389-88-1	≥ 80	Not classified
Tremolite (non-asbestos)	CAS-No.: 14567-73-8	0.1 - 1	Not classified
Quartz	CAS-No.: 14808-60-7	-	Carc. 1A, H350 STOT SE 1, H370 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If symptoms develop obtain medical attention.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If symptoms develop, obtain medical attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain medical attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Give 100 - 200 ml of water to drink. If symptoms develop, obtain medical attention.
4.2. Most important symptoms and effect	ts (acute and delayed)
Potential adverse human health effects and symptoms Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Chronic symptoms	 Dust may cause mechanical irritation of the eyes, skin and upper respiratory tract. May cause cancer (if inhaled). Causes damage to organs (lungs) (if inhaled). May cause irritation to the respiratory tract. Repeated and/or prolonged skin contact may cause irritation. May cause eye irritation. May cause cancer (if inhaled).

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	media
5 5	 Use extinguishing media appropriate for surrounding fire. Do not use a water jet since it may cause the fire to spread.
5.2. Specific hazards arising from the chemi	cal
	 None known. Thermal decomposition generates : Calcium oxide.
5.3. Special protective equipment and preca	utions for fire-fighters
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective e	equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Protective equipment	: Use personal protective equipment as required.	
Emergency procedures	: Evacuate unnecessary personnel. Avoid dust formation. Avoid contact with skin, eyes and clothing. Do not breathe dust.	
6.1.2. For emergency responders		
Protective equipment	: Wear suitable protective clothing, gloves and eye or face protection. Where excessive dust may result, wear approved mask.	
Emergency procedures	: Ensure adequate ventilation. Avoid dust formation. Do not breathe dust. Wear independent breathing equipment. Avoid contact with skin and eyes.	

6.2. Environmental precautions

Notify authorities if large amounts of the product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up	
0.1	Collect using vacuum cleaner fitted with HEPA filter. Sweep or shovel spills into appropriate container for disposal. Minimise generation of dust. Do not dry sweep dust. Store away from other materials.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Provide appropriate exhaust ventilation at places where dust is formed. Avoid dust formation. Do not breathe dust. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	 Keep container closed when not in use. Keep only in the original container in a cool well ventilated place. Agida
Incompatible materials	: Acids.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Quartz (14808-60-7) USA - ACGIH - Occupational Exposure Limits Local name Silica crystaline - quartz ACGIH TWA (mg/m³) 0.025 mg/m³ (R - Respirable particulate matter) Remark (ACGIH) TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinog Regulatory reference ACGIH 2022 ACGIH 2022 USA - OSHA - Occupational Exposure Limits Uartz (Respirable) (Silica: Crystalline) Local name Quartz (Respirable) (Silica: Crystalline) OSHA PEL (TWA) (mg/m³) 0.05 mg/m³ [Action level: 0.025 mg/m³] Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 8.2. Appropriate engineering controls : Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
Local name Silica crystaline - quartz ACGIH TWA (mg/m³) 0.025 mg/m³ (R - Respirable particulate matter) Remark (ACGIH) TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinog Regulatory reference ACGIH 2022 USA - Ostha - Occupational Exposure Limits Uartz (Respirable) (Silica: Crystalline) Local name Quartz (Respirable) (Silica: Crystalline) OSHA PEL (TWA) (mg/m³) 0.05 mg/m³ [Action level: 0.025 mg/m³] Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and ((%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 8.2. Appropriate engineering controls : Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
ACGIH TWA (mg/m³) 0.025 mg/m³ (R - Respirable particulate matter) Remark (ACGIH) TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinog Regulatory reference ACGIH 2022 USA - OSHA - Occupational Exposure Limits Quartz (Respirable) (Silica: Crystalline) Local name Quartz (Respirable) (Silica: Crystalline) OSHA PEL (TWA) (mg/m³) 0.05 mg/m³ [Action level: 0.025 mg/m³] Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppof and (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 82. Appropriate engineering controls Provide adequate ventilation, including appropriate local extraction, to ensure that oc exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment Avoid release to the environment.		
Remark (ACGIH) TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinog Regulatory reference ACGIH 2022 USA - OSHA - Occupational Exposure Limits Local name Local name Quartz (Respirable) (Silica: Crystalline) OSHA PEL (TWA) (mg/m³) 0.05 mg/m³ [Action level: 0.025 mg/m³] Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 8.2. Appropriate engineering controls : Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment	Silica crystaline - quartz	
Regulatory reference ACGIH 2022 USA - OSHA - Occupational Exposure Limits Local name Quartz (Respirable) (Silica: Crystalline) OSHA PEL (TWA) (mg/m³) 0.05 mg/m³ [Action level: 0.025 mg/m³] Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 8.2. Appropriate engineering controls : Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
USA - OSHA - Occupational Exposure Limits Local name Quartz (Respirable) (Silica: Crystalline) OSHA PEL (TWA) (mg/m³) 0.05 mg/m³ [Action level: 0.025 mg/m³] Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 8.2. Appropriate engineering controls : Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment	en)	
Local name Quartz (Respirable) (Silica: Crystalline) OSHA PEL (TWA) (mg/m³) 0.05 mg/m³ [Action level: 0.025 mg/m³] Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 8.2. Appropriate engineering controls Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
OSHA PEL (TWA) (mg/m ³) 0.05 mg/m ³ [Action level: 0.025 mg/m ³] Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 8.2. Appropriate engineering controls Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and ((%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 8.2. Appropriate engineering controls OSHA Annotated Table Z-3 Mineral Dusts Appropriate engineering controls : Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
(%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) OSHA Annotated Table Z-3 Mineral Dusts 8.2. Appropriate engineering controls Frovide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places or is formed. Environmental exposure controls Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
8.2. Appropriate engineering controls Appropriate engineering controls : Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment	10 mg/m3 /	
Appropriate engineering controls : Provide adequate ventilation, including appropriate local extraction, to ensure that or exposure limits are not exceeded. Provide appropriate exhaust ventilation at places is formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
exposure limits are not exceeded. Provide appropriate exhaust ventilation at places vis formed. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment		
8.3. Individual protection measures/Personal protective equipment	•	
Personal protective equipment: Avoid all unnecessary exposure.		
Hand protection:		
Wear chemically resistant protective gloves.		
Eye protection:		
Chemical goggles or safety glasses		
Skin and body protection:		

Long-sleeved protective clothing

Respiratory protection:

Dust mask or respirator

Thermal hazard protection:

Not required for normal conditions of use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic ph	ysical and chemical properties	
Physical state Appearance	: Solid : Powder.	
Colour	: White	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odour	: Odourless
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 2.71 (Water = 1)
Solubility	: Water: Partially soluble
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Not oxidising.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
Reacts in contact with: Acids.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Can react violently with. acids.
10.4. Conditions to avoid
Heat.
10.5. Incompatible materials
Acids.
10.6. Hazardous decomposition products
Thermal decomposition generates : Calcium oxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) Skin corrosion/irritation	 Not classified Not classified Not classified Not classified 	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation Respiratory or skin sensitisation	: Not classified : Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer (Inhalation).
Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Causes damage to organs (lungs) (Inhalation).
Quartz (14808-60-7)	
STOT-single exposure	Causes damage to organs (lungs) (Inhalation). May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential adverse human health effects and	: Dust may cause mechanical irritation of the eyes, skin and upper respiratory tract. May cause
symptoms	cancer (if inhaled). Causes damage to organs (lungs) (if inhaled).
Symptoms/effects after inhalation Symptoms/effects after skin contact	 May cause irritation to the respiratory tract. Repeated and/or prolonged skin contact may cause irritation.
Symptoms/effects after eye contact	: May cause eye irritation.
Chronic symptoms	: May cause eye initiation. : May cause cancer (if inhaled).

SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.			
12.2. Persistence and degradability				
No additional information available				
12.3. Bioaccumulative potential				
DOLOMITIC LIMESTONE				
Bioaccumulative potential	No bioaccumulation.			
12.4. Mobility in soil				
No additional information available				
12.5. Other adverse effects				
No additional information available				

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.		

SECTION 14: Transport information	
In accordance with DOT / TDG / IMDG / IATA	

2/13/2023 (Revision date)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.1. UN number		
Not regulated for transport		
14.2. UN proper shipping name		
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Not applicable Not regulated for transport Not applicable Not applicable 	
14.3. Transport hazard class(es)		
DOT Transport hazard class(es) (DOT)	: Not applicable	
TDG Transport hazard class(es) (TDG)	: Not applicable	
IMDG Transport hazard class(es) (IMDG)	: Not applicable	
IATA Transport hazard class(es) (IATA)	: Not applicable	
14.4. Packing group		
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	 Not applicable Not applicable Not applicable Not applicable 	
14.5. Environmental hazards		
Other information	: No supplementary information available.	
14.6. Special precautions for user		
DOT No data available		
TDG No data available		
IMDG No data available		
IATA No data available		
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Not applicable		
SECTION 15: Regulatory information		
15.1. US Federal regulations		

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	CAS-No.	Listing	Commercial status	Flags
Dolomite	16389-88-1	Present	Active	
Tremolite (non-asbestos)	14567-73-8	Not present	-	
Quartz	14808-60-7	Present	Active	

15.2. International regulations

CANADA

Dolomite (16389-88-1)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Tremolite	(non-asbestos)) ((14567-73-8)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

DOLOMITIC LIMESTONE

Determined as "Generally Recognized As Safe" (GRAS) by FDA - see 21 CFR 184.1409 All naturally occuring components of this product are automatically included in the USEPA TSCA inventory list per 4- CFR 710.4 (b). All other components are on the USEPA TSCA inventory list

	Quartz (14808-60-7)
- I	

Listed on IARC (International Agency for Research on Cancer) Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

	This product can expose you to , which is known to the State of California to cause cancer. For more information go to
WARNING:	www.P65Warnings.ca.gov.

Component	State or local regulations
	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 2/13/2023

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources

: U.S. 29CFR Part 1910

ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization

EU Directive 91/322/EEC and 2000/39/EC

NTP 11th Report on Carcinogens. US OSHA HazCom (GHS) 25 May 2012.

Full text of H-phrases	
H335	May cause respiratory irritation.
H350	May cause cancer.
H370	Causes damage to organs.

Abbreviations and acronyms					
	ACGIH (American Conference of Government Industrial Hygienists)				
	CAS (Chemical Abstracts Service) number				
	DOT (Department Of Transportation (US))				
	IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods Code) IMO (International Maritime Organisation)				
	OSHA (Occupational Safety and Health Administration) (US)				
	TLV (Threshold Limit Value) (ACGIH)				
	TSCA (Toxic Substances Control Act) (US)				
	TWA (Time Weighted Average)				
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)				
NFPA health hazar	permanent injury. : 0 - Materials that will not burn under typical fire conditions, including				
NFPA reactivity	 intrinsically noncombustible materials such as concrete, stone, and sand. 0 - Material that in themselves are normally stable, even under fire conditions. 				
Hazard Rating Health	: * Chronic Hazard - Chronic (long-term) health effects may result from repeated overexposure,4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures				

Personal protection

Flammability

Physical

Indication of changes:					
Section	Changed item	Change	Comments		
1	Identification	Modified	No additional information available		

: E - Safety glasses, Gloves, Dust respirator

: 0 Minimal Hazard - Materials that will not burn

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2	Hazards identification	Modified	No additional information available
4	First aid measures	Modified	No additional information available
5	Fire fighting measures	Modified	No additional information available
7	Handling and storage	Modified	No additional information available
11	Toxicological information	Modified	No additional information available
16	Other information	Modified	No additional information available

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.