

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/11/2012 Revision date: 4/26/2022 Supersedes: 7/6/2021 Version: 2.2

SECTION 1: Identification	
1.1. Identification	
Product form Substance name Chemical name CAS-No. Product code Other means of identification	 Substance Precipitated Calcium Carbonate Calcium carbonate 471-34-1 C-MS-AT2050VICALITYSPCC ViCALity ALBAFIL®, ViCALity ALBAGLOS®, ViCALity® Extra Heavy, ViCALity® Extra Light, ViCALity® Heavy, ViCALity® Medium, ViCALity® Light, ViCALity® Ultra Heavy, ViCALity® VL, ViCALity® H1
1.2. Recommended use and restrictions on	use
Use of the substance/mixture	: Mineral additive
1.3. Supplier	
Specialty Minerals Inc., 260 Columbia Street, Adams, MA 01220 USA Telephone: 1-877-684-7627	
1.4. Emergency telephone number	
Emergency number	 +1 413-743-0591 / +1 760-476-3962 3E Global Emergency Response Services. Access code: 333336 (if you mention SDS name and company name-you don't need the access code)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixtu	ıre
GHS US classification Not classified	
2.2. GHS Label elements, including precauti	ionary statements
GHS US labeling No labeling applicable	
2.3. Other hazards which do not result in cla	assification
Other hazards which do not result in classification	: Dust may cause mechanical irritation of the eyes, skin and upper respiratory tract.
2.4. Unknown acute toxicity (GHS US)	
Not applicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients			
3.1. Substances			
Name	Product identifier	%	GHS US classification
Precipitated Calcium Carbonate	CAS-No.: 471-34-1	> 98	Not classified
3.2. Mixtures			1

Not applicable

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop obtain medical attention.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	 Rinse mouth. Do NOT induce vomiting. Drink plenty of water. If symptoms develop, obtain medical attention.

Symptoms/effects

: Dust may cause mechanical irritation of the eyes, skin and upper respiratory tract.

4.3. Immediate medical attention and special treatment, if necessary

Not applicable.

SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Suitable extinguishing media : None. 5.2. Specific hazards arising from the chemical Fire hazard : Not flammable. Reactivity in case of fire : Calcium carbonate: decomposes on heating. Thermal decomposition generates : Carbon dioxide. Calcium oxide.

Hazardous decomposition products in case of fire : Carbon dioxide. Calcium oxide.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental releas	e measures
6.1. Personal precautions, protec	tive equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate area. Avoid dust formation. Avoid breathing dust. Avoid contact with skin and eyes. Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable protective clothing and eye or face protection. Where excessive dust may result, wear approved mask.
Emergency procedures	: Ventilate area. Avoid dust formation. Avoid breathing dust. Avoid contact with skin and eyes. Wear independent breathing equipment.
6.2 Environmental precautions	

Prevent entry to sewers and public waters. Notify authorities if large amounts of the product enters sewers or public waters.

6.3. Methods and material for containn	nent and cleaning up
For containment Methods for cleaning up	Stop leak, if possible without risk.Minimize generation of dust. Sweep or shovel spills into appropriate container for disposal.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage	je
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Provide appropriate exhaust ventilation at places where dust is formed. Avoid dust formation. Use only outdoors or in a well-ventilated area. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other
	exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
7.2. Conditions for safe storage, include	luding any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Incompatible materials. Keep container closed when not in use.
Incompatible materials	: Acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Precipitated Calcium Carbonate (471-34-	1)
USA - OSHA - Occupational Exposure Limits	
Local name	Precipitated Calcium Carbonate
OSHA PEL (TWA) (mg/m³)	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precipitated Calcium Carbonate (471-34-1)	
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	10 mg/m³ Total dust 5 mg/m³ Respirable dust
Regulatory reference (US-NIOSH)	Pocket Guide to Chemical Hazards
8.2. Appropriate engineering controls	
	Provide adequate ventilation, including appropriate local extraction, to ensure that occupational exposure limits are not exceeded.
	Avoid release to the environment.
8.3. Individual protection measures/Personal p	protective equipment
Personal protective equipment: Avoid all unnecessary exposure.	
Hand protection:	
	The exact breakthrough time has to be found out by the manufacturer of the protective gloves d replaced if there are any signs of degradation or breakthrough.
Eye protection:	
Wear safety glasses with side shields.	
Skin and body protection:	
Not required for normal conditions of use	
Respiratory protection:	
In case of insufficient ventilation and possible dust form	nation, wear suitable respiratory equipment.
Thermal hazard protection:	

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical p	properties
9.1. Information on basic physical and c	hemical properties
Physical state Appearance Color Odor Odor threshold pH Melting point Freezing point Boiling point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C	 Solid Powder. White. odorless No data available ≈ 10 Decomposes without melting No data available Not applicable Not data available No data available No data available No data available No tflammable. No data available No data available No data available
Relative density Solubility	: 2.71 (Water = 1) : Water: Partially soluble

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Pow Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosion limits Explosive properties	 Not relevant for inorganic substances No data available > 450 °C No data available No data available No data available No data available No tata available Not explosive.
•	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Contact with acids or strong heating liberates carbon dioxide, sometimes violently.

10.4. Conditions to avoid

Heat. Dust formation.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Contact with acids or strong heating liberates carbon dioxide, sometimes violently. Thermal decomposition generates : Calcium oxide.

SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity (oral) : Not classified : Not classified Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified **Precipitated Calcium Carbonate (471-34-1)** LD50 oral, rat > 2000 mg/kg (OECD 420 method) LD50 dermal, rat > 2000 mg/kg (OECD 402 method) LC50 inhalation, rat (mg/l) > 3 mg/l - 4 Hours (OECD Guideline 403) for solid substance Skin corrosion/irritation : Not classified pH: ≈ 10 Serious eye damage/irritation Not classified ÷ pH: ≈ 10 Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects	: Dust may cause mechanical irritation of the eyes, skin and upper respiratory tract.	

12.1. Toxicity	
cology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Precipitated Calcium Carbonate (471-3	34-1)
LC50 fish	> 100 mg/l - 96 Hours (Oncorhynchus mykiss) (OECD 203 method)
EC50 Daphnia	> 100 mg/l - 48 Hours (Daphnia magna) (OECD 202 method)
EC50 - Other aquatic organisms [2]	> 1000 mg/l 3 Hours (Activated sewage sludge)(OECD 209 method)
ErC50 algae	> 14 mg/l - 72 Hours (Desmodesmus subspicatus)(Growth rate, Yield)(OECD 201 method)
NOEC (acute)	14 mg/l (Desmodesmus subspicatus) (OECD 201 method)
12.2. Persistence and degradability Precipitated Calcium Carbonate (471-3	34-1)
Persistence and degradability	Not relevant for inorganic substances.
	Not relevant for inorganic substances.
12.3. Bioaccumulative potential	
Persistence and degradability 12.3. Bioaccumulative potential Precipitated Calcium Carbonate (471-3 Log Kow	
12.3. Bioaccumulative potential Precipitated Calcium Carbonate (471-3	34-1)
12.3. Bioaccumulative potential Precipitated Calcium Carbonate (471-3 Log Kow	34-1) Not relevant for inorganic substances
12.3. Bioaccumulative potential Precipitated Calcium Carbonate (471-3 Log Kow Bioaccumulative potential	34-1) Not relevant for inorganic substances

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods Ecology - waste materials	Dispose in a safe manner in accordance with local/national regulations.Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.1. UN number		
Not regulated for transport		
14.2. UN proper shipping name		
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Not applicable Not applicable Not applicable Not applicable 	
14.3. Transport hazard class(es)		
DOT Transport hazard class(es) (DOT)	: Not applicable	
TDG Transport hazard class(es) (TDG)	: Not applicable	
IMDG Transport hazard class(es) (IMDG)	: Not applicable	
IATA Transport hazard class(es) (IATA)	: Not applicable	
14.4. Packing group		
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	 Not applicable Not applicable Not applicable Not applicable 	
14.5. Environmental hazards		
Other information	: No supplementary information available.	
14.6. Special precautions for user		
Special transport precautions	: No special precautions required	
DOT No data available		
TDG No data available		
IMDG No data available		
IATA No data available		
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Not applicable		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Precipitated Calcium Carbonate (471-34-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Precipitated Calcium Carbonate (471-34-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

Precipitated Calcium Carbonate (471-34-1)		
State or local regulations	U.S Massachusetts - Right To Know List	

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information	
Revision date	: 04/26/2022
Data sources	: US OSHA HazCom (GHS) 25 May 2012. U.S. 29CFR Part 1910
	ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological
	Exposure Indices
	IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization
	EU Directive 91/322/EEC and 2000/39/EC
	NTP 11th Report on Carcinogens.
Other information	: None.

Abbreviations and acronyms	
	ACGIH (American Conference of Government Industrial Hygienists)
	DOT (Department Of Transportation (US))
	CAS (Chemical Abstracts Service) number
	EC50 (Effective Concentration 50%)
	IARC (International Agency for Research on Cancer)
	IATA (International Air Transport Association)
	IMDG (International Maritime Dangerous Goods Code)
	IMO (International Maritime Organisation)
	LC50 (Lethal Concentration 50%)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviation	Abbreviations and acronyms	
	LD50 (Lethal Dose 50%)	
	NIOSH (National Institute for Occupational Safety and Health)	
	NOEC (No Observed Effect Concentration)	
	OECD (Organisation for Economic Co-operation and Development)	
	OSHA (Occupational Safety and Health Administration) (US)	
	PEL (Permissible Exposure Limit)	
	STEL (Short Term Exposure Limit)	
	TLV (Threshold Limit Value) (ACGIH)	
	TSCA (Toxic Substances Control Act) (US)	
	TWA (Time Weighted Average)	
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)	

NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.	
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.	
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.	
Hazard Rating		
Health	: 0 Minimal Hazard - No significant risk to health	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. 	

Indication of changes:			
Section	Changed item	Change	Comments
8	Exposure controls / Personal protection equipment	Modified	
16	Other information	Modified	

Neither Minerals Technologies Inc., nor any of its affiliates ("MTI") shall be responsible for the use of information, product, method, or apparatus herein presented ("Information"), and you must make your own determination as to its suitability and completeness for your own use, for the protection of the environment, and for health and safety purposes. You assume the entire risk of relying on this information. In no event shall MTI be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information. By providing this information, MTI neither can nor intends to control the method or manner by which you use, handle, store, or transport MTI products. Nothing herein shall be construed as a recommendation or license to use any Information that conflicts with any patent, trademark or copyright. Material Safety Data Sheets providing safety precautions that should be observed in handling and storing MTI products are available upon request. You should obtain and review the available material safety information before handling any of these products.

MTI MAKES NO PRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE REGARDING THIS INFORMATION, AND NOTHING HEREIN WAIVES ANY CONDITIONS OF SALE. This information could include technical inaccuracies or typographical errors. Changes are periodically added to the information herein; these changes will be incorporated in revisions of the information. MTI may make improvements and/or changes in the product(s) described in this information at any given time.