

SECTION 1: Identification**1.1. Identification**

Product form : Mixture
Product name : OPTIBLOC PRODUCTS
Other means of identification : OPTIBLOC® 8, OPTIBLOC® 10, OPTIBLOC® 25

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Antiblock

1.3. Supplier

Barretts Minerals Inc.
8625 Highway 91 South
Dillon, MT 59725
USA
Telephone: 406-683-3323

1.4. Emergency telephone number

Emergency number : +1 760 476 3962
3E Global Emergency Response Services. Access code: 333336 (if you mention SDS name and company name-you don't need the access code)

SECTION 2: Hazard(s) identification**2.1. Classification of the substance or mixture****GHS US classification**

| | | |
|--|------|--|
| Serious eye damage/eye irritation Category 2 | H319 | Causes serious eye irritation |
| Carcinogenicity Category 1A | H350 | May cause cancer (Inhalation) |
| Specific target organ toxicity (single exposure) Category 1 | H370 | Causes damage to organs (lung/respiratory system) (Inhalation) |
| Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | H335 | May cause respiratory irritation |

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements**GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H350 - May cause cancer (Inhalation)
H370 - Causes damage to organs (lung/respiratory system) (Inhalation)

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe dust.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear eye protection, protective clothing, protective gloves.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P307+P311 - If exposed: Call a poison center/doctor.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container to an authorized waste collection point.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|---------------|-----------------------|---------|--|
| Talc | CAS-No.: 14807-96-6 | 30 - 60 | Not classified |
| Trade Secret* | CAS-No.: Trade Secret | 30 - 60 | Eye Irrit. 2A, H319 STOT SE 3, H335 |
| Quartz | CAS-No.: 14808-60-7 | 5 - 20 | Carc. 1A, H350 STOT SE 3, H335 STOT SE 1, H370 |

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, trained personnel should give oxygen. If not breathing, give artificial respiration. Obtain immediate medical attention.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If symptoms develop, obtain medical attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Ensure that folded skin of eyelids is thoroughly washed with water. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain medical attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Give 100 - 200 ml of water to drink. If symptoms develop, obtain medical attention.

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed)

| | |
|-------------------------------------|--|
| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract. Causes damage to organs (lungs, respiratory system) (if inhaled). |
| Symptoms/effects after skin contact | : Repeated and/or prolonged skin contact may cause irritation. |
| Symptoms/effects after eye contact | : Causes serious eye irritation. |
| Symptoms/effects after ingestion | : Ingestion may cause irritation of the gastrointestinal tract. |
| Chronic symptoms | : May cause cancer (if inhaled). |

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

| | |
|--------------------------------|---|
| Suitable extinguishing media | : Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : None known. |

5.2. Specific hazards arising from the chemical

| | |
|-------------|---------------|
| Fire hazard | : None known. |
|-------------|---------------|

5.3. Special protective equipment and precautions for fire-fighters

| | |
|--------------------------------|---|
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
|--------------------------------|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Emergency procedures | : Ventilate area. Avoid dust formation. Do not breathe dust. Avoid contact with eyes, skin and clothing. Evacuate unnecessary personnel. |
|----------------------|--|

6.1.2. For emergency responders

| | |
|----------------------|--|
| Protective equipment | : Wear suitable protective clothing, gloves and eye or face protection. Where excessive dust may result, wear approved mask. |
| Emergency procedures | : Ventilate area. Avoid dust formation. Do not breathe dust. Avoid contact with eyes, skin and clothing. Wear independent breathing equipment. |

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if large amounts of the product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Stop leak, if possible without risk. |
| Methods for cleaning up | : Collect using vacuum cleaner fitted with HEPA filter. - OR - Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. Do not dry sweep dust. Store away from other materials. |

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide appropriate exhaust ventilation at places where dust is formed. Use only outdoors or in a well-ventilated area. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothing.
- Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Quartz (fine fraction) (14808-60-7) | |
|---|--|
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Silica crystalline - quartz |
| ACGIH TWA (mg/m ³) | 0.025 mg/m ³ (R - Respirable particulate matter) |
| Remark (ACGIH) | TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen) |
| Regulatory reference | ACGIH 2020 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Silica, crystalline quartz, respirable dust |
| OSHA PEL (TWA) (mg/m ³) | 0.05 mg/m ³ [Action level: 0.025 mg/m ³] |
| Remark (OSHA) | Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO ₂ +5)) for mppcf and (10 mg/m ³ / (%SiO ₂ +2)) for mg/m ³ . CAS No. source: eCFR Table Z-1. |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-3 Mineral Dusts |
| Talc (14807-96-6) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Talc |
| ACGIH TWA (mg/m ³) | 2 mg/m ³ (Containing no asbestos fibers. E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter) 2 mg/m ³ (Containing asbestos fibers. R - Respirable particulate matter) |
| ACGIH TWA (ppm) | 0.1 fibers/cm ³ (Containing asbestos fibers. F - Respirable fibers) |
| Remark (ACGIH) | Containing no asbestos fibers = TLV® Basis: Pulm fibrosis; pulm func. Notations: A4 Containing asbestos fibers = TLV® Basis: Pneumoconiosis; lung cancer; mesothelioma. Notations: A1 (Confirmed Human Carcinogen) |
| Regulatory reference | ACGIH 2021 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Talc (not containing asbestos) (Silicates (less than 1% crystalline silica)) |

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Talc (14807-96-6) | |
|--------------------------------|--|
| OSHA PEL (TWA) [2] | 20 mppcf |
| Remark (OSHA) | Table Z-3. CAS No. source: eCFR Table Z-1. |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-3 Mineral Dusts |

8.2. Appropriate engineering controls

| | |
|----------------------------------|---|
| Appropriate engineering controls | : Provide adequate ventilation, including appropriate local extraction, to ensure that occupational exposure limits are not exceeded. Provide appropriate exhaust ventilation at places where dust is formed. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. |
| Environmental exposure controls | : Avoid release to the environment. |

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

| |
|--|
| Hand protection: |
| Wear chemically resistant protective gloves. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough. |
| Eye protection: |
| Chemical goggles or safety glasses |
| Skin and body protection: |
| Use chemically protective clothing |
| Respiratory protection: |
| Dust mask or respirator |

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Solid |
| Appearance | : Powder. White. |
| Color | : White |
| Odor | : Odorless |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Not flammable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : > 2 (Water = 1) |

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---------------------------|---------------------|
| Solubility | : Water: Insoluble |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : Not explosive. |
| Oxidizing properties | : Not oxidizing. |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Dust formation.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Talc (14807-96-6)

| | |
|----------------|--------------------------------|
| LD50 oral, rat | > 5000 mg/kg (OECD 423 method) |
|----------------|--------------------------------|

| | |
|-----------------------------------|----------------------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : May cause cancer (Inhalation). |

Quartz (fine fraction) (14808-60-7)

| | |
|------------|----------------------------|
| IARC group | 1 - Carcinogenic to humans |
|------------|----------------------------|

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Talc (14807-96-6) | |
|--|---|
| IARC group | Inhaled talc not containing asbestos or asbestiform fibers: 3 - Not classifiable Talc-based body powder for perineal dusting: 2B – Possibly carcinogenic to humans |
| National Toxicology Program (NTP) Status | Not listed by NTP, ACGIH, OSHA, or NIOSH |
| Reproductive toxicity | : Not classified |

| Talc (14807-96-6) | |
|-----------------------------|---|
| NOAEL (animal/female, F0/P) | > 900 mg/kg bodyweight/day rabbit (OECD 416 method) |
| STOT-single exposure | : Causes damage to organs (lung/respiratory system) (Inhalation). May cause respiratory irritation. |

| Quartz (fine fraction) (14808-60-7) | |
|-------------------------------------|---|
| STOT-single exposure | May cause respiratory irritation. Causes damage to organs (lungs) (Inhalation). |

| Trade Secret | |
|----------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |

| | |
|---|---|
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Potential Adverse human health effects and symptoms | : Causes serious eye irritation. Repeated or prolonged contact may cause skin irritation. May cause respiratory irritation. Causes damage to organs (lungs, respiratory system) (if inhaled). May cause cancer (if inhaled). |
| Other information | : IARC: In 2006, IARC concluded that inhaled talc not containing asbestos or asbestiform fibers is not classifiable as a human carcinogen (Group 3). IARC concluded that there is limited evidence that the use of talc-based body powder for perineal dusting is a possible risk factor for ovarian cancer (Group 2B). This is not a route of exposure relevant to workers and applies only to one specific use of talc. |

NTP: In 2000, NTP reviewed both "talc containing asbestiform fibers" and "talc not containing asbestiform fibers," and did not list either type in light of continuing uncertainty in the scientific literature. The NTP did not consider the ovarian cancer studies in the evaluation of talc not containing asbestiform fibers because it was unclear if the talc used in these studies might have been contaminated with asbestos. 66 Fed. Reg. 13,334 (Mar. 5, 2001).

U.S.FDA: In 2009 – 2010, U.S. FDA conducted a survey of currently marketed cosmetic products containing talc- as well as the talc in the cosmetic products, and found no asbestos fibers or structures. FDA continues to monitor new information concerning talc safety. There are epidemiology studies on this subject in the reported literature that should be consulted for further information.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not classified.

| Talc (14807-96-6) | |
|-------------------------------|--|
| LC50 fish | 89581.02 mg/l - 96 Hours (freshwater fish, QSAR) |
| EC50 Daphnia | 36812.36 mg/l - 48 Hours (freshwater invertebrates, QSAR) |
| LC50 fish 2 | 110000 mg/l - 96 Hours (marine water fish, QSAR) |
| Additional ecotox information | NOEC, marine water fish, acute: 5 979.72 mg/l (30 days, QSAR) NOEC, marine water fish, Chronic: 1 412.65 mg/l (30 days, QSAR) NOEC, freshwater invertebrates, Chronic: 1 459.80 mg/l (30 days, QSAR) NOEC, freshwater algae, Chronic: 918.80 mg/l (30 days, QSAR) |

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability

| OPTIBLOC PRODUCTS | |
|-------------------------------|--|
| Persistence and degradability | Not relevant for inorganic substances. |
| Talc (14807-96-6) | |
| Persistence and degradability | Not relevant for inorganic substances. |

12.3. Bioaccumulative potential

| OPTIBLOC PRODUCTS | |
|---------------------------|---|
| Bioaccumulative potential | Not relevant for inorganic substances. |
| Talc (14807-96-6) | |
| BCF - Fish [1] | 3.162 l/kg (Whole body, Freshwater, QSAR) |
| Log Pow | -9.4 (25 °C, pH 7), (QSAR) |
| Bioaccumulative potential | No potential for bioaccumulation. |

12.4. Mobility in soil

| OPTIBLOC PRODUCTS | |
|-------------------|---------------------------|
| Ecology - soil | No information available. |
| Talc (14807-96-6) | |
| Ecology - soil | Insoluble in water. |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Additional information : Handle empty containers with care.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with Department of Transport / Transportation of Dangerous Goods / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable

Packing group (TDG) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

Special transport precautions : No special precautions required

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

OPTIBLOC PRODUCTS

| | |
|-------------------------------------|---|
| SARA Section 311/312 Hazard Classes | Health hazard - Carcinogenicity Health hazard - Serious eye damage or eye irritation Health hazard - Specific target organ toxicity (single or repeated exposure) |
|-------------------------------------|---|

Quartz (fine fraction) (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Talc (14807-96-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Trade Secret

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Quartz (fine fraction) (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

Talc (14807-96-6)

Listed on the Canadian DSL (Domestic Substances List)

Trade Secret

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

OPTIBLOC PRODUCTS

Generally acceptable for use in vanilla powder and vanilla-vanillin powder under food standards 21 CFR 169.179 and 169.182
Generally Recognized As Safe as an anti-caking agent in table salt up to 2% (21 CFR 182.2437)
Generally approved for use as a pigment or colorant under 21 CFR 175.300, 175.380, 175.390, 176.170, 177.1210, 177.1350, 177.1460
Generally approved for use as a colorant only as components of paper and paperboard in contact with aqueous fatty foods (21 CFR 176.170)

Quartz (fine fraction) (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

⚠ WARNING: This product can expose you to Quartz (fine fraction), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Component | State or local regulations |
|------------------------------------|---|
| Quartz (fine fraction)(14808-60-7) | U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |
| Talc(14807-96-6) | U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |

SECTION 16: Other information

Revision date : 06/30/2021
Data sources : US OSHA HazCom (GHS) 25 May 2012.
Other information : None.

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases | |
|------------------------|----------------------------------|
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H350 | May cause cancer |
| H370 | Causes damage to organs |

| Abbreviations and acronyms | |
|----------------------------|---|
| | ACGIH (American Conference of Government Industrial Hygienists) |
| | BCF (Bioconcentration Factor/Bioconcentration factor) |
| | CAS (Chemical Abstracts Service) number |
| | DOT (Department Of Transportation (US)) |
| | EC50 (Effective Concentration 50%) |
| | IARC (International Agency for Research on Cancer) |
| | IATA (International Air Transport Association) |
| | IBC (Intermediate Bulk Container) |
| | IMDG (International Maritime Dangerous Goods Code) |
| | IMO (International Maritime Organisation) |
| | LC50 (Lethal Concentration 50%) |
| | LD50 (Lethal Dose 50%) |
| | Koc (Soil adsorption coefficient) |
| | NIOSH (National Institute for Occupational Safety and Health) |
| | NOEC (No Observed Effect Concentration) |
| | OECD (Organisation for Economic Co-operation and Development) |
| | OEL (Occupational exposure limit) |
| | OSHA (Occupational Safety and Health Administration) (US) |
| | PEL (Permissible Exposure Limit) |
| | QSAR (Quantitative Structure-Activity Relationship) |
| | STEL (Short Term Exposure Limit) |
| | TLV (Threshold Limit Value) (ACGIH) |
| | TSCA (Toxic Substances Control Act) (US) |
| | TWA (Time Weighted Average) |
| | UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods) |
| | WAF (Water Accommodated Fraction) |

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.


NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

OPTIBLOC PRODUCTS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating
Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

: * - Chronic (long-term) health effects may result from repeated overexposure

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

| Indication of changes: | | | |
|------------------------|---|----------|----------|
| Section | Changed item | Change | Comments |
| 2 | Hazards identification | Modified | |
| 3 | Composition/Information on ingredients | Modified | |
| 4 | First aid measures | Modified | |
| 6 | Accidental release measures | Modified | |
| 7 | Handling and storage | Modified | |
| 8 | Exposure controls / Personal protection equipment | Modified | |
| 11 | Toxicological information | Modified | |
| 12. | Ecological information | Modified | |
| 13 | Disposal considerations | Modified | |
| 15 | Regulatory information | Modified | |
| 16 | Other information | Modified | |

Safety Data Sheet (SDS), USA

Neither Barretts Minerals Inc., nor any of its affiliates ("BMI") shall be responsible for the use of information, product, method, or apparatus herein presented ("Information"), and you must make your own determination as to its suitability and completeness for your own use, for the protection of the environment, and for health and safety purposes. You assume the entire risk of relying on this information. In no event shall BMI be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information. By providing this information, BMI neither can nor intends to control the method or manner by which you use, handle, store, or transport BMI products. Nothing herein shall be construed as a recommendation or license to use any Information that conflicts with any patent, trademark or copyright. Material Safety Data Sheets providing safety precautions that should be observed in handling and storing BMI products are available upon request. You should obtain and review the available material safety information before handling any of these products.

BMI MAKES NO PRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE REGARDING THIS INFORMATION, AND NOTHING HEREIN WAIVES ANY CONDITIONS OF SALE. This information could include technical inaccuracies or typographical errors. Changes are periodically added to the information herein; these changes will be incorporated in revisions of the information. BMI may make improvements and/or changes in the product(s) described in this information at any given time.