

FEATURES

- ▶ High quality
- ▶ High Brightness dolomite (calcium-magnesium carbonate)

BENEFITS

- ▶ Used in a variety of industrial and agricultural applications, such as fillers in floor tiles, glass, soil treatment and acid neutralization.

SHIPPING INFORMATION

DF dolomitic limestone ships from Canaan, CT.

Product is only available in bulk shipments.

For availability and minimum order quantity, contact customer service.

SALES OFFICES

Canaan, CT
866-840-6840

Bethlehem, PA, USA
800-801-1031

www.mineralstech.com

DF 3015 (Canaan, CT)

Screened Dolomitic Limestone

Product Description

DF 3015 screened dolomitic limestone is produced in Canaan, CT from a high quality, high brightness dolomite (calcium-magnesium carbonate). The first two digits in the code number indicate the approximate top mesh size. The last two digits indicate the approximate percent passing a 200 mesh sieve.

The material is used in a wide variety of industrial and agricultural applications, such as fillers in floor tiles, glass, soil treatment and acid neutralization.

Typical Properties

Specific Gravity	2.8
Dry Brightness (Hunter Y, Rd Value)	79
Bulk Density (pounds/ft ³)	103
(grams/cc)	1.66

Chemical Composition (Typical)

Calcium Carbonate (CaCO ₃)	55%
Magnesium Carbonate (MgCO ₃)	43%
Iron as (Fe ₂ O ₃)	0.3%
Moisture (%) (% weight loss @ 110° C)	0.1%

All products are sold on the understanding that the user is solely responsible for determining their suitability for the intended use. All information given and recommendations made herein are based upon our research and are believed to be accurate, but no guarantee, either expressed or implied, is made with respect thereto or with respect to the infringement of any patent. SMI MAKES NO WARRANTY OF MERCHANTABILITY OR SUITABILITY FOR ANY PARTICULAR PURPOSE IN CONNECTION WITH ANY SALE OF THE PRODUCTS DESCRIBED HEREIN. Inconsistent terms and conditions contained in Buyer's purchase order shall not be binding on SMI unless reflected in writing signed by SMI's representative. This information is not to be copied, used in evidence, released for publication or public distribution without written permission from Specialty Minerals Inc.

The Minerals Technologies Logo and Specialty Minerals Logo, are registered trademarks of Minerals Technologies Inc. or its subsidiaries.