# MATERIAL SAFETY DATA SHEET



## 1. Product and Company Identification

STRONGSEAL® DB **Material name** 

Version # 05

24-February-2011 **Revision date** 

CAS# Mixture CFTCO **Manufacturer information** 

> **Building Materials Group** 2870 Forbs Avenue

Hoffman Estates, IL 60192 US safety.data@amcol.com http://www.cetco.com/

General Information (800) 527-9948 CHEMTREC® (800) 424-9300

### 2. Hazards Identification

Potential health effects

Dust or powder may irritate eye tissue. Symptoms include itching, burning, redness and tearing. **Eves** 

Skin Substance may cause slight skin irritation. May cause skin sensitization, an allergic reaction,

which becomes evident on re-exposure to this material. Symptoms may include redness, edema,

drying, defatting and cracking of the skin.

Inhalation of dusts may cause respiratory irritation. Inhalation

Ingestion Small amounts (a tablespoonful) swallowed during normal handling operations are not likely to

cause injury; swallowing amounts larger than that may cause injury.

# 3. Composition / Information on Ingredients

Components	CAS#	Percent	
RUBBER	9006-04-6	40 - 70	
TALC	14807-96-6	0.1 - 1	

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. **Composition comments** 

### 4. First Aid Measures

First aid procedures

Eye contact Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical

attention if irritation develops or persists.

Skin contact Wash affected area with mild soap and water. Get medical attention if irritation develops or

persists.

Inhalation If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if

cough or other symptoms develop.

Ingestion may cause transient irritation of throat, stomach and gastrointestinal tract. If ingestion of Ingestion

a large amount does occur, seek medical attention. Get medical attention if symptoms occur.

# 5. Fire Fighting Measures

Flammable properties During a fire, irritating and highly toxic gases may be generated by thermal decomposition or

combustion.

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam. Use any media suitable for the surrounding fires.

**Protection of firefighters** 

Protective equipment for

firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Fire fighting

equipment/instructions

Material name: STRONGSEAL® DB MSDS CANADA

4768 Version #: 05 Revision date: 24-February-2011 Print date: 24-February-2011

Not available.

1/5

Hazardous combustion products

Irritating and/or toxic gases may be emitted upon the products decomposition.

### 6. Accidental Release Measures

**Personal precautions** Keep unnecessary personnel away.

**Environmental precautions** No special environmental precautions required.

Methods for containment None necessary.

Methods for cleaning up Sweep up or gather material and place in appropriate container for disposal.

### 7. Handling and Storage

**Handling** Keep away from heat and flame. Keep formation of airborne dusts to a minimum.

**Storage** Keep away from heat, sparks, and flame.

## 8. Exposure Controls / Personal Protection

### Occupational exposure limits

Canada -	<b>British</b>	Columbia
----------	----------------	----------

Components	Туре	Value	Form
RUBBER (9006-04-6)	TWA	0.0010 mg/m3	Inhalable
TALC (14807-96-6)	TWA	2.0000 mg/m3	Respirable.
Canada - Ontario			
Components	Туре	Value	Form
RUBBER (9006-04-6)	TWA	0.0010 mg/m3	Inhalable
TALC (14807-96-6)	TWA	2.0000 mg/m3	Respirable.
,		2.0000 fibers/ml	
Canada - Quebec			
Components	Туре	Value	Form
TALC (14807-96-6)	TWA	3.0000 mg/m3	Respirable dust.

**Exposure guidelines** Some of the components of this product are hazardous in the respirable form. However, because

of the physical nature of this product, dust generation is not expected.

**Engineering controls**Good general ventilation should be sufficient to control airborne levels. Use process enclosures,

local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If engineering measures are not sufficient to maintain

concentrations of dust particulates below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

**Eye / face protection** Wear safety glasses with side shields.

**Skin protection** Normal work clothing (long sleeved shirts and long pants) is recommended. When material is

heated, wear gloves to protect against thermal burns.

**Respiratory protection** When dusts or thermal processing fumes are generated and ventilation is not sufficient to

effectively remove them, appropriate NIOSH/MSHA approved respiratory protection must be

provided.

### 9. Physical & Chemical Properties

Not available. **Appearance** Not available. Color Not available. Odor Not available. **Odor threshold** Not available. **Physical state Form** Not available. pН Not available. Melting point/Freezing point Not available. Not available. **Boiling point** Not available. Flash point Not available. **Evaporation rate** Flammability limits in air, upper, Not available.

% by volume

4768 Version #: 05 Revision date: 24-February-2011 Print date: 24-February-2011

Flammability limits in air, lower, Not available.

% by volume

Not available. Vapor pressure Vapor density Not available. Specific gravity Not available. Not available. Relative density Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

## 10. Chemical Stability & Reactivity Information

Stable at normal conditions. **Chemical stability** Conditions to avoid Heat, flames and sparks. Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** Upon decomposition this product emits acrid dense smoke with carbon dioxide, carbon monoxide,

products

water and other products of combustion.

Possibility of hazardous

reactions

Will not occur.

# 11. Toxicological Information

**Acute effects** Eve irritation

Sensitization May cause sensitization of susceptible persons by skin contact.

US ACGIH Threshold Limit Values: Skin designation

RUBBER (CAS 9006-04-6) Can be absorbed through the skin.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

TALC (CAS 14807-96-6) 2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

No data available to indicate product or any components present at greater than 0.1% are Mutagenicity

mutagenic or genotoxic.

No data available to indicate product or any components present at greater than 0.1% may cause **Teratogenicity** 

birth defects.

## 12. Ecological Information

No data available for this product. This product is not expected to produce significant ecotoxicity **Ecotoxicity** 

upon exposure to aquatic organisms and aquatic systems.

No data available for this product. Based on the physical properties of this product, significant **Environmental effects** 

environmental persistence and bioaccumulation would not be expected.

Persistence and degradability Not available.

### 13. Disposal Considerations

Dispose in accordance with all applicable regulations. **Disposal instructions** 

# 14. Transport Information

Not regulated as dangerous goods.

## 15. Regulatory Information

WHMIS status Controlled

WHMIS classification D2B - Other Toxic Effects-TOXIC

Material name: STRONGSEAL® DB MSDS CANADA

# WHMIS labeling



#### Inventory status

Country(s) or region	Inventory name On inventory (	yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
** ***		

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

### 16. Other Information

**Recommended restrictions** 

Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.


**Further information** 

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

**HMIS** ratings



### NFPA ratings



Material name: STRONGSEAL® DB MSDS CANADA

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Prepared by Issue date EHS Department 24-February-2011